Electronics Letters

INDEX VOLUME 6 1970

A

A.M. noise of IMPATT-diode oscillators. G. Ulrich 247
A priori stability guarantee for suboptimal-control designs. D. H. Mee 536
Aatre, V. K., and Fry, R. W. (See Fry)
Abdel-Latif, M., and Strutt, M. J. O. Impairment of noise immunity of digital monolithic integrated circuits caused by supply-line and earth-line spikes in conjunction with coaxial-cable connections 643
Acar, C. Direct formulation of the state equations: signal-flow-graph approach in time domain 395
Acar, C. Formulation of the state equations by signal-flow graphs 82
Accurate calculation of small-signal growth rates in avalanche diodes. R. L. Wierich 466
Accurate tuning of a laser mode-locking device. W. A. Gambling, P. J. R. Laybourn, M. D. Lee, H. Sunak and M. Anson 570
Ackroyd, M. H. Computing the coefficients of high-order polynomials 715
Acoustic holographic system for real-time viewing. S. B. Colegrove and L. V. Skattebol 663
Acoustic surface waves on $LiNbO_3$, new high-frequency high-coupling low-beam-steering cut for. A. J. Slobodnik and E. D. Conway 171
Acoustic waves, surface, visualisation of. T. M. Reeder, E. M. Westbrook and D. K. Winslow 30
Acoustoelectric amplification of surface waves in structure of cadmium-selenide film on lithium niobate. H. Hanebrekke and K. A. Ingebrigsten 520
Acoustoelectric oscillators, thin, voltage- and conductivity-independent mode of operation in. F. G. Marshall 382
Active distributed RC lowpass filter, design of an, using exponential lines. J. Walsh and M. N. S. Swamy 293
Errata 387
Active filters and gain-bandwidth product. E. A. Faulkner and J. B. Grimbleby 549
Active networks in symbolic form, inversion of nodal-admittance matrix for. T. Downs 690
Active RC-circuit synthesis, universal active unit for. A. W. Keen 667
Active RC filter, optimal synthesis of an. W. J. Butler and S. S. Haykin 209
Active RC filters, simple, using controlled sources. A. G. J. Holt 756
Active 2-poles, stability and transient behaviour of. I. Lundström and O. Nilsson 219
Active 2-port networks, reappraisal of the unconditional stability criteria for, in terms of S parameters. P. J. Owens and D. Woods 315
Adam, J. D., and Bennett, G. A. (See Bennett)
Adam, J. D., Bennett, G. A., and Wilkinson, J. Experimental observation of magnetostatic modes in a y.i.g. slab 434
Adam, J. D. Delay of magnetostatic surface in y.i.g. 718
Adapt, digital networks which, by scanning and growth. R. Baker 428
Adaptifon system for telephony—an alternative implementation of the Lincompex concept. J. A. Betts 542
Adaptive delta modulator for telephony. J. A. Betts and N. Ghani 336
Adaptive equaliser for multipath channels. R. T. Boyd and F. C. Monds 556
Adaptive filter for microwave radiometry. P. I. Somlo 331
Additional doping in epitaxial silicon underlying a radio-frequency glow-discharge-deposited silicon-nitrode layer. U. Günther and W. Quast 425
Admittance measurement, obstacle, in below-cutoff waveguides, method of. C. K. Mok 50
Admittance measurements through non-uniform transmission lines. T. K. Ishii and J. A. Mashock 258
Admittance, variation of the, of a plasma capacitor with the amplitude of the measuring potential. I. L. Freeston 672
Aerial arrays with asymmetrical thinning. P. A. Matthews 319
Aerial noise-temperature variations due to atmospheric changes at frequencies of 3.95, 11.75 and 17 GHz. E. G. Jarvis 254
Errata 296
Aerial problems, near-field, spherical-harmonic expansions in. P. J. Wood 535
Aerials, Yagi and dielectric-rod, radiation mechanism of. E.-G. Neumann 528
Aerials, Yagi, Hansen-Woodyard condition as applied to. P. Miller 574
Ager, D. J., and Stanley, I. W. (See Stanley)
Ahmed, N., and Rao, K. R. Complex BIFORE transform 256
Errata 387
Ahmed, N., and Rao, K. R. Discrete Fourier and Hadamard transforms 221
Ahmed, N., and Rao, K. R. Spectral analysis of linear digital systems using BIFORE 43
Ahmed, N., Bates, R. M., and Rao, K. R. Multidimensional BIFORE transform 237
Aitchison, C. S., and Davies, R. Large-signal varactor measurements 780
Albrecht, P., and Bechteler, M. Noise figure and conversion loss of self-excited Gunn-diode mixers 321
Aleksander, I., and Fairhurst, M. C. Pattern learning in humans and electronic learning nets 518
Aleksander, I., and Mamdani, E. M. Universal sequential logic elements 801
Aleksander, I. Microcircuit learning nets: Hamming-distance behaviour 134
Alexander, J. H., Chittick, R. C., Drake, C. F., and Scanlan, I. F. Polarisable dielectrics for m.o.s.t.s 813
Al-Hakkak, M. J., and Lo, Y. T. Circular waveguides with anisotropic walls 786
Alloy, InSb-NiSb eutectic, noise radiated from. A. G. R. Evans and D. Walsh 679
Allpass networks using Wien's bridge. P. Williams 183
Allwright, J. C., and Chuang, S. C. Obtaining transfer functions with zero steady-state error from impulse responses 706
Allwright, J. C. Commutative controllers 276
Allwright, J. C. Control-function optimisation using quadrature integrations for positive semidefinite state cost matrix Q 510
Allwright, J. C. Sensitivity-function determination for linear feedback systems 390
Allwright, J. C. Simultaneous solution of system dynamic equations and control-function optimisation using the conjugate-gradient algorithm 322
Allwright, J. C. Stopping conditions for iterative control-function optimisation 545
Alternative allpass networks using Wien's bridge. P. Williams 188
Al-Tikriti, M. N., and N-Nagy, F. L. (See N-Nagy)
Amplification, ideal voltage-amplifier, some possibilities of indirect determination of network-function sensitivity to the. I. Valsa and J. Cajka 774
Amplifier circuit, class-BD. J. D. Martin 839
Amplifier, high-dynamic-range low-noise microwave. J. R. Collard and A. R. Gobat 202
Amplifier, l.s.a. microstrip phase-locked power. W. K. Kennedy and E. L. Rossiter 852
Amplifier, low-noise cryogenic, based on the Josephson effect. A. van der Ziel and H. M. Choe 576
Errata 760
Amplifier, travelling-wave, using thin epitaxial GaAs layer. R. H. Dean, A. B. Dreeben, J. F. Kaminski and A. Trianjo 775
Amplitude and phase modulation, high-speed, of Gunn oscillators. B. Martin and G. S. Hobson 244
Analogue computer with Hall effect and magnetoresistance effect. B. I. Vichev and V. I. Miteva 287
Analogue electronic computer, deadzone simulation on an. A. D. Cox 633
Analogue gating in multichannel detection devices. F. P. Küpper and J. M. J. de Ruiter 648
Analogue multiplier, 4-quadrant, simple. T. R. Viswanathan and G. S. Deep 725
Analogue multiplier, high-performance, based on the characteristics of bipolar transistors. E. A. Faulkner and J. B. Grimbleby 379
Analogue-switch driver, high-speed complementary, and interface circuit. W. A. Evans and N. A. Jolly 762
Analogue technique for microstrip parameters. R. J. Collier and D. J. Price 338
Analysis and synthesis of cascaded non-commensurable Ozaki-Ishii sections. A. Premoli 37
Analysis and synthesis of cascaded non-commensurable transmission lines, shunted by lumped capacitances. A. Premoli 36
Analysis and synthesis of sequential circuits, 'transition equations' for the. D. A. Pucknell 731
Analysis of a magnetically tuned coaxial cavity using state-space techniques. I. J. H. S. Moore and J. A. C. Stewart 391
Analysis of helicon-wave propagation. D. Midgley 497
Analysis of parallel dry-reed operation. W. Gruszczyński, J. Hryńczuk and H. J. Wierzba 471
Analysis of quasioptical waveguide corners. B. Wardrop 154
Analysis of simplified model relevant to propagation of microwave phonons in y.i.g. rods. P. de Santis 621
Analytic evaluation of diffused impurity layers in silicon. M. L. Gupta and A. B. Bhattacharyya 291
Analytical theory of stable domains in high-doped Gunn diodes. B. L. Gelmont and M. S. Shur 385
Anderson, A. P., and Swingler, D. N. Location of an irregularity in a microwave array by optical processing of its microwave hologram 577
Anderson, A. P., and Swingler, D. N. (See Swingler)
Angle-modulated wave, frequency multiplication using the properties of an. E. M. Bliss 102
Angular-velocity measurement, instantaneous, simple capacitance transducer for. B. E. Jones 651
Annealing behaviour of proton-irradiated m.o.s. capacitors. H. C. Card and K. C. Kao 749
Anson, M., Gambling, W. A., Laybourn, P. J. R., Lee, M. D., and Sunak, H. (See Gambling)
Antenna beamwidth, decreasing, with increasing scan angle. R. C. Hansen 544
Antenna, focused aperture, using a spherical main reflector with (Cassegrain) convex feed. H. S. Oranç and A. F. Fer 523
Antenna measurements, near-field, correction of, made with an arbitrary but known measuring antenna. D. M. Kerns 346
Antenna measurements, near-field, recent experimental results in. R. C. Baird, A. C. Newell, P. F. Wacker and D. M. Kerns 349
Antenna near fields, applicability of Kirchhoff integral to. J. R. James 547
Antennas, Cassegrain, remarks on the concept of equivalent parabolas for. H. Gniss and G. Ries 737
Antennas, two identical, new method of gain measurement using. D. M. Kerns 348
Anticodes, linear binary. P. G. Farrell 419
Apparent interface state density introduced by the spatial fluctuations of surface potential in an m.o.s. structure. R. Castagne and A. Vapaille 691
Applicability of Kirchhoff integral to antenna near fields. J. R. James 547

Application of almost periodic functions to system identification. H. M. Power and R. J. Simpson 289
Application of continued-fraction method for modelling transfer functions to give more accurate initial transient response. S. C. Chuang 861
Approach for heat sinks in monolithic microwave integrated circuits. A. D. Sutherland 432
Approximate construction of phase-plane trajectories using isocentric curves. R. Chaplin and H. M. Power 370
Approximate method for the discretisation of continuous linear multivariable systems. P. D. Roberts 76
Approximate transfer functions for multivariable systems. R. M. Luntz 444
Approximation for zero frequency, properties of digital bandpasses obtained by convolution. R. Vích 440
Approximation in digital-filter synthesis based on time-response invariance. R. Vích 442
Approximation to a linear-phase power function (l.p.p.f.) in an m-dimensional orthonormal space. A. R. Memon 504
Arc, electric, stable a.c. discharges, requirements for. J. C. Luxat and L. H. Lees 285
Arithmetic arrays, iterative and near-iterative, generalised cell for use in. G. White 270
Armstrong, G. A., and Magowan, J. A. Modelling of short-channel m.o.s. transistors 313
Arnbak, J. Quasi-equispaced slot arrays with extremely low crosspolarisation 585
Arndt, F. Ultra-broadband transmission-line 90° directional couplers 418
Array, fully iterative, for extracting square roots. R. C. De Vries and M. H. Chao 255
Array, p rowave, location of an irregulari a, by optical signal processing of its microwave hologram. A. P. Anderson and D. N. Swingler 577
Arrays, arithmetic, iterative and near-iterative, generalised cell for use in. G. White 270
Arrays, quasi-equispaced slot, with extremely low crosspolarisation.
Arthanayake, T., Knight, V. H., and Kwiatkowski, W. (See Kwiatkowski)
Ashley, K. L., and Hahn, L. A. (See Hahn)
Aspect of the quantisation noise associated with the digital coding of colour-television signals. R. M. Dorward 5
Asynchronous binary dividing array. P. A. W. Walker 515
Asynchronous machine, electronic mode of control to obtain increased torque and improved power factor from an. J. D. Van Wyk 399
Atherton, D. P. Comment on describing-function inversion 779
Attenuation coefficient, measurement of the, of inhomogeneous dielectric-filled cables using the standing-wave technique. B. Chambers 211
Attenuation constant, low-level, or ΔH_{-6} and ΔH_{+}, possible relation between. N. Ogasawara and E. Sawado 761
Attenuation due to rainfall on a 24 km microwave link working at 11, 18 and 36 GHz. D. J. W. Turner and D. Turner 297
Errata 424
Attenuation in corrugated circular waveguide. P. J. B. Clarricoats and P. K. Saha 370
Attenuation of dispersive Rayleigh waves on quartz. G. Cambon and M. Rouzeyre 539
Atomic frequency source, rubidium, having small size and fast warm up. R. E. Hayes, T. J. Bennett, G. T. Norton and M. M. Zepler 734
Atzeni, C., and Cionini, A. (See Cionini)
Au, H. K. Hybrid modes in corrugated conical horns with narrow flare angle and arbitrary length 769
Auchterlonie, L. J., Eddolls, D. V., and White, P. M. Observation of low-frequency oscillation in gallium-arsenide avalanche diodes 140
Autocorrelation functions arising in the analysis of narrowband systems and their representation in terms of characteristic function. J. H. Roberts 863
Automated network design, least pth and minimax objectives for. R. Seviora, M. Sablatash and J. W. Bandler 14
Errata 148
Avalanche-diode-oscillation modes, nonsinusoidal waveform constructions for. I. W. Mackintosh 421
Avalanche diodes, accurate calculation of small-signal growth rates in. R. L. Wierich 466
Avalanche diodes, gallium-arsenide, high-efficiency oscillations in. M. G. Cottam 71
Avalanche diodes, gallium-arsenide, observation of low-frequency oscillations in. L. J. Auchterlonie, D. V. Eddolls and P. M. White 140
Avalanche diodes, measurement of d.c. negative resistance in, and its relation to anomalous-mode operation. M. O'Callaghan, H. A. Deadman and K. G. Hambleton 41
Avalanche diodes, operation of, as c.w. amplifiers at fractions of the transit frequency. B. Culshaw 704
Avalanche diodes, silicon, external current-waveform measurements of high-efficiency oscillations in. C. P. Snapp 145
Avalanche diodes, silicon, mesa profiles and edge breakdown of. A. Calverley, K. G. Hambleton, A. M. Wallace and V. K. Webber 476
Avalanche diodes, silicon, self and externally pumped second-harmonic generation with. L. A. Stark 408
Avalanche diodes, silicon, theory for high-efficiency oscillations in. M. G. Cottam 203
Avalanche photodiode, optical and electronic mixing in an. Q. V. Davis and W. K. Kulczyk 25
Avalanche region of IMPATT diodes, circuit representation of the, for different carrier velocities and ionisation rate of electrons and holes. R. Hulin, M. Claassen and W. Harth 849
Avalanche-resonance-pumped semiconductor diodes, comments on simplified model for. W. E. Schroeder and G. I. Haddad 114

B

Bagwadia, F. A., and Kington, B. W. Measurement of transition displacement in magnetic recording 439
Baird, R. C., Newell, A. C. Wacker, P. F., and Kerns, D. M. Recent experimental results in near-field antenna measurements 349
Baker, R. Digital networks which adapt by scanning and growth 428
Baker, R. Fused logic: improved universal element and a trainable AND gate 229
Baldwin, R., and McInnes, P. A. Surface-wave radiation from a corrugated horn 259
Bandler, J. W., and Seviora, R. E. Direct methods for evaluating scattering-matrix sensitivities 773
Bandler, J. W., Seviora, R., and Sablatash, M. (See Seviora)
Bandpass filters using Wien's bridge. P. Williams 186
Banerjee, A. R., and Gardiner, J. G. (See Gardiner)
Banerjee Choudhury, A., and Bose, B. K. (See Bose)
Barlow, H. M. High-frequency impedance of a practical metal surface and the effect of a thin coating of dielectric over it 413
Barnett, S. Number of zeros of a complex polynomial inside the unit circle 164
Baseband pulse shaping. S. C. Kak 640
Batchelor, B. G., Ford, N. L., and Wilkins, B. R. Family of pattern classifiers 368
Batchelor, B.G., Ford, N.L., and Wilkins, B.R. Learning in potential-function classifier 826
Bateman, I. M., and Magowan, J. A. M.O.S.T. channel-length measurement 669
Bates, R. H. T., Napier, P. J., and Chang, Y. P. Square-wave Fourier transform 741
Bates, R. M., Rao, K R., and Ahmed, N. (See Ahmed)
Baynham, A. C., and Colliver, D. J. New mode of microwave emission from GaAs 498
Baynham, A. C. Emission of TEM waves generated within an n type Ge cavity 306
Beale, J. R. A., Bridgen, R., and Cusdin, A. R. Modelling of transistors for fast integrated logic circuits 301
Bechleter, M. Buildup behaviour of IMPATT oscillators in linear and nonlinear ranges 856
Bechteler, M., and Albrecht, P. (See Albrecht)
Becker, R., Bosch, B. G., and Engelmann, R. W. H. Domains and guided electromagnetic waves in GaAs stripline 604
Behaviour of a low-noise microwave f.e.t. at low temperature (Performances à basse température d'un transistor hyperfrequences faible bruit à effet de champ). B. Loriou, M. Bellec and M. le Rouzic 819
Bellec, M., le Rouzic, M., and Loriou, B. (See Loriou)
Belevitch, V. Relationships between design parameters of very selective filters 585
Bell, D. A. Leakage from balanced feeders 662
Bell, R. D., Ritch, P. S., and Goodwin, G. C. (See Ritch)
Bemerkungen zum Konzept des äquivalenten Parabols bei Cassegrain-Antennen (Remarks on the concept of equivalent parabolas for Cassegrain antennas). H. Gniss and G. Ries 737
Bennett, G. A., and Adam, J. D. Identification of surface-wave resonances on a metal-backed y.i.g. slab 789
Bennett, G. A., Wilkinson, J., and Adam, J. D. (See Adam)
Bennett, T. J., Norton, G. T., Zepler, M. M., and Hayes, R. E. (See Hayes)
Bereznai, G. T., and Sinha, N. K. New minimax objective for automated system design 847
Berger, C. S. Efficient method of solving the discrete Riccati equation when the plant matrix contains a noise-shaping filter 151
Berz, F., and Prior, C. G. Test of McWhorter's model of low-frequency noise in Si m.o.s.t.s 595
Bessel functions, rapid generation of, required for solutions to engineering problems (Computer-program description). A. J. Hissink and B. R. Gladman 265
Bestwick, P., Hartnagel, H. L., and Huntington, R. Frequency-shift-keyed pulse retiming with Gunn oscillator 46
Bestwick, P., Huntington, R., and Hartnagel, H. (See Huntington)
Betts, J. A. Adaptifon system for telephony—an alternative implementation of the Lincompex concept 542
Betts, J. A., and Ghani, N. Adaptive delta modulator for telephony 336
Bhandarkar, M. V., and Fahmy, M. M. Testing the controllability of linear time-invariant systems 580
Bhartia, P., and Hamid, M. A. K. Eigenvalues for quasipyramidal horn modes 281
Bhattacharyya, A. B., and Gupta, M. L. (See Gupta)
Bhattacharyya, A. B., and Gupta, M. L. Transient response of a p-n junction capacitor to a ramp signal 508
Bhattacharyya, A. B., and Sarnot, S. L. (See Sarnot)
Bhattacharyya, B. B., and Swamy, M. N. S. Class of nonuniform multilayer RC distributed networks 685
Bias-dependent transient response of a p-n junction capacitor. M. L. Gupta and A. B. Bhattacharyya 784
Bickley, D. T. Calculating step and impulse responses of networks (Computer-program description) 225
Bickley, D. T. Synthesis of lowpass LC ladder networks (Computer-program description) 111
BIFORE, spectral analysis of linear digital systems using. N. Ahmed and K. R. Rao 43
Binary sequences, two, estimate of a bound for the minimum value of the peak of the crosscorrelation between. N. B. Chakrabarti 686
Bipolar silicon planar transistors, theory of 1/f noise in. J. C. Martin, D. Esteve, G. Blasquez and J. M. Ribeyrol 128
Bipolar transistors, arbitrarily biased, in two dimensions, d.c. numerical model for. P. Dubock 53
Bipolar transistors, planar, leakage currents, surface current and 1/f noise in. K. F. Knott 825
Blasquez, G., Ribeyrol, J. M., Martin, J. C., and Esteve, D. (See Martin)
Bliss, E. M. Frequency multiplication using the properties of an angle-modulated wave 102
Bloodworth, G. G., and Hawkins, R. J. (See Hawkins)
Bonek, E., and Proksch, P. Novel transistorised lock-in f.m. discriminator 527
Bongo Ho and Fanson, L. Transmission-line analogue of carrier waves in solids 405
Booker, D. D., and McInnes, P. A. Computer-predicted performance of corrugated conical feeds using experimental primary-radiation patterns 18
Bosch, B. G., Engelmann, R. W. H., and Becker, R. (See Becker)
Bose, B. K., and Banerjee Choudhury, A. D.C.-d.c. convertors using new square-loop cores and transistors 21
Bose, N. K., and Soliman, A. M. Lossless multiports with terminations in synthesis problems 100
Bott, I. B., and Holliday, H. R. Effects of changes in operating conditions on the phase of a frequency-locked Gunn oscillator in X band 206
Boulanger, R. J., Mostowy, N. J., Mohsen, A., and Hamid, M. A. K. (See Hamid)
Boyd, R. T., and Monds, F. C. Adaptive equaliser for multipath channels 556
Bradley, P. A. Focusing of radio waves reflected from the ionosphere at low angles of elevation 457
Braeckelmann, W., and Roeder, R. Characteristic impedances of coupled strip transmission lines 123
Brancher, C., Maffioli, F., and Premoli, A. Computer optimisation of cascaded non-commensurable-line lowpass filters 513

Bridge, superconductive thin-film, switching of a, between the pure superconductive and resistive-superconductive states. G. R. S. Seraphim and L. Solymar 289
Addendum 320
Bridgen, R., Cusdin, A. R., and Beale, J. R. A. (See Beale)
Brigginshaw, P., Olds, G. C. E., Thomas, A. J., Mayo, R. F., Rendle, D. F., Kell, R. C., and Riches, E. E. (See Kell)
Broadband high-efficiency frequency tripler. J. C. Redd and K. L. Kotzebue 702
Brown, A. F. C., Lishman, J. V., and Guile, A. E. (See Guile)
Brown, K. Topological and sensitivity formulas for a general nonreciprocal 2-port network 487
Brown, R. F., and Goodwin, G. C. Efficient calculation of gradient in state estimation 461
Brown, R. F., and Goodwin, G. C. Efficient calculation of curvature in state and parameter estimation 579
Brownlie, J. D. Networks for annulling gain and delay inequalities 124
Bryant, T. G., and Weiss, J. A. (See Weiss)
Buckingham, M. J., and Faulkner, E. A. Saturation in bipolar transistors 167
Buffer-size and waiting-time calculations for random arrivals and periodically regular service. G. Philokyprou and S. Tzafestas 588
Buildup behaviour of IMPATT oscillators in linear and nonlinear ranges. M. Bechleter 856
Bulucea, C. D. Investigation of deep-depletion régime of m.o.s. structures using ramp-response method 479
Butler, W. J., and Haykin, S. S. Optimal synthesis of an RC active filter 209
Butler, W. J., and Temple, V. A. K. (See Temple)
Buxo, J., and Esteve, D. (See Esteve)
Bywater, R. E. H. One-step integration method for digital differential analysers 613

C

C. W. amplifiers, operation of avalanche diodes as, at fractions of the transit frequency. B. Culshaw 704
C.W. operation of l.s.a. oscillators in R band. M. Shyam 315
Cables, inhomogeneous dielectric-filled, measurement of the attenuation coefficient of, using the standing-wave technique. B. Chambers 211
Čajka, J., and Pospíšil, J. Equivalent scheme of an ideal operational amplifier 332
Čajka, J., and Valsa, J. Indirect calculation of network-function sensitivities with variations of some network parameters 458
Čajka, J., and Valsa, I. (See Valsa)
Čajka, J. Network sensitivity to variations in the voltage-controlled voltage-source amplification factor 310
Čajka, J. New formula for the signal-flow-graph reduction 437
Calamia, L., and Paoli, M. Numerical method for calculation of complex dielectric permittivity (Computer-program description) 283
Calculating step and impulse responses of networks (Computer-program description). D. I. Bickley 225
Calculation of piecewise-constant control strategies for linear time-invariant systems. H. M. Power 832
Calibrating a network analyser, new method of. H. V. Shurmer 733
Calverley, A., Hambleton, K. G., Wallace, A. M., and Webber, V. K.
Calzolari, P. U., Graffi, S., and Mazzone, A. High-frequency equivalent circuits of junction-gate field-effect trasistors 590
Cambon, G., and Rouzeyre, M. Attenuation of dispersive Rayleigh waves on quartz 539
Capacitance of a plane grid capacitor in a plasma, effect of sheaths on the. I. L. Freeston 565
Capacitances, complete determination of, characterising shielded-resistance potential divider. A. W. Palmer and H. House 517
Capacitor, p-n junction, bias-dependent transient response of a. M. L. Gupta and A. B. Bhattacharyya 784
Capacitor, p-n junction transient response of a, to a ramp signal. M. L. Gupta and A. B. Bhattacharyya 508
Capacitors, proton-irradiated m.o.s., annealing behaviour of. H. C. Card and K. C. Kao 749
Card, H. C., and Kao, K. C. Annealing behaviour of proton-irradiated m.o.s. capacitors 749
Carrier signal, Gaussian modulated, ground-wave attenuation function for a. J. R. Wait 106
Carrier waves in solids, comments on transmission-line analogue of. K. Fujisawa 754
Carroll, J. E. Criteria for the assessment of transferred-electron materials 394
Carroll, J. E., De Boise, R. H., and Slaymaker, N. A. (See Slaymaker)
Cascade n.i.c. realisation of dimension-less transfer ratios. E. Zeheb and N. Shachar 764
Cassegrain antennas, remarks on the concept of equivalent parabolas for. H. Gniss and G. Ries 737
Cassegrain subreflector, complementary field component of radiation from a. L. Lewin 700
Castagne, R., and Vapaille, A. Apparent interface state density introduced by the spatial fluctuations of surface potential in an m.o.s. structure 691
Castell, R. J., Daniels, A. R., and Exon, J. la T. Novel static Ward Leonard system 232
Cathode-ray tubes, cathodochromic, some observations on the writing-speed performance of. H. C. A. Hankins and I. S. Torsun 137
Cavities, elliptical resonant, mode charts for. J. G. Kretzschmar 432
Cavity, magnetically tuned coaxial, analysis of a, using state-space techniques. I. J. H. S. Moore and J. A. C. Stewart 391
Cavity, rectangular, ray-optical solution for the dyadic Green's function in a. M. A. K. Hamid and W. A. Johnson 317
Cawsey, D. Varactor-tuned Gunn-effect oscillators 246
Cellular array, nonrestoring binary division using a. J. C. Majithia 303
Cellular arithmetic cells, realisation of, by threshold-logic assemblies. S. L. Hurst 501
Cellular fixed-point/floating-point convertor (Convertisseur virgule-fixe/virgule-flottante cellulaire). L. Frécon 132
Cellular logical array for nonrestoring square-root extraction. H. H. Guild 66
Cellular parallel floating-point multiplier. L. Frécon 226
Ceramics, novel temperature-stable, for microwave dielectric resonators and microstrip substrates. R. C. Kell, E. E. Riches, P. Brigginshaw, G. C. E. Olds, A. J. Thomas, R. F. Mayo and D. F. Rendle 614
Ceramics, piezoelectric, new type of Rayleigh-wave transducer on. H. Thomann 710
Chakrabarti, N. B. Estimate of a bound for the minimum value of the peak of the crosscorrelation between two binary sequences 686
Chakrabarti, N. B. Travelling-wave components in a nonuniform transmission line 674
Chalcogenide glass, electrically switching, conductivity of. J. C. Male 91
Chamberlain, S. G. Some new properties of forward-biased emitter-base junction of gigahertz silicon transistors 843
Chambers, B. Measurement of the attenuation coefficient of inhomogeneous dielectric-filled cables using the standing-wave technique 211
Chan, K. B., and Clarricoats, P. J. B. (See Clarricoats)
Chan, K. B., Clarricoats, P. J. B., Dyott, R. B., Newns, G. R., and Savva, M. A. Propagation characteristics of an optical waveguide with a diffused core boundary 748
Chan Kei Biu and Richmond, I. M. (See Richmond)
Chan, S.-G., and Chang, W.-T. Efficient tree-listing algorithm (Computer-program description) 271
Chang, I. C., and Chang, Y. (See Chang, Y.)
Chang, N. S., Matsuo, Y., and Masuda, M. (See Masuda)
Chang, W.-T., and Chan, S.-G., (See Chan)
Chang, Y., and Chang, I. C. Simple method for the variational analysis of a generalised N-dielectric-layer transmission line 49
Chang, Y. P., Bates, R. H. T., and Napier, P. J. (See Bates)
Change of error criterion in mean-square optimisation. R. D. Shelton and T. J. Jones 201
Change of fading characteristics of reputed steady targets as a function of sea state in a marine-radar environment. P. D. Williams 853
Chao, M. H., and De Vries, R. C. (See De Vries)
Chaplin, R., and Power, H. M. Approximate construction of phase-plane trajectories using isocentric curves 370
Characteristic function, autocorrelation functions arising in the analysis of narrowband systems and their representation in terms of. J. H. Roberts 863
Characteristic impedances of coupled strip transmission lines. W. Braeckelmann and R. Roeder 123
Charlton, W. Matrix approach to steady-state analysis of inverter-fed induction motors 451
Charters, J. S. T., Roaldset, S. A., and Salvage, B. Current pulses due to discharges in a gaseous cavity in solid dielectric 569
Cheng, R. M. H., and Okpere, K. O. S.T.T. design of asynchronous sequential counters using 'unit' machines 726
Cheng, R. M. H. Decoding the Johnson code by 2-output comparator circuits 713
Chien, C. K., and Dalman, G. C. Subharmonically injected phase-locked IMPATT-oscillator experiments 240
Chin Cheng Lin. Realisation of midseries and midshunt lowpass LC filters 593
Chittick, R. C., Drake, C. F., Scanlan, I. F., and Alexander, J. H. (See Alexander)
Choe, H. M., and van der Ziel, A. (See van der Ziel)
Christmas, T. M., and Wildey, C. G. Pulse measurement of r'_{ce} in KD*P 152
Christmas, T. M., and Wildey, C. G. Precise p.t.m. control of a ruby laser 696
Chua, L. O. Circuit realisations of conjunctors and traditors 608
Chuang, S. C., and Allwright, J. C. (See Allwright)
Chuang, S. C. Application of continued-fraction method for modelling transfer functions to give more accurate initial transient response 861
Chudobiak, W. J. Microstrip TRAPATT oscillator 438
Errata 724
Cionini, A., and Atzeni, C. Simple coincidence system for side-lobe ambiguity reduction in discrete-coded waveforms 525
Circuit, low-cost high-performance reciprocal-law. J. B. Grimbleby 755
Circuit realisations of conjunctors and traditors. L. O. Chua 608
Circuit representation of the avalanche region of IMPATT diodes for different carrier velocities and ionisation rates of electrons and holes. R. Hulin, M. Claassen and W. Harth 849
Circular waveguides with anisotropic walls. M. J. Al-Hakkak and Y. T. Lo 786
Circulator adjustment, wideband, using the $n = +1$ and $n = 0$ electromagnetic-field patterns. J. Helszajn 729
Circulator, multioctave tunable 3-port, using a y.i.g. sphere. S. R. Longley 406
Circulator, remotely tuned. A. S. Webster 377
Claassen, M., and Harth, W. Field-emission-controlled transit-time negative resistance 512
Claassen, M., Harth, W., and Hulin, R. (See Hulin)
Clarricoats, P. J. B., and Chan, K. B. Electromagnetic-wave propagation along radially inhomogeneous dielectric cylinders 694
Clarricoats, P. J. B., and Chan, K. B. Excitation and propagation of modes of a multilayer fibre 750
Clarricoats, P. J. B., and Saha, P. K. Attenuation in corrugated circular waveguide 370
Clarricoats, P. J. B., Dyott, R. B., Newns, G. R., Savva, M. A., and Chan, K. B. (See Chan)
Clarricoats, P. J. B. Similarities in the electromagnetic behaviour of optical waveguides and corrugated feeds 178
Class-BD amplifier circuit. J. D. Martin 839
Class of linear time-varying discrete systems. S. Ramarajan and S. N. Rao 701
Classifiers, pattern, family of. B. G. Batchelor, N. L. Ford and B. R. Wilkins 368
Clements, R. M., and Smy, P. R. Langmuir-probe measurement of electron temperature in a flowing high-density plasma 538
Coaxial lines, high-delay, use of high-relative-permittivity materials in. A. J. Pointon and K. F. Woodman 260
Colegrove, S. B., and Skattebol, L. V. Acoustic holographic system for real-time viewing 663
Colour-television signals, aspect of the quantisation noise associated with the digital coding of. R. M. Dorward 5
Collard, J. R., and Gobat, A. R. High-dynamic-range low-noise microwave amplifier 202
Collier, R. J., and Price, D. J. Analogue technique for microstrip parameters 338
Colliver, D., Hilsum, C., Joyce, B. D., Morgan, J. R., Rees, H. D., and Knight, J. R. Microwave generation by InP 3-level transferred-electron oscillators 436
Colliver, D. J., and Baynham, A. C. (See Baynham)

Colliver, D. J., Gibbs, S. E., and Taylor, B. C. Material selection for efficient transferred-electron devices at Q band 353
Comment on describing-function inversion. D. P. Atherton 779
Comments on equivalent linear and non-linear discrete-time systems. B. V. Dasarathy 818
Comments on simplified model for avalanche-resonance-pumped semiconductor diodes. W. E. Schroeder and G. I. Haddad 114
Comments on transmission-line analogue of carrier waves in solids. K. Fujisawa 754
Communication technology, a new concept in—diversity of modulation. N. P. Murarka 97
Commutative controller: a critical survey. J. M. Layton 362
Commutative controller: A new technique for the design of multivariable control systems. A. G. J. MacFarlane 121
Commutative controllers. J. C. Allwright 276
Companding with junction f. e. t. J. E. Flood and F. Morris 344
Comparator circuits, 2-output, decoding the Johnson code by. R. M. H. Cheng 713
Compensation of injection-laser excess noise by means of an external modulator. G. Guekos and M. J. O. Strutt 250
Complementary field component of radiation from a Cassegrain subreflector. L. Lewin 700
Complex BIFORE transform. N. Ahmed and K. R. Rao 256
Errata 387
Computation of mixing coefficients for field-effect transistors with non-square-law transfer characteristics. D. C. Surana and J. G. Gardiner 403
Errata 491
Computer analysis of the fundamental and higher-order modes in single and coupled microstrip. J. B. Davies and D. G. Corr 806
Computer analysis, two-dimensional, of dielectric-surface-loaded GaAs bulk element. S. Kataoka, H. Tateno, M. Kawashima and M. Morisue 169
Computer and operator, process identification with visual interaction between. D. C. Williams 472
Computer, digital, electronic-network analysis by. W. R. Jackson and R. G. Sale 558
Computer optimisation of cascaded non-commensurable-line lowpass filters. C. Brancher, F. Maffioli and A. Premoli 513
Computer-predicted performance of corrugated conical feeds using experimental primary-radiation patterns. D. D. Booker and P. A. McInnes 18
Computer-program descriptions
Calculating step and impulse responses of networks. D.T. Bickley 225
Contribution to numerical methods for calculation of complex dielectric permittivities. M. Rodriguez-Vidal and E. Martin 510
Determination of the noise parameters of a linear 2-port. M. S. Gupta 543
Dielectric Green's function for parameters of microstrip. J. A. Weiss and T. G. Bryant 462
Errata 560
Diffusion in semiconductors. M. M. Hasan and S. Venkateswaran 366
Efficient tree-listing algorithm. S.-G. Chan and W.-T. Chang 271
Enumeration of all circuits or cutsets of a graph. V. V. B. Rao and V. G. K. Murti 104
Enumeration of trees of a graph. V. V. B. Rao and V. G. K. Murti 103
Numerical method for calculation of complex dielectric permittivity. L. Calamia and M. Paoli 283
Obtaining the time response of digital systems. J. L. Pokoski and C. Walker 415
Offline correction of microwave-network-analyser reflection-coefficient errors. J. D. Last and S. T. Smith 641
Optimal synthesis of an RC active filter. W. J. Butler and S. S. Haykin 209
Program for obtaining exact sensitivity functions. V. A. K. Temple and W. J. Butler 58
Radiation pattern of imperfect paraboloidal reflectors. R. H. Slater 796
Rapid generation of Bessel functions required for solutions to engineering problems. A. J. Hissink and B. R. Gladman 265
Synthesis of lowpass LC ladder networks. D. T. Bickley 111
Unconstrained minimisation by the method of conjugate gradients. 174
Computer simulation of nonlinear inductors with hysteresis. J. S. Everatt 833
Computing the coefficients of high-order polynomials. M. H. Ackroyd 715
Conductance, negative, of a Gunn device, measurement of. R. B. Smith and B. J. Downing 649
Conductivity effects, field-enhanced, in thin chalcogenide-glass switches. A. C. Warren and J. C. Male 567
Conductivity of electrically switching chalcogenide glass. J. C. Male 91
Conductivity, microwave, of thick-film conductors. R. N. Patel 455
Conical feeds, corrugated, computer-predicted performance of, using experimental primary-radiation patterns. D. D. Booker and P. A. McInnes 18
Conical horns, corrugated, hybrid modes in. M. S. Narasimhan and B. V. Rao 32
Conical horns, wide-flare-angle corrugated, diffraction by. M. S. Narasimhan and B. V. Rao 469
Conjugate gradients, unconstrained minimisation by the method of. E. Kraemer 174
Constantinides, A. G. Family of equiripple lowpass digital filters 351
Constantinides, A. G. Transition ratio of lowpass digital filters 87
Contact resistance, magnetic-field dependence of. D. Schuöcker 275
Continuously adaptive echo cancellers. L. K. Mackechnie 69
Contribution to numerical methods for calculation of complex dielectric permittivities. M. Rodriguez-Vidal and E. Martin 510
Control, discrete-time, using the quadratic performance index, implicit model following and the specific optimal policy. A. Zinober 841
Control-function optimisation and system dynamic equations, simultaneous solution of, using the conjugate-gradient algorithm. J. C. Allwright 322
Control-function optimisation using quadrature integrations for positive semi-definite state cost matrix Q. J. C. Allwright 510
Control strategies, piecewise-constant, calculation of, for linear time-invariant systems. H. M. Power 832
Control-system theory, inversion of a class of matrices occurring in, by an m-step procedure allied to Gaussian elimination. A. Simpson 500
Control systems, multi-input closed-loop linear, necessary conditions for the optimality of a class of. B. Porter 324
Controllability and closed-loop system-matrix assignment, relationship between. T. R. Crossley and B. Porter 117
Controllability of linear time-invariant systems, testing the. M. V. Bhandarkar and M. M. Fahmy 580
Controllability of multivariable systems incorporating integral feedback. B. Porter and H. M. Power 689
Controller, commutative: a critical survey. J. M. Layton 362
Controller, commutative: A new technique for the design of multivariable control systems. A. G. J. MacFarlane 121
Controller matrices, computation of: design of multivariable 3-term controllers. B. Porter 676
Controllers, commutative. J. C. Allwright 276
Controllers, multivariable 3-term, design of: computation of controller matrices. B. Porter 676
Controllers, multivariable 3-term, linear systems with: use of the matrix pseudoinverse in their synthesis. A. Simpson 374
Controllers, multivariable 3-term, synthesis of asymptotically stable linear time-invariant closed-loop systems incorporating. A. Simpson 251
Convergence of adaptive equaliser for data transmission. S. De and A. C. Davies 858
Conversion-loss stability and gain compression in Schottky-barrier mixers. J. G. Gardiner and A. R. Banerjee 829
Convertisseur virgule-fixe/virgule-flottante cellulaire (Cellular fixed-point/floating-point convertor). L. Frécon 132
Convertor, d.c.-d.c., using new square-loop cores and transistors. B. K. Bose and A. Banerjee Choudhury 21
Conway, E. D., and Slobodnik, A. J. (See Slobodnik)
Corr, D. G., and Davies, J. B. (See Davies)
Correction of errors in p.r.b.n. identification. P. S. Ritch, G. C. Goodwin and R. D. Bell 411
Correction of near-field antenna measurements made with an arbitrary but known measuring antenna. D. M. Kerns 346
Correlation between Karnaugh-map patterns and Chow parameters for 3-variable linearly separable threshold functions. S. L. Hurst 182
Correlation of electrical power and optical oscillations in low-density helium plasma. S. Gavril and D. Schieber 286
Corrugated conical horns, hybrid modes in. M. S. Narasimhan and B. V. Rao 32
Cottam, M. G. High-efficiency oscillations in gallium-arsenide avalanche diodes 71
Cottam, M. G. Theory for high-efficiency oscillations in silicon avalanche diodes 203
Cottam, M. G. Theory for power output and efficiency of silicon TRAPATT oscillators 384
Counters, asynchronous sequential, S.T.T. design of, using 'unit' machines. R. M. H. Cheng and K. O. Okpere 726
Coupled hybrid-tee oscillators. G. V. Welch and T. K. Ishii 717
Coupled strip transmission lines, characteristic impedances of. W. Braeckelmann and R. Roeder 123
Couplers, ultra-broadband transmission-line 90° directional. F. Arndt 418
Cox, A. D. Deadzone simulation on an electronic analogue computer 633
Cox, A. D. Digital lead compensator using a b.c.d. rate multiplier 757
Crane, P. W., and Smith, R. B. (See Smith)
Criteria for the assessment of transferred-electron materials. J. E. Carroll 394
Crosscorrelation, estimate of a bound for the minimum value of the peak of the, between two binary sequences. N. B. Chakrabarti 686
Crossley, T. R., and Porter, B. Inversion of complex matrices 90
Crossley, T. R., and Porter, B. Modal control of multivariable time-variant linear systems by output feedback 630
Crossley, T. R., and Porter, B. Mode-controllability structure of a multivariable linear system 342
Crossley, T. R., and Porter, B. Relationship between controllability and closed-loop system-matrix assignment 117
Crossley, T. R., and Porter, B. (See Porter)
Crystals, KDP, novel type of cut for, for low-voltage light modulation. K. Hookabe and Y. Matsuo 550
Crystals, XDP, optimum cut in, for transverse light modulation. G. E. François, F. M. Librecht and J. J. Engelen 778
Cullen, A. L. Note on the radiation associated with the excitation of an open resonator 243
Culshaw, B. Operation of avalanche diodes as c.w. amplifiers at fractions of the transit frequency 704
Current collection, new explanation of the polarity effect in. A. E. Guile, A. F. C. Brown and J. V. Lishman 456
Current-controlled negative resistance circuit. I. W. Stanley and D. J. Ager 380
Errata 592
Current fluctuations caused by frequency variations in Gunn diodes. G. S. Hobson 118
Current-mode circuits for the unary functions of a ternary variable H. Dunderdale 15
Current pulses due to discharges in a gaseous cavity in solid dielectric. J. S. T. Charters, S. A. Roaldset and B. Salvage 569
Current/voltage characteristics, channel pinchoff and field dependence of carrier velocity in silicon insulated-gate field-effect transistors. G. T. Wright 107
Current/voltage relationships, display of, in power-transistor circuits operating at v.h.f. H. W. Rouhof and H. W. Loeb 464
Cusdin, A. R., Beale, J. R. A., and Bridgen, R. (See Beale)
Cutsets or circuits of a graph, enumeration of all. V. V. B. Rao and V. G. K. Murti 104
Cutteridge, O. P. D., and di Mambro, P. H. Simultaneous generation of the coefficients of network polynomials and their partial derivatives from the nodal-admittance matrix 308

D

D.C. amplifiers, wideband, drift reduction in, by 'adding the lacking part'. W. C. van Etten and J. H. van den Boorn 45
D.C.-d.c. convertor using new square-loop cores and transistors. B. K. Bose and A. Banerjee Choudhury 21
D.C. negative resistance in avalanche diodes and its relation to anomalous-mode operation, measurement of. M. O'Callaghan, H. A. Deadman and K. G. Hambleton 41
D.C. numerical model for arbitrarily biased bipolar transistors in two dimensions. P. Dubock 53
Daley, J. D., and James, J. R. New types of modulation processes using limiters 638

Dalman, G. C., and Chien, C. H. (See Chien)
Daniels, A. R., Exon, J. la T., and Castell, R. J. (See Castell)
Das, S. R. Multiform total symmetry and parity functions 261
Dasarathy, B. V. Comments on equivalent linear and nonlinear discrete-time systems 818
Dasarathy, B. V. Equivalent linear and nonlinear discrete-time systems 343
Dasarathy, B. V. Synthesis approach to the study of a class of nonlinear systems 602
Data transmission, convergence of adaptive equaliser for. S. De and A. C. Davies 858
Davies, A. C., and De, S. (See De)
Davies, A. C. Probability-density functions of summed m sequences 89
Davies, J. B., and Corr, D. G. Computer analysis of the fundamental and higher-order modes in single and coupled microstrip 806
Davies, P. G., and Lane, J. A. Statistics of tropospheric attenuation at 19 GHz from observations of solar noise 522
Errata 597
Davies, R., and Aitchison, C. S. (See Aitchison)
Davis, Q. V., and Kulczyk, W. K. Optical and electronic mixing in an avalanche photodiode 25
DeBoise, R. H., Slaymaker, N. A., and Carroll, J. E. (See Slaymaker)
de Keyser, R., Delogne, P., Janssens, J., and Liegeois, R. Radiocommunication and control in mines and tunnels 767
de Ruiter, J. M. J., and Küpper, F. P. (See Küpper)
De, S., and Davies, A. C. Convergence of adaptive equaliser for data transmission 858
de Santis, P. Analysis of simplified model relevant to propagation of microwave phonons in y.i.g. rods 621
De Vries, R. C., and Chao, M. H. Fully iterative array for extracting square roots 255
Deadman, H. A., Hambleton, K. G., and O'Callaghan, M. (See O'Callaghan)
Deadzone simulation on an electronic analogue computer. A. D. Cox 633
Dean, R. H., Dreeben, A. B., Kaminski, J. F. and Trianjo, A. Travelling-wave amplifier using thin epitaxial GaAs layer 775
Decoding the Johnson code by 2-output comparator circuits. R. M. H. Cheng 713
Decoupling a multivariable discrete-time system. S. Lloyd 831
Decreasing antenna beamwidth with increasing scan angle. R. C. Hansen 544
Deep, G. S., and Viswanathan, T. R. (See Viswanathan)
Degradation mechanism of m.o.s. structures and transistors under ionising radiation. D. Esteve and J. Buxo 198
Degradation of the oscillator performance of Read diodes due to space-charge and series resistances. R. Kuvås 216
Delay and gain inequalities, networks for annulling. J. D. Brownlie 124
Delay functions, rational, based on continued-fraction expansion of e^z. V. Pongparit and S. B. Park 656
Delay, group, exact computation of, and its sensitivities using adjoint-network concept. G. C. Temes 483
Delay of magnetostatic surface waves in y.i.g. J. D. Adam 718
Delogne, P., Janssens, J., Liegeois, R., and de Keyser, R. (See de Keyser)
Delogne, P. On Wu's theory of microstrip 541
Delta modulation with slope-overload prediction. C. M. B. Newton 272
Delta modulator, adaptive, for telephony. J. A. Betts and N. Ghani 336
Dependence of admittance of plasma conductor on electron collection. I. L. Freeston 793
Describing-function inversion, comment on. D. P. Atherton 779
Describing function of the diurnal variation of ionospheric nondeviative absorption. L. M. Muggleton 768
Describing functions, modified application of, in the determination of limit cycles for relay systems. I. M. Dow 165
Design of an active distributed RC low-pass filter using exponential lines. J. Walsh and M. N. S. Swamy 293
Errata 387
Design of multiple-input phase-locked oscillator in mutually synchronised system. H. Inose, T. Saito and T. Shibuya 468
Design of multivariable 3-term controllers: computation of controller matrices. B. Porter 676
Design of nonrecursive digital filters with linear phase. O. Herrmann 328
Errata 635
Design of nonrecursive digital filters with minimum phase. O. Herrmann and W. Schuessler 329
Design of precompensator for decoupling problem. S. H. Wang 739
Desoer, C. A. Singular perturbation and bounded-input bounded-state stability 496
Desoer, C. A. Slowly varying discrete system $x_{i+1} = A_i x_i$ 339
Errata 424
Detector, d.p.s.k., performance of a, when presented with a distorted signal plus filtered Gaussian noise. T. J. Hewson 109
Determination of engine firing rate from the acoustic waveform. D. W. Thomas and B. R. Wilkins 193
Determination of the noise parameters of a linear 2-port (Computer-program description). M. S. Gupta 543
Detlefsen, J. Frequency response of input impedance implies the distribution of discontinuities of a transmission-line system 67
di Mambro, P. H., and Cutteridge, O. P. D. (See Cutteridge)
Die Beobachtbarkeit von entkoppelten zeitvariablen Mehrgrößensystemen (Observability of decoupled time-varying multivariable systems). E. Freund 26
Die phasenvariable kanonische Form für zeitvariable Mehrgroßensysteme (Phase-variable canonical form for time-varying multivariable systems). E. Freund 78
Dielectric-filled inhomogeneous cables, measurement of the attenuation coefficient of, using the standing-wave technique. B. Chambers 211
Dielectric Green's function for parameters of microstrip. J. A. Weiss and T. G. Bryant 462
Errata 560
Dielectric-loaded horn antennas, radiation characteristics of. M. A. K. Hamid, R. J. Boulanger, N. J. Mostowy and A. Mohsen 20
Dielectric permittivity, complex, numerical method for calculation of (Computer-program description). L. Calamia and M. Paoli 283
Dielectric rod, launching of the HE_{11} surface-wave mode on a. G. L. Yip 2
Dielectric, solid, current pulses due to discharges in a gaseous cavity in. J. S. T. Charters, S. A. Roaldset and B. Salvage 569
Dielectrics, polarisable, for m.o.s.t.s. J. H. Alexander, R. C. Chittick, C. F. Drake and I. F. Scanlan 813
Differential analysers, digital, one-step integration method for. R. E. H. Bywater 613
Differential equations, certain ordinary, existence of positive periodic solutions of. M. Kiełkiewicz 481
Diffraction by wide-flare-angle corrugated conical horns. M. S. Narasimhan and B. V. Rao 469
Diffraction spreading of surface waves on $LiNbO_3$. R. D. Weglein, M. E. Pedinoff and H. Winston 654
Diffused core boundary, propagation characteristics of an optical waveguide with a. K. B. Chan, P. J. B. Clarricoats, R. B. Dyott, G. R. Newns and M. A. Savva 748
Diffusion in semiconductors (Computer-program description). M. M. Hasan and S. Venkateswaran 366
Errata 688
Digital bandpasses, properties of, obtained by convolution approximation for zero frequency. R. Vích 440
Digital Chebyshev filters, tables and graphs for designing. V. Mauro and A. R. Meo 155
Digital coding of colour-television signals, aspect of quantisation noise associated with the. R. M. Dorward 5
Digital-filter recursive design, limit-cycle constraints for. H. A. Ojongbede 698
Digital-filter synthesis, approximation in, based on time-response invariance. R. Vích 442
Digital filters, economic linear-phase recursive. P. A. Lynn 143
Digital filters, equiripple lowpass, family of. A. G. Constantinides 351
Digital filters, feasibility of using, to interconnect p.c.m. and f.d.m. transmission systems. J. E. Flood and P. Onn 134
Digital filters, lowpass, transition ratio of. A. G. Constantinides 87
Digital filters, lowpass, with linear phase. A. R. Memon 253
Digital filters, nonrecursive, design of, with linear phase. O. Herrmann 328
Errata 635
Digital filters, nonrecursive, design of, with minimum phase. O. Herrmann and W. Schuessler 329
Digital lead compensator using a b.c.d. rate multiplier. A. D. Cox 757
Digital monolithic integrated circuits, impairment of noise immunity of, caused by supply-line and earth-line current spikes in conjunction with coaxial-cable connections. M. Abdel-Latif and M. J. O. Strutt 643
Digital networks which adapt by scanning and growth. R. Baker 428
Digital systems, linear, using BIFORE, spectral analysis of. N. Ahmed and K. R. Rao 43
Digital systems, obtaining the time response of (Computer-program description). J. L. Pokoski and C. Walker 415
Diode thyristors, evidence for a correlation between discontinuities and filamentary conduction in the forward characteristic of. I. Thomson and D. A. Vincent 555
Diodes, double-injection, for $\omega\tau \gg 1$, more rigorous proof of the thermal-noise formula for. A. van der Ziel 231
Diodes, InSb double-injection space-charge-limited, noise in. J. H. Liao 175
Errata 387
Diodes, p^+-n-n^+, effect of depletion-layer capacitance on lifetime measurements of. K. Venkateswaran and D. J. Roulston 681
Direct formulation of the state equations: signal-flow-graph approach in time domain. C. Acar 395
Direct method for evaluation scattering-matrix sensitivities. J. W. Bandler and R. E. Seviora 773
Directional optimisation of a quadratic Lyapunov function. J. Yu-Yen Hsieh and C. S. Lu 843
Discharges, current pulses due to, in a gaseous cavity in solid dielectric. J. S. T. Charters, S. A. Roaldset and B. Salvage 569
Discrete Fourier and Hadamard transforms. N. Ahmed and K. R. Rao 221
Discrete optimal feedback control of blending processes. C. E. Hubaut 93
Discrete-time control using the quadratic performace index, implicit model following and the specific optimal policy. A. Zinober 841
Discrete-time multivariable system, decoupling a. S. Lloyd 831
Discrete-time systems, equivalent linear and nonlinear, comments on. B. V. Dasarathy 818
Discriminator, novel transistorised lock-in f.m. E. Bonek and P. Proksch 527
Display of current/voltage relationships in power-transistor circuits operating at v.h.f. H. W. Rouhof and H. W. Loeb 464
Distorted signal plus filtered Gaussian noise, performance of a d.p.s.k. detector when presented with a. T. J. Hewson 109
Distortion, delay, in operating f. m.-f. d. m. radio systems, possible use of pilot signals to indicate. G. Rosman 562
Distortion, zero-order hold, sampled-data precorrection for. J. W. R. Griffiths and M. Tomlinson 52
Distributed active RC lowpass filters, design of an, using exponential lines. J. Walsh and M. N. S. Swamy 293
Errata 387
Distributed circuits, commensurate, two universal transformations for. R. Sato 173
Distributed-parameter problems, solution of, using numerical inversion of Laplace transforms. V. Zakian and G. K. Smith 647
Distributed-parameter stochastic processes, moment equations for. S. Tzafestas 80
Distributed RC networks, class of nonuniform multilayer. B. B. Bhattacharyya and M. N. S. Swamy 685
Distributed system, rational approximation to transfer-function matrix of. V. Zakian 474
Diversity of modulation—a new concept in communication technology. N. P. Murarka 97
Dividing array, asynchronous binary. P. A. W. Walker 515
Division, nonrestoring binary, using a cellular array. J. C. Majithia 303
Domains and guided electromagnetic waves in GaAs stripline. R. Becker, B. G. Bosch and R. W. H. Engelmann 604
Doped germanium, inhomogeneously, resistivity calculations for. M. L. Gupta and A. B. Bhattacharyya 817
Doping, additional, in epitaxial silicon underlying a radio-frequency glow-discharge-deposited silicon-nitride layer. U. Günther and W. Quast 425
Dorward, R. M. Aspect of the quantisation noise associated with the digital coding of colour television signals 5
Doughty, D. C., and Ley, J. M. Electro-optic relaxation effect in ZnS 141
Dow, I. M. Modified application of describing functions in the determination of limit cycles for relay systems 165
Downing, B. J., and Smith, R. B. (See Smith)

Downs, T. Inversion of nodal-admittance matrix for active networks in symbolic form 690
Downs, T. Inversion of the nodal-admittance matrix in symbolic form 74
Drake, C. F., Scanlan, I. F., Alexander, J. H., and Chittick, R. C. (See Alexander)
Drangeid, K. E., Sommerhalder, R., and Walter, W. High-speed gallium-arsenide Schottky-barrier field-effect transistors 228
Dreeben, A. B., Kaminski, J. F., Trianjo, A., and Dean, R. H. (See Dean)
Drift reduction in wideband d.c. amplifiers by 'adding the lacking part'. W. C. van Etten and J. H. van den Boorn 45
Dry-reed operation, parallel analysis of. W. Gruszczyński, J. Hryńczuk and H. J. Wierzba 471
Dubock, P. D.C. numerical model for arbitrarily biased bipolar transistors in two dimensions 53
Dunderdale, H. Current-mode circuits for the unary functions of a ternary variable 15
Dynamic behaviour, nonlinear sampled-data control system, graphical analysis of. C. Melin, J. M. Toulotte and F. Laurent 28
Dyott, R. B., Newns, G. R., Savva, M. A., Chan, K. B., and Clarricoats, P. J. B. (See Chan)
Dyott, R. B., Stern, J. R., and Peace, M. (See Stern)
Dzoanh, N. T., and Rohde, R. S. Signal-averaging and time-delay techniques for experiments with plasma-wave echoes 311

E

Easter, B., and Roberts, R. J. Radiation from half-wavelength open-circuit microstrip resonators 573
Easter, B., Gopinath, A., and Horton, R. (See Gopinath)
Echo cancellers, continously adaptive. L. K. Mackechnie 69
Economic linear-phase recursive digital filters. P. A. Lynn 143
Eddolls, D. V., White, P. M., and Auchterlonie, L. J. (See Auchterlonie)
Eddy currents, influence of, on switching process of dry reeds. W. Gruszczyński, J. Hryńczuk and H. J. Wierzba 564
Effect of depletion-layer capacitance on lifetime measurements of p^+-n-n^+ diodes. K. Venkateswaran and D. J. Roulston 681
Effect of emitter oxide-window-edge shape in computer-simulation studies of ion-implanted transistors. J. C. Henderson, R. J. D. Scarbrough and R. Silvester 623
Effect of sheaths on the capacitance of a plane grid capacitor in a plasma. I. L. Freeston 565
Effect of state-variable feedback on numerators of transfer functions. H. M. Power 490
Effect of various gases on formative times of laser-triggered spark gap. S. H. Khan and D. Walsh 551
Effects of changes in operating conditions on the phase of a frequency-locked Gunn oscillator in X band. I. B. Bott and H. R. Holliday 206
Efficiency enhancement in the conversion into the magnetostatic mode utilising a specially designed coiled transducer. T. Ohta and N. Ogasawara 358
Errata 660
Efficient calculation of curvature in state and parameter estimation. R. F. Brown and G. C. Goodwin 575
Efficient calculation of gradient in state estimation. R. F. Brown and G. C. Goodwin 461
Efficient high-level 'upconvertor' for radio link. W. Kwiatkowski, T. Arthanayake and V. H. Knight 625
Efficient method of solving the discrete Riccati equation when the plant matrix contains a noise-shaping filter. C. S. Berger 151
Efficient power extraction at TRAPATT harmonics. N. A. Slaymaker, J. E. Carroll and R. H. DeBoise 744
Efficient tree-listing algorithm (Computer-program description). S.-G. Chan and W.-T. Chang 271
Eigenvalue assignment in multivariable systems incorporating integral feedback. H. M. Power and B. Porter 795
Eigenvalue, one multiple, partial-fraction expansion of transfer-function matrix with. F. L. N-Nagy and M. N. Al-Tikriti 215
Eigenvalues for quasipyramidal horn modes. P. Bhartia and M. A. K. Hamid 281
Elastic waves in a liquid layer with different upper and lower elastic layers. J. Wilkinson and C. D. W. Wilkinson 426
Electrical behaviour of networks synchronously switched by thyristors. J. H. Wouterse 820
Electrical lengths of stripline bends. B. Wardrop 494
Electromagnetic differential flowmeter. J. O. Gray and M. L. Sanderson 194
Electromagnetic-wave propagation along radially inhomogeneous dielectric cylinders. P. J. B. Clarricoats and K. B. Chan 694
Electrometer high-frequency applications, compensated resistors for. B. R. F. Kendall and M. F. Zabielski 776
Electronic mode of control to obtain increased torque and improved power factor from an asynchronous machine. J. D. Van Wyk 399
Electronic-network analysis by digital computer. W. R. Jackson and R. G. Sale 558
Electronically tuned filter using p-i-n diodes. C. H. Hamilton 697
Electro-optic crystal modulators, optimisation of. D. Kalymnios 804
Electro-optic relaxation effect in ZnS. D. C. Doughty and J. M. Ley 141
Elimination of time delay from shaft-position or speed transducer outputs. G. Sheard 136
Emission of TEM waves generated with an n type Ge cavity. A. C. Baynham 306
End effect in parallel-coupled transmission-line filters. M. A. Halim and M. A. K. Hamid 130
Engelen, J. J., François, G. E., and Librecht, F. M. (See François)
Engelmann, R. W. H., Becker, R., and Bosch, B. G. (See Becker)
Enstrom, R. E., Gobat, A. R., and Narayan, S. Y. (See Narayan)
Enumeration of trees of a graph. V. V. B. Rao and V. G. K. Murti 103
Enumeration of 2-trees of a graph. K. Sankara Rao, V. V. Bapeswara Rao and V. G. K. Murti 835
Epitaxial silicon, additional doping in, underlying a radio-frequency glow-discharge-deposited silicon-nitride layer. U. Günther and W. Quast 425
Epitaxial-transistor collector characteristics, quantitative model for. L. A. Hahn and K. L. Ashley 485
Equaliser, adaptive, for data transmission, convergence of. S. De and A. C. Davies 858
Equaliser, adaptive, for multipath channels. R. T. Boyd and F. C. Monds 556
Equivalent circuit for injection-locked negative-resistance oscillators. P. Jochen 53
Equivalent-circuit representation for stably propagating domains in bulk GaAs. A. C. Kak, R. L. Gunshor and C. P. Jethwa 711
Equivalent circuits, high-frequency, of junction-gate field-effect trasistors. P. U. Colzolari, S. Graffi and A. Mazzone 590
Equivalent circuits, new, for elementary piezoelectric transducers. R. Krimholtz, D. A. Leedom and G. L. Matthaei 398
Errata 560
Equivalent circuits, van der Graaf's, for series and shunt modulators. D. G. Tucker and D. P. Howson 238
Equivalent linear and nonlinear discrete-time systems. B. V. Dasarathy 343
Equivalent scheme of an ideal operational amplifier. J. Čaika and J. Pospíšil 332
Ermert, H. Gaussian beams in anisotropic media 720
Error criterion, change of, in mean-square optimisation. R. D. Shelton and T. J. Jones 201
Error rate for envelope-detected on-off keying in the presence of interference. I. M. Richmond and Chan Kei Biu 575
Errors, correction of, in p.r.b.n. identification. P. S. Ritch, G. C. Goodwin and R. D. Bell 411
Errors, sampling and quantisation, estimation of, in computer-control systems. J. O. Gray and M. J. Jackson 618
Esposito, R. Expansion of likelihood ratio for signals in Gaussian noise 761
Esteve, D., and Buxo, J. Degradation mechanism of m.o.s. structures and transistors under ionising radiation 198
Esteve, D., Blasquez, G., Ribeyrol, J. M., and Martin, J. C. (See Martin)
Estimate of a bound for the minimum value of the peak of the crosscorrelation between two binary sequences. N. B. Chakrabarti 686
Estimation of quantisation and sampling errors in computer-control systems. J. O. Gray and M. J. Jackson 618
Evaluation of largest or smallest zero of a polynomial. V. Zakian 217
Evans, A. G. R., and Walsh, D. Noise radiated from InSb-NiSb eutectic alloy 679
Evans, F. J., and Jones, D. L. (See Jones)
Evans, F. J., and Sen, N. (See Sen)
Evans, W. A., and Jolly, N. A. High-speed complementary analogue-switch driver and interface circuit 762
Evans, W. A., and Paull, C. (See Paull)
Everatt, J. S. Computer simulation of nonlinear inductors with hysteresis 833
Evidence for a correlation betweeen discontinuities and filamentary conduction in the forward characteristic of diode thyristors. I. Thomson and D. A. Vincent 555
Exact computation of group delay and its sensitivities using adjoint-network concept. G. C. Temes 483
Exact sensitivity functions, program for obtaining. V. A. K. Temple and W. J. Butler 58
Excess leakage-current noise in junction field-effect transistors. R. J. Hawkins and G. G. Bloodworth 401
Excitation and propagation of modes of a multilayer fibre. P. J. B. Clarricoats and K. B. Chan 750
Existence of an overshoot in the step-function response of a linear circuit (Sur l'existence d'un dépassement dans le réponse indicielle d'un circuit linéaire). R. Genin and L. C. Calvez 55
Existence of positive periodic solutions of certain ordinary differential equations. M. Kiełkiewicz 481
Exon, J. la T., Castell, R. J., and Daniels, A. R. (See Castell)
Expansion of likelihood ratio for signals in Gaussian noise. R. Esposito 761
Experimental observation of magnetostiatic modes in a y. i. g. slab. J. D. Adam, G. A. Bennett and J. Wilkinson 434
Experimental verification of a lateral wave above a lossy interface. T. Tamir 357
Extended interpretation of a Steiglitz-Zemanian lemma on positive real functions. S. Tirtoprodjo 581
Extension of the inverse Nyquist method. P. D. McMorran 800
External current-waveform measurements of high-efficiency oscillations in silicon avalanche diodes. C. P. Snapp 145

F

F.D.M. and p.c.m. transmission systems, feasibility of using digital filters to interconnect. J. E. Flood and P. Onn 134
F. E. T., junction, companding with. J. E. Flood and F. Morris 344
F.E.T., low-noise microwave, behaviour of a, at low temperature. B. Loriou, M. Bellec and M. le Rouzic 819
F.E.T.s, junction, two-dimensional analysis of substrate effects in. M. Reiser 493
F.M. novel transistorised lock-in discriminator. E. Bonek and P. Proksch 527
F.M. threshold, method of reducing the, using a tracking N-path filter. R. C. V. Macario and S. Patel 142
F. M. -F. D. M. radio systems, possible use of pilot signals to indicate delay distortion in operating. G. Rosman 562
Factorisation result for optimal discrete-time systems. D. H. Mee 233
Fading characteristics, change of, of reputed steady targets as a function of sea state in a marine-radar environment. P. D. Williams 853
Fading, specularly, signal-plus-noise minus noise, probability-density function of a. N. P. Murarka 365
Fahmy, M. M., and Bhandarkar, M. V. (See Bhandarkar)
Fairhurst, M. C., and Aleksander, I. (See Aleksander)
Fairman, F. W. Relationship of the Poisson transform to the moment functional transformation 816
Fallmann, W., Hartnagel, H. L., and Srivastava, G. P. X band Gunn oscillators triggered by baseband Gunn diodes 100
Fallside, F., and Seraji, H. Optimality and closed-loop pole positions for single-input systems 721
Fallside, F. State-transition analysis of certain thyristor systems 606
Family of equiripple lowpass digital filters. A. G. Constantinides 351
Family of pattern classifiers. B. G. Batchelor, N. L. Ford and B. R. Wilkins 368
Fanson, L., and Bong Ho (See Bong Ho)
Farrell, P. G. Linear binary anticodes 419
Fast generation of spherical Bessel functions with complex arguments. L. Shafai, S. J. Towaij and M. A. K. Hamid 612
Faulkner, E. A., and Buckingham, M. J. (See Buckingham)
Faulkner, E. A., and Grimbleby, J. B. Active filters and gain-bandwidth product 549
Faulkner, E. A., and Grimbleby, J. B. High-performance analogue multiplier based on the characteristics of bipolar transistors 379

Faulkner, E. A. Reciprocity and passivity 304
Feasibility of high-resolution optical images from microwave far-field holograms. D. N. Swingler 375
Feasibility of using digital filters to interconnect p.c.m. and f.d.m. transmission systems. J. E. Flood and P. Onn 134
Feed, optimum, for large radiotelescopes: experimental results. T. B. Vu and Q. H. Vu 159
Feedback control, discrete optimal, of blending processes. C. E. Hubaut 93
Feedback, integral, eigenvalue assignment in multivariable systems incorporating. H. M. Power and B. Porter 795
Feedback, integral, mode-controllability matrices of multivariable linear systems incorporating. B. Porter and H. M. Power 809
Feedback, integral, necessary and sufficient conditions for controllability of multivariable systems incorporating. H. M. Power and B. Porter 815
Feedback method for suppressing carrier leak. A. K. H. Miller 746
Feeds, corrugated, and optical waveguides, similarities in the electromagnetic behaviour of. P. J. B. Clarricoats. 178
Feeds, prime-focus one- and two-hybrid-mode. B. MacA. Thomas 460
Feldman, M., and White, D. L. (See White)
Fer, A. F., and Oranç, H. S. (See Oranç)
Ferguson, D. R. Generalisation of Zubov's construction procedure for Lyapunov functions 73
Ferrite-metal boundaries, surface waves at. R. A. Hurd 262
Fibre, multilayer, excitation and propagation of modes of a. P. J. B. Clarricoats and K. B. Chan 750
Field-correlation theorem with application to reflector-aerial diffraction problems. P. Wood 326
Field-effect transistors, computation of mixing coefficients for, with non-square-law transfer characteristics. D. C. Surana and J. G. Gardiner 403
Errata 491
Field-effect transistors, high-speed gallium-arsenide Schottky-barrier. K. E. Drangeid, R. Sommerhalder and W. Walter 228
Field-effect transistors, junction, excess leakage-current noise in. R. J. Hawkins and G. G. Bloodworth 401
Field-effect transistors, junction-gate, high-frequency equivalent circuits of. P. U. Colzolari, S. Graffi and A. Mazzone 590
Field-effect transistors, silicon insulated-gate, current/voltage characteristics, channel pinchoff and field dependence of carrier velocity in. G. T. Wright 107
Field-emission-controlled transit-time negative resistance. M. Claassen and W. Harth 512
Field-enhanced conductivity effects in thin chalcogenide-glass switches. A. C. Warren and J. C. Male 567
Fields, quasistatic, image approximation for, over a 2-layer conductor. D. J. Thomson and J. T. Weaver 855
Filter, electronically tuned, using p-i-n diodes. C. H. Hamilton 697
Filter, end-coupled bandpass symmetric stripline, semiempirical formula for the. J. K. Richardson 616
Filter, tracking N-path, method of reducing the f.m. threshold using a. R. C. V. Macario and S. Patel 142
Filters, bandpass, using Wien's bridge. P. Williams 186
Filters, cascaded noncommensurable-line lowpass, computer optimisation of. C. Brancher, F. Maffioli and A. Premoli 513
Filters, midseries and midshunt lowpass LC, realisation of. Chin Cheng Lin 593
Filters, notch, using Wien's bridge. P. Williams 185
Filters, thick-strip transmission-line, fringing capacitance in. M. A. Halim and M. A. K. Hamid 279
Filters, very selective, relationships between design parameters of. V. Belevitch 585
Finite-range gain of sectoral and pyramidal horns. E. V. Jull 680
Flemming, J. P., and Ward, E. W. Improved technique for voltage measurement using the scanning-electron microscope 7
Flood, J. E., and Morris, F. Companding with junction f. e. t. 344
Flood, J. E., and Onn, P. Feasibility of using digital filters to interconnect p.c.m. and f.d.m. transmission systems 134
Flowgraphs, signal, solved by graph-expansion algorithm. J. C. Polasek 264
Flowmeter, electromagnetic differential. J. O. Gray and M. L. Sanderson 194
Focused-aperture antenna using a spherical main reflector with (Cassegrain) convex feed. H. S. Oranç and A. F. Fer 523
Focusing of radio waves reflected from the ionosphere at low angles of elevation. P. A. Bradley 457
Ford, N. L., Wilkins, B. R., and Batchelor, B. G. (See Batchelor)
Formulas for linear optimal control over a finite or infinite interval. O. H. D. Walter 632
Formulation for a generalised network in terms of the Hamiltonian energy function. N. Sen and F. J. Evans 92
Formulation of the state equations by signal-flow graphs. C. Acar 82
Foulds, K. W. H. L.S.A. oscillation in co-axial-line circuit 189
Fourier and Hadamard transforms, discrete. N. Ahmed and K. R. Rao 221
Fourier transform, square-wave. R. H. T. Bates, P. J. Napier and Y. P. Chang 741
François, G. E., Librecht, F. M., and Engelen, J. J. Optimum cut in XDP crystals for transverse light modulation 778
Fray, S. J., and Taylor, B. C. Frequency-tuning characteristics of waveguide-mounted transferred-electron oscillators 708
Frécon, L. Convertisseur virgule-fixe/virgule-flottante cellulaire (Cellular fixed-point/floating-point convertor) 132
Frécon, L. Multiplicateur cellulaire parallele de nombres en virgule flottante (Parallel cellular floating-point multiplier) 226
Free-electron parametric effects in GaAs Gunn oscillators. H. D. Rees 11
Freeston, I. L., and Gupta, R. K. (See Gupta)
Freeston, I. L., and Kelk, J. E. Ion current to a plane probe in a flowing plasma 810
Freeston, I. L., and Kelk, J. E. Measurement of ion density in a plasma torch using a plane probe 812
Freeston, I. L. Dependence of admittance of plasma conductor on electron collection 793
Freeston, I. L. Effect of sheaths on the capacitance of a plane grid capacitor in a plasma 565
Freeston, I. L. Variation of the admittance of a plasma capacitor with the amplitude of the measuring potential 672
Frequency limitation of 3-level oscillators. O. F. Zimmerl 728
Frequency multiplication using the properties of an angle-modulated wave. E. M. Bliss 102
Frequency response of input impedance implies the distribution of discontinuities of a transmission-line system. J. Detlefsen 67
Frequency-shift-keyed pulse retiming with Gunn oscillator. P. Bestwick, H. L. Hartnagel and R. Huntington 46
Frequency source, rubidium atomic, having small size and fast warm up. R. E. Hayes, T. J. Bennett, G. T. Norton and M. M. Zepler 734
Frequency stability, novel technique for improving the, of Gunn oscillators. P. S. Kooi and D. Walsh 85
Frequency-tuning characteristics of waveguide-mounted transferred-electron oscillators. S. J. Fray and B. C. Taylor 708
Frequency-tripler, broadband high-efficiency. J. C. Redd and K. L. Kotzebue 702
Freund, E. Die Beobachtbarkeit von entkoppelten zeitvariablen Mehrgößensystemen (Observability of decoupled time-varying multivariable systems) 26
Freund, E. Die phasenvariable kanonische Form für zeitvariable Mehrgrößensysteme (Phase-variable canonical form for time-varying multivariable systems) 78
Fringing capacitance in thick-strip transmission-line filters. M. A. Halim and M. A. K. Hamid 279
Fry, R. W., and Aatre, V. K. Tree generation without duplication 652
Fujiwara-Hermite theorem, note on the. H. M. Power 39
Fujisawa, K. Comments on transmission-line analogue of carrier waves in solids 754
Fully iterative array for extracting square roots. R. C. De Vries and M. H. Chao 255
Functions, spherical Bessel, fast generation of, with complex arguments. L. Shafai, S. J. Towaij and M. A. K. Hamid 612
Further note on the Hermite-Fujiwarah theorem. E. I. Jury 311
Further properties of minimal indices. H. H. Rosenbrock 450
Fused logic: improved universal element and a trainable AND gate. R. Baker 229

G

GaAs and InP bulk-negative-resistance oscillators, power-impedance calculations for. S. Geraghty and G. Gibbons 583
GaAs, bulk, equivalent-circuit representation for stably propagating domains in. A. C. Kak, R. L. Gunshor and C. P. Jethwa 711
GaAs, new mode of microwave emission from. A. C. Baynham and D. J. Colliver 498
GaAs thin epitaxial layer, travelling-wave amplifier using. R. H. Dean, A. B. Dreeben, J. F. Kaminski and A. Trianjo 775
Gadenz, R. N., and Temes, G. C. (See Temes)
Gain measurement, new method of, using two identical antennas. D. M. Kerns 348
Gamble, H. S., and Wakefield, J. (See Wakefield)
Gambling, W. A., and Laybourn, P. J. R. Limiting bandwidth of a glass-fibre transmission line 661
Gambling, W. A., Laybourn, P. J. R., and Lee M. D. Pulse propagation along glass fibres 364
Gambling, W. A., Laybourn, P. J. R., Lee, M. D., Sunak, H., and Anson. M. Accurate tuning of a laser mode-locking device 570
Gardiner, J. G., and Banerjee, A. R. Conversion-loss stability and gain compression in Schottky-barrier mixers 829
Gardiner, J. G., and Surana, D. C. (See Surana)
Gate, a trainable AND, improved universal element and a: fused logic. R. Baker 229
Gaussian beams in anisotropic media. H. Ermert 720
Gavril, S., and Schieber, D. Correlation of electrical power and optical oscillation in low-density helium plasma 286
Gelmont, B. L., and Shur, M. S. Analytical theory of stable domains in high-doped Gunn diodes 385
Gelmont, B. L., and Shur, M. S. S type current/voltage characteristics and recombination emission in Gunn diodes 531
General renormalisation transforms for 3-port S parameters. D. Woods 823
General sensitivity-reduction criterion for single-input multiple-output systems. D. C. Reddy 86
Generalisation of a method for system identification using almost periodic functions. R. J. Simpson and H. M. Power 803
Generalisation of the Routh-Hurwitz criterion and its applications. H. H. Hwang and P. C. Tripathi 410
Generalisation of Vlach's method for the numerical inversion of the Laplace transform. C. J. Wellekens 742
Generalisation of Zubov's construction procedure for Lyapunov functions. D. R. Ferguson 73
Generalised cell for use in iterative and near-iterative arithmetic arrays. G. White 270
Generation, triangle-sine-wave, new approach to. C. Paull and W. A. Evans 620
Genin, R., and Calvez, L. C. Laguerre-transform signal analysis 587
Genin, R., and Calvez, L. C. Sur l'existence d'un dépassement dans la réponse indicielle d'un circuit linéaire (Existence of an overshoot in the step-function response of a linear circuit) 55
Geraghty, S., and Gibbons, G. Power-impedance calculations for InP and GaAs bulk-negative-resistance oscillators 583
Ghani, N., and Betts, J. A. (See Betts)
Gibbons, G., and Geraghty, S. (See Geraghty)
Gibbs, S. E., Taylor, B. C., and Colliver, D. J. (See Colliver)
Gladman, B. R., and Hissink, A. J. (See Hissink)
Glass, electrically switching chalcogenide, conductivity of. J. C. Male 91
Glass fibres, pulse propagation along. W. A. Gambling, P. J. R. Laybourn and M. D. Lee 364
Gniss, H., and Ries, G. Bemerkungen zum Konzept des äquivalenten Parabols bei Cassegrain-Antennen (Remarks on the concept of equivalent parabolas for Cassegrain antennas) 737
Gobat, A. R., and Collard, J. R. (See Collard)
Gobat, A. R., Narayan, S. Y., and Enstrom, R. E. (See Narayan)
Goodwin, G. C., and Brown, R. F. (See Brown)
Goodwin, G. C., Bell, R. D., and Ritch, P. S. (See Ritch)
Gopinath, A., Horton, R., and Easter, B. Microstrip loss calculations 40
Goubau lines, power transfer between, with unequal phase velocities. L. L. Haidle 599
Graffi, S., Mazzone, A., and Calzolari, P. U. (See Calzolari)

Graph, enumeration of all circuits or cutsets of a. V. V. B. Rao and V. G. K. Murti 104
Graph, enumeration of trees of a. V. V. B. Rao and V. G. K. Murti 103
Graph, enumeration of 2-trees of a. K. Sankara Rao, V. V. Bapeswara Rao and V. G. K. Murti 835
Graph, signal-flow, approach in time domain: direct formulation of the state equations. C. Acar 395
Graph, signal-flow, reduction, new formula for the. J. Čajka 437
Graphical analysis of nonlinear sampled-data control-system dynamic behaviour (Sur l'analyse graphique des systèmes discrets nonlinéaires en régime dynamique). C. Melin, J. M. Toulotte and F. Laurent 28
Gray, J. O., and Jackson, M. J. Estimation of quantisation and sampling errors in computer-control systems 618
Gray, J. O., and Sanderson, M. L. Electromagnetic differential flowmeter 194
Green's function, dyadic, ray-optical solution for the, in a rectangular cavity. M. A. K. Hamid and W. A. Johnson 317
Griffiths, J. W. R., and Tomlinson, M. Sampled-data precorrection for zero-order hold distortion 52
Griffiths, J. M. Novel ratemeter with very wide range 242
Grimbleby, J. B., and Faulkner, E. A. (See Faulkner)
Grimbleby, J. B. Low-cost high-performance reciprocal-law circuit 755
Ground-wave attenuation function for a Gaussian modulated carrier signal. J. R. Wait 106
Ground-wave propagation at medium and low frequencies. S. Rotheram 794
Grünberger, G. K., Keine, V., and Meinke, H. H. Longitudinal field components and frequency-dependent phase velocity in the microstrip transmission line 683
Gruszczyński, W., Hryńczuk, J., and Wierzba, H. J. Analysis of parallel dry-reed operation 471
Gruszczyński, W., Hryńczuk, J., and Wierzba, H. J. Influence of eddy currents on switching process of dry reeds 564
Guekos, G., and Strutt, M. J. O. Compensation of injection-laser excess noise by means of an external modulator 250
Guéret, P. Limits of validity of the 1-dimensional approach in space-charge-wave and Gunn-effect theories 197
Guéret, P. Small-signal 2-terminal impedance of a thin Gunn diode 213
Guéret, P. Stabilisation of Gunn oscillations in layered semiconductor structures 637
Guided electromagnetic waves and domains in GaAs stripline. R. Becker, B. G. Bosch and R. W. H. Engelmann 604
Guild, H. H. Cellular logical array for nonrestoring square-root extraction 66
Guile, A. E., Brown, A. F. C., and Lishman, J. V. New explanation of the polarity effect in current collection 456
Gunn device, measurement of negative conductance of a. R. B. Smith and B. J. Downing 649
Gunn device, 3-terminal, measurement of transverse spreading velocity of a high-field domain in a. M. Kawashima and S. Kataoka 781
Gunn diode, injection-limited, wideband performance of the. T. Hariu, S. Ono and Y. Shibata 666
Gunn-diode mixers, self-excited, noise figure and conversion loss of. P. Albrecht and M. Bechteler 321
Gunn diode, noise in Gunn oscillators depending on surface of. H. Kuhn 845
Gunn diode, thin, small-signal 2-terminal impedance of a. P Guéret 213
Gunn diodes, current fluctuations caused by frequency variations in. G. S. Hobson 118
Gunn diodes, high-doped, analytical theory of stable domains in. B. L. Gelmont and M. S. Shur 385
Gunn diodes, S type current/voltage characteristics and recombination emission in. G. L. Gelmont and M. S. Shur 531
Gunn-effect and space-charge-wave theories, limits of validity of the 1-dimensional approach in. P. Guéret 197
Gunn-effect cavity-controlled generator, mode tuning and hysteresis behaviour of. Yu. A. Tsvirko and I. A. Ivanchenko 9
Gunn-effect domain formation, suppression of, by ferrimagnetic materials. M. Masuda, N. S. Chang and Y. Matsuo 605
Gunn oscillations, stabilisation of, in layered semiconductor structures. P. Gueret 637
Gunn-effect oscillator, varactor-tuned. R. B. Smith and P. W. Crane 139
Gunn-effect oscillators, varactor-tuned. D. Cawsey 246
Gunn oscillator, frequency-shift-keyed pulse retiming with. P. Bestwick, H. L. Hartnagel and R. Huntington 46
Gunn oscillator in X band, frequency locked, effects of changes in operating conditions on the phase of a. I. B. Bott and H. R. Holliday 206
Gunn oscillators, GaAs, free-electron parametric effects in. H. D. Rees 11
Gunn oscillators, high-speed phase and amplitude modulation of. B. Martin and G. S. Hobson 244
Gunn oscillators, noise in, depending on surface of Gunn diode. H. Kuhn 845
Gunn oscillators, novel technique for improving the frequency stability of. P. S. Kooi and D. Walsh 85
Gunn oscillators, X band, signal-injection triggering of, for f.s.k. operation. R. Huntington, H. L. Hartnagel and P. Bestwick 234
Gunn oscillators, X band, triggered by baseband Gunn diodes. W. Fallmann, H. L. Hartnagel and G. P. Srivastave 100
Gunshor, R. L., Jethwa, C. P., and Kak, A. C. (See Kak)
Günther, U. and Quast, W. Additional doping in epitaxial silicon underlying a radio-frequency glow-discharge-deposited silicon-nitride layer 425
Gupta, M. L., and Bhattacharyya, A. B. Analytic evaluation of diffused impurity layers in silicon 291
Gupta, M. L., and Bhattacharyya, A. B. Bias-dependent transient response of a p-n junction capacitor 784
Gupta, M. L., and Bhattacharyya, A. B. Resistivity calculations for inhomogeneously doped germanium 817
Gupta, M. L., and Bhattacharyya, A. B. (See Bhattacharyya)
Gupta, M. S. Determination of the noise parameters of a linear 2-port (Computer-program description) 543
Gupta, R. K., and Freeston, I. L. Radiation resistance of a square loop in a warm plasma 553
Gyrators and inductors with voltage-controlled voltage sources, synthesis of. K. R. Rao and S. Venkateswaran 29

H

Hadamard and Fourier transforms, discrete. N. Ahmed and K. R. Rao 221
Haddad, G. I., and Schroeder, W. E. (See Schroeder)
Hahn, L. A., and Ashley, K. L. Quantitative model for epitaxial-transistor collector characteristics 485
Haidle, L. L. Power transfer between Goubau lines with unequal phase velocities 599
Hakim-theory transfer-function sensitivity. R. W. Newcomb 98
Halim, M. A., and Hamid, M. A. K. End effect in parallel-coupled transmission-line filters 130
Halim, M. A., and Hamid, M. A. K. Fringing capacitance in thick-strip transmission-line filters 279
Hall effect and magnetoresistance effect, analogue computer with. B. I. Vichev and V. I. Miteva 287
Hambleton, K. G., O'Callaghan, M., and Deadman, H. A. (See O'Callaghan)
Hambleton, K. G., Wallace, A. M., Webber, V. K., and Calverley, A. (See Calverley)
Hamid, M. A. K., and Bhartia, P. (See Bhartia)
Hamid, M. A. K., and Halim, M. A. (See Halim)
Hamid, M. A. K., and Johnson, W. A. Ray-optical solution for the dyadic Green's function in a rectangular cavity 317
Hamid, M. A. K., and Mohsen, A. (See Mohsen)
Hamid, M. A. K., Boulanger, R. J., Mostowy, N. J., and Mohsen, A. Radiation characteristics of dielectric-loaded horn antennas 20
Hamid, M. A. K., Shafai, L., and Towaij, S. J. (See Shafai)
Hamilton, C. H. Electronically tuned filter using p-i-n diodes 697
Hamiltonian energy function, formulation for a generalised network in terms of the. N. Sen and F. J. Evans 92
Hanebrekke, H., and Ingebrigsten, K. A. Acoustoelectric amplification of surface waves in structure of cadmium-selenide film on lithium niobate 520
Hankins, H. C. A., and Torsun, I. S. Some observations on the writing-speed performance of cathodochromic cathode-ray tubes 137
Hansen, R. C. Decreasing antenna beam-width with increasing scan angle 544
Hansen-Woodyard condition as applied to Yagi aerials. P. Miller 574
Hariu, T., Ono, S., and Shibata, Y. Wide-band performance of the injection-limited Gunn diode 666
Harmonic, second, generation, self and externally pumped, with silicon avalanche diodes. L. A. Stark 408
Harris, J. L., Jones, W. S., and Hartmann, C. S. (See Jones)
Harris, N. G. Potential stability theory. Pt. 1—Linear systems 372
Harth, W., and Claassen, M. (See Claassen)
Harth, W., Hulin, R., and Claassen, M. (See Hulin)
Hartmann, C. S., Harris, J. L., and Jones, W. S. (See Jones)
Hartnagel, H. L., Bestwick, P., and Huntington, R. (See Huntington)
Hartnagel, H. L., Huntington, R., and Bestwick, P. (See Bestwick)
Hartnagel, H. L., Srivastava, G. P., and Fallmann, W. (See Fallmann)
Hasan, M. M., and Venkateswaran, S. Diffusion in semiconductors (Computer-program description) 366
Errata 688
Hashizume, N., and Kataoka, S. Transferred-electron negative-resistance amplifier 34
Errata 387
Hashizume, N., and Robson, P. N. (See Robson)
Hawkins, R. J., and Bloodworth, G. G. Excess leakage-current noise in junction field-effect transistors 401
Hayes, R. E., Bennett, T. J., Norton, G. T., and Zepler, M. M. Rubidium atomic frequency source having small size and fast warm up 734
Haykin, S. S., and Butler, W. J. (See Butler)
Heat sinks, approach for, in monolithic microwave integrated circuits. A. D. Sutherland 432
Hedström, T. L. New application of fundamental switching theorem 521
Helicon-wave propagation, analysis of. D. Midgley 497
Helszajn, J. Wideband circulator adjustment using the n = +1 and n = 0 electromagnetic-field patterns 729
Henderson, J. C., Scarbrough, R. J. D., and R. Silvester. Effect of emitter oxide-window-edge shape in computer-simulation studies of ion-implanted
Hermite-Fujiwara theorem, further note on the. E. I. Jury 311
Hermite-Fujiwara theorem, note on the. H. M. Power 39
Herrmann, O., and Schuessler, W. Design of nonrecursive digital filters with minimum phase 329
Herrmann, O. Design of nonrecursive digital filters with linear phase 328
Errata 635
Hewson, T. J. Performance of a d.p.s.k. detector when presented with a distorted signal plus filtered Gaussian noise 109
Heydemann, M. Methode numérique d'étude des structures m.o.s.t. (Numerical method of investigation for m.o.s.t. structures) 735
High-dynamic-range low-noise microwave amplifier. J. R. Collard and A. R. Gobat 202
High-efficiency oscillations in gallium-arsenide avalanche diodes. M. G. Cottam 71
High-frequency equivalent circuits of junction-gate field-effect transistors. P. U. Colzolari, S. Graffi and A. Mazzone 590
High-frequency impedance of a practical metal surface and the effect of a thin coating of dielectric over it. H. M. Barlow 413
High-performance analogue multiplier based on the characteristics of bipolar transistors. E. A. Faulkner and J. B. Grimbleby 379
High-power c.w. transferred-electron oscillators. S. Y. Narayan, R. E. Enstrom and A. R. Gobat 17
High-speed complementary analogue-switch driver and interface circuit. W. A. Evans and N. A. Jolly 762
High-speed gallium-arsenide Schottky-barrier field-effect transistors. K. E. Drangeid, R. Sommerhalder and W. Walter 228
High-speed phase and amplitude modulation of Gunn oscillators. B. Martin and G. S. Hobson 244
Hilsum, C., and Rees, H. D. Three-level oscillator: a new form of transferred-electron device 277
Hilsum, C., Joyce, B. D., Morgan, J. R., Rees, H. D., Knight, J. R., and Colliver, D. (See Colliver)
Hilsum, C., Mullin, J. B., Prew, B. A., Rees, H. D., and Straughan, B. W. Instabilities of InP 3-level transferred-electron oscillators 307
Hilsum, C. Simple graphical method for calculating the efficiency of bulk negative-resistance microwave oscillators 448

Hissink, A. J., and Gladman, B. R. Rapid generation of Bessel functions required for solutions to engineering problems (Computer-program description) 265
Hobson, G. S., and Martin, B. (See Martin)
Hobson, G. S. Current fluctuations caused by frequency variations in Gunn diodes 118
Hodograph method, relative stability of sampled-date control systems by. S. C. Tsai and P. R. Ukrainetz 714
Holliday, H. R., and Bott, I. B. (See Bott)
Hologram, microwave, location of an irregularity in a microwave array by optical signal processing of its. A. P. Anderson and D. N. Swingler 577
Hologram, microwave, optical imaging and far-field pattern similation of a microwave-illuminated aperture by a. D. N. Swingler and A. P. Anderson 180
Holograms, microwave far-field, feasibility of high-resolution optical images from. D. N. Swingler 375
Holographic acoustic system for real-time viewing. S. B. Colegrove and L. V. Skattebol 663
Holt, A. G. J. Simple RC active filters using controlled sources 756
Hookabe, K., and Matsuo, Y. Novel type of cut for KDP crystals for low-voltage light modulation 550
Horn, corrugated, surface-wave radiation from a. R. Baldwin and P. A. McInnes 259
Horn modes, quasipyramidal, eigenvalues for. P. Bhartia and M. A. K. Hamid 281
Horns, corrugated conical, with narrow flare angle and arbitrary length, hybrid modes in. H. K. Au 769
Horns, sectoral and pyramidal, finite-range gain of. E. V. Jull 680
Horton, R., Easter, B., and Gopinath, A. (See Gopinath)
House, H., and Palmer, A. W. (See Palmer)
Howson, D. P., and Tucker, D. G. (See Tucker)
Hryńczuk, J., Wierzba, H. J., and Gruszczyński, W. (See Gruszczyński)
Hsieh, J. Yu-Yen, and Lu, C. S. Directional optimisation of a quadratic Lyapunov function 843
Hubaut, C. E. Discrete optimal feedback control of blending processes 93
Hulin, R., Claassen, M., and Harth, W. Circuit representation of the avalanche region of IMPATT diodes for different carrier velocities and ionisation rates of electrons and holes 849
Huntington, R., Bestwick, P., and Hartnagel, H. L. (See Bestwick)
Huntington, R., Hartnagel, H. L., and Bestwick, P. Signal-injection triggering of X band Gunn oscillators for f.s.k. operation 234
Hurd, R. A. Surface waves at ferrite-metal boundaries 262
Hurst, S. L. Correlation between Karnaugh-map patterns and Chow parameters for 3-variable linearly separable threshold functions 182
Hurst, S. L. Realisation of cellular arithmetic cells by threshold-logic assemblies 501
Hurst, S. L. Universal threshold gates for 3-, 4- and 5-variable linearly separable (threshold) functions 324
Hwang, H. H., and Tripathi, P. C. Generalisation of the Routh-Hurwitz criterion and its applications 410
Hybrid modes in corrugated conical horns. M. S. Narasimhan and B. V. Rao 32
Hybrid modes in corrugated conical horns with narrow flare angle and arbitrary length. H. K. Au 769
Hybrid-tee coupled oscillator. G. V. Welch and T. K. Ishii 717
Hysteresis behaviour and mode tuning of Gunn-effect cavity-controlled generator. Yu. A. Tsvirko and I. A. Ivanchenko 9

I

Identification of surface-wave resonances on a metal-backed y.i.g. slab. G. A. Bennett and J. D. Adam 789
Identification, online system, using matrix pseudoinverse. N. K. Sinha and W. Pille 453
Identification, process, with visual interaction between operator and computer. D. C. Williams 472
Identification, system, application of almost periodic functions to. H. M. Power and R. J. Simpson 269
Identification, system, generalisation of a method for, using almost periodic functions. R. J. Simpson and H. M. Power 803
Image approximation for quasistatic fields over a 2-layer conductor. D. J. Thomson and J. T. Weaver 855
Impairment of noise immunity of digital monolithic circuits caused by supply-line and earth-line current spikes on conjunction with coaxial-cable connections. M. Abdel-Latif and M. J. O. Strutt 643
IMPATT-diode oscillators, a.m. noise of. G. Ulrich 247
IMPATT diodes, circuit representation of the avalanche region of, for different carrier velocities and ionisation rates of electrons and holes. R. Hulin, M. Claassen and W. Harth 849
IMPATT-oscillator, subharmonically injected phase-locked, experiments. C. H. Chien and G. C. Dalman 240
IMPATT oscillators, buildup behaviour of, in linear and nonlinear ranges. M. Bechleter 856
Impedance, high-frequency, of a practical metal surface and the effect of a thin coating of dielectric over it. H. M. Barlow 413
Impedance, negative, convertor, inductor realisation with a. D. Patranabis 415
Impedances, characteristic, of coupled strip transmission lines. W. Braeckelmann and R. Roeder 123
Improved characterising technique for microwave power-amplifier transistors. T. Nygren and J. Martinson 282
Improved technique for voltage measurement using the scanning-electron microscope. J. P. Flemming and E. W. Ward 7
Improvement in multispeed reluctance motors. P. J. Lawrenson and S. R. Murthy Vamaraju 642
Improving the efficiency of Laplace-transform inversion for network analysis. M. Silverberg 105
Impulsmessplatz mit einer zeitauflösung von 18 ps (Pulse measurements with resolution time of 18 ps). F. Meyer 703
Indirect calculation of network-function sensitivities with variations of some network parameters. J. Čajka and J. Valsa 458
Induction motors, invertor-fed, matrix approach to steady-state analysis of. W. Charlton 451
Inductor realisation with a negative-impedance convertor. D. Patranabis 415
Inductors and gyrators with voltage-controlled voltage sources, synthesis of. K. R. Rao and S. Venkateswaran 29
Inductors, nonlinear, computer simulation of, with hysteresis. J. S. Everatt 833
Inductors, permalloy thin-film. N. Saleh and A. H. Qureshi 850
Influence of eddy currents on switching process of dry reeds. W. Gruszczyński, J. Hryńczuk and H. J. Wierzba 564
Influence of metal plate on surface magnetostatic modes of magnetic slab. H. van de Vaart 601
Influence of surface metallisation on magnetoelastic surface wave. J. P. Parekh 47
Ingebrigsten, K. A., and Hanebrekke, H. (See Hanebrekke)
Inose, H., Saito, T., and Shibuya, T. Design of multiple-input phase-locked oscillator in mutually synchronised system 468
InP and GaAs bulk-negative-resistance oscillators, power-impedance calculations for. S. Geraghty and G. Gibbons 583
Input impedance, frequency response of, implies the distribution of discontinuities of a transmission-line system. J. Detlefsen 67
Instabilities of InP 3-level transferred-electron oscillators. C. Hilsum, J. B. Mullin, B. A. Prew, H. D. Rees and B. W. Straughan 307
Insulator, gate, titanium dioxide as, for m.o.s. transistors. J. Wakefield and H. S. Gamble 507
Integrated digital monolithic circuits, impairment of noise immunity of, caused by supply-line and earth-line current spikes in conjunction with coaxial-cable connections. M. Abdel-Latif and M. J. O. Strutt 643
Integrated monolithic microwave circuits, approach for heat sinks in. A. D. Sutherland 432
Interface states in the silicon/silicon-oxide system observed by thermally stimulated charge release. A. F. Saunders and G. T. Wright 207
Interface studies of the m.i.s. structure by surface photovoltage measurements. Y. W. Lam 153
Interference, cochannel, minimising, in television reception. H. Page 454
Interference, error rate for envelope-detected on-off keying in the presence of. I. M. Richmond and Chan Kei Biu 575
Inversion of a class of matrices occurring in control-system theory by an m-step procedure allied to Gaussian elimination. A. Simpson 500
Inversion of complex matrices. T. R. Crossley and B. Porter 90
Inversion of nodal-admittance matrix for active networks in symbolic form. T. Downs 690
Inversion of rational polynomial matrices. N. Munro and V. Zakian 629
Inversion of the nodal-admittance matrix in symbolic form. T. Downs 74
Invertor-fed induction motors, matrix approach to steady-state analysis of. W. Charlton 451
Investigation of deep-depletion régime of m.o.s. structures using ramp-response method. C. D. Bulucea 479
Ion current to a plane probe in a flowing plasma. I. L. Freeston and J. E. Kelk 810
Ionosphere, focusing of radio waves reflected from the, at low angles of elevation. P. A. Bradley 457
Ionospheric nondeviative absorption, describing function of the diurnal variation of. L. M. Muggleton 768
Ionospheric radar returns, spectrum analysis of. J. B. G. Roberts 196
Ishii, T. K., and Mashock, J. A. Admittance measurements through nonuniform transmission lines 258
Ishii, T. K., and Welch, G. V. (See Welch)
Iterative control-function optimisation, stopping conditions for. J. C. Allwright 545
Ivanchenko, I. A., and Tsvirko, Yu. A. (See Tsvirko)
Ivanek, F., Reddi, V. G. K., and Shyam, M. Mode identification for an oscillator using solid-state active devices in a waveguide-below-cutoff resonator 151

J

Jackson, M. J., and Gray, J. O. (See Gray)
Jackson, W. R., and Sale, R. G. Electronic-network analysis by digital computer 558
James, D. J. C., and Parks, P. C. (See Parks)
James, J. R., and Daley, J. D. (See Daley)
James, J. R. Applicability of Kirchhoff integral to antenna near fields 547
Janssens, J., Liegeois, R., de Keyser, R., and Delogne, P. (See de Keyser)
Jarvis, E. G. Aerial noise-temperature variations due to atmospheric changes at frequencies of 3.95, 11.75 and 17 GHz 254
Errata 296
Jethwa, C. P., Kak, A. C., and Gunshor, R. L. (See Kak)
Jochen, P. Equivalent circuit for injection-locked negative-resistance oscillators 53
Johnson code, decoding the, by 2-output comparator circuits. R. M. H. Cheng 713
Johnson, W. A., and Hamid, M. A. K. (See Hamid)
Jolly, N. A., and Evans, W. A. (See Evans)
Jones, B. E. Simple capacitance transducer for instantaneous angular-velocity measurement 651
Jones, D. L., and Evans, F. J. Variational principle for nonconservative networks 163
Jones, T. J., and Shelton, R. D. (See Shelton)
Jones, W. S., Hartmann, C. S., and Harris, J. L. Matching optimisation to interdigital surface-wave devices 333
Josephson effect, low-noise cryogenic amplifier based on the. A. van der Ziel and H. M. Choe 576
Errata 760
Joyce, B. D., Morgan, J. R., Rees, H. D., Knight, J. R., Colliver, D., and Hilsum, C. (See Colliver)
Jull, E. V. Finite-range gain of sectoral and pyramidal horns 680
Junction, forward-biased emitter-base, some new properties of, of gigahertz silicon transistors. S. G. Chamberlain 843
Junction-gate field-effect transistors, high-frequency equivalent circuits of. P. U. Colzolari, S. Graffi and A. Mazzone 590
Jury, E. I. Further note on the Hermite-Fujiwara theorem 311

K

Kadri, F. L. Optimisation of a class of continuous nonlinear control systems 766
Kak, A. C., Gunshor, R. L., and Jethwa, C. P. Equivalent-circuit representation for stably propagating domains in bulk GaAs 711
Kak, S. C. Baseband pulse shaping 640
Kak, S. C. Sampling theorem in Walsh-Fourier analysis 447
Kak, S. C. Spectrum estimation with regularly missed observations 671
Kalymnios, D., Ley, J. M., and Rashidi, K. Optimisation of 45° 'y cut modulators 771
Kalymnios, D. Optimisation of electro-optic crystal modulators 804
Kaminski, J. F., Trianjo, A., Dean, R. H., and Dreeben, A. B. (See Dean)
Kao, K. C., and Card, H. C. (See Card)

Kaplan, B. Z. Recent developments in magnetic levitation 230
Kataoka, S., and Hashizume, N. (See Hashizume)
Kataoka, S., and Kawashima, M. (See Kawashima)
Kataoka, S., Tateno, H., Kawashima, M., and Morisue, M. Two-dimensional computer analysis of dielectric-surface-loaded GaAs bulk element 169
Kawashima, M., and Kataoka, S. Measurement of transverse spreading velocity of a high-field domain in a 3-terminal Gunn device 781
Kawashima, M., Morisue, M., Kataoka, S., and Tateno, H. (See Kataoka)
Keen, A. W. Universal active unit for active RC-circuit synthesis 667
Keine, V., Meinke, H. H., and Grünberger, G. K. (See Grünberger)
Kelk, J. E., and Freeston, I. L. (See Freeston)
Kell, R. C., Riches, E. E., Brigginshaw, P., Olds, G. C. E., Thomas, A. J., Mayo, R. F., and Rendle, D. F. Novel temperature-stable ceramics for microwave dielectric resonators and microstrip substrates 614
Kendall, B. R. F., and Zabeilski, M. F. Compensated resistors for high-frequency electrometer applications 776
Kennedy, W. K., and Rossiter, E. L. L.S.A. microstrip phase-locked power amplifier 852
Kerns, D. M., Baird, R. C., Newell, A. C., and Wacker, P. F. (See Baird)
Kerns, D. M. Correction of near-field antenna measurements made with an arbitrary but known measuring antenna 346
Kerns, D. M. New method of gain measurement using two identical antennas 348
Keying, envelope-detected on-off, error rate for, in the presence of interference. I. M. Richmond and Chan Kei Biu 575
Khan, S. H., and Walsh, D. Effect of various gases on formative times of laser-triggered spark gap 551
Kiełkiewicz, M. Existence of positive periodic solutions of certain ordinary differential equations 481
Kington, B. W., and Bagwadia, F. A. (See Bagwadia)
Knight, J. R., Colliver, D., Hilsum, C., Joyce, B. D., Morgan, J. R., and Rees, H. D. (See Colliver)
Knight, V. H., Kwiatkowski, W., and Arthanayake, T. (See Kwiatkowski)
Knott, K. F. Leakage currents, surface current and 1/f noise in planar bipolar transistors 825
Kooi, P. S., and Walsh, D. Novel technique for improving the frequency stability of Gunn oscillators 85
Kotyczka, W., and Strutt, M. J. O. Noise measurements of silicon planar microwave transistors in the frequency range 4-8 GHz 478
Kotzebue, K. L., and Redd, J. C. (See Redd)
Kraemer, E. Unconstrained minimisation by the method of conjugate gradients 174
Kretzschmar, J. G. Mode charts for elliptical resonant cavities 432
Krimholtz, R., Leedom, D. A., and Matthaei, G. L. New equivalent circuits for elementary piezoelectric transducers 398
Errata 560
Kuhn, H. Noise in Gunn oscillators depending on surface of Gunn diode 845
Kulczyk, W. K., and Davis, Q. V. (See Davis)
Küpper, F. P., and de Ruiter, J. M. J. Analogue gating in multichannel detection devices 648
Kuvås, R. Degradation of the oscillator performance of Read diodes due to space-charge and series resistances 216
Kwiatkowski, W., Arthanayake, T., and Knight, V. H. Efficient high-level 'upconvertor' for radio link 625

L

L.S.A. microstrip phase-locked power amplifier. W. K. Kennedy and E. L. Rossiter 852
L.S.A. oscillation in coaxial-line circuit. K. W. H. Foulds 189
L.S.A. oscillators in R band, c.w. operation of. M. Shyam 315
Ladder lowpass LC networks, synthesis of. D. T. Bickley 111
Laguerre-transform signal analysis. R. Genin and L. C. Calvez 587
Lai, M., and Singh, H. Realisation of a class of A matrix 658
Lam, Y. W. Interface studies of the m.i.s. structure by surface photovoltage measurements 153
Lane, J. A., and Davies, P. G. (See Davies)
Langmuir-probe measurement of electron temperature in a flowing high-density plasma. R. M. Clements and P. R. Smy 538
Laplace transform, generalisation of Vlach's method for the numerical inversion of the. C. J. Wellekens 742
Laplace-transform inversion, improving the efficiency of, for network analysis. M. Silverberg 105
Laplace transforms, optimisation of numerical inversion of. V. Zakian 677
Laplace transforms, solution of distributed-parameter problems using numerical inversion of. V. Zakian and G. K. Smith 647
Large-signal varactor measurements. C. S. Aitchison and R. Davies 780
Laser injection excess noise, compensation of, by means of an external modulator. G. Guekos and M. J. O. Strutt 250
Laser mode-locking device, accurate tuning of a. W. A. Gambling, P. J. R. Laybourn, M. D. Lee, H. Sunak and M. Anson 570
Laser, ruby, precise p.t.m. control of a. T. M. Christmas and C. G. Wildey 696
Laser-triggered spark gap, effect of various gases on formative times of. S. H. Khan and D. Walsh 551
Last, J. D., and Smith, S. T. Offline correction of microwave-network-analyser reflection-coefficient errors (Computer-program description) 641
Lateral wave, experimental verification of, above a lossy interface. T. Tamir 357
Laughton, M. A., and Saiy, D. (See Saiy)
Launching into optical-fibre waveguide. J. R. Stern, M. Peace and R. B. Dyott 160
Launching of the HE_{11} surface-wave mode on a dielectric rod. G. L. Yip 2
Laurent, F., Melin, C., and Toulotte, J. M. (See Melin)
Lawrenson, P. J., and Vamaraju, S. R. Murthy. Improvements in multispeed reluctance motors 642
Laybourn, P. J. R., and Gambling, W. A. (See Gambling)
Laybourn, P. J. R., Lee, M. D., and Gambling, W. A. (See Gambling)
Laybourn, P. J. R., Lee, M. D., Sunak, H., Anson, M., and Gambling, W. A. (See Gambling)
Layton, J. M. Commutative controller: a critical survey 362
le Rouzic, M., Loriou, B., and Bellec, M. (See Loriou)
Leakage-current noise, excess, in junction field-effect transistors. R. J. Hawkins and G. G. Bloodworth 401
Leakage currents, surface current and 1/f noise in planar bipolar transistors. K. F. Knott 825
Leakage from balanced feeders. D. A. Bell 662
Learning in potential-function classifier. B. G. Batchelor, N. L. Ford and B. R. Wilkins 826
Learning nets, electronic, and humans, pattern learning in. I. Aleksander and M. C. Fairhurst 518
Learning nets, microcircuit: Hamming-distance behaviour. I. Aleksander 134
Learning of signal waveforms, performance of practical digital system for the. N. A. Stewart and F. C. Monds 340
Least pth and minimax objectives for automated network design. R. Seviora, M. Sablatash and J. W. Bandler 14
Errata 148
Lee, M. D., Gambling, W. A., and Laybourn, P. J. R. (See Gambling)
Lee, M. D., Sunak, H., Anson, M., Gambling, W. A., and Laybourn, P. J. R.
Leedom, D. A., Matthaei, G. L., and Krimholtz, R. (See Krimholtz)
Lees, L. H., and Luxat, J. C. (See Luxat)
Levialdi, S. Parallel counting of binary patterns 798
Lewin, L. Complementary field component of radiation from a Cassegrain subreflector 700
Ley, J. M., and Doughty, D. C. (See Doughty)
Ley, J. M., Rashidi, K., and Kalymnios, D. (See Kalymnios)
Liao, J. H. Noise in InSb double-injection space-charge-limited diodes 175
Errata 387
Librecht, F. M., Engelen, J. J., and François, G. E. (See François)
Liegeois, R., de Keyser, R., Delogne, P., and Janssens, J. (See de Keyser)
Light valves, liquid-crystal. D. L. White and M. Feldman 837
Limit-cycle constraints for recursive-digital-filter design. H. A. Ojongbede 698
Limiting bandwidth of a glass-fibre transmission line. W. A. Gambling and P. J. R. Laybourn 661
Limits of validity of the 1-dimensional approach in space-charge-wave and Gunn-effect theories. P. Guéret 197
Lincompex concept, an alternative implementation of the—adaptifon system for telephony. J. A. Betts 542
Linear binary anticodes. P. G. Farrell 419
Linear circuit, step-function response of a, existence of an overshoot in the. R. Genin and I. C. Calvez 55
Linear control, suboptimal, of the linear regulator using incomplete state feedback. M. M. Newmann 360
Linear multi-input closed-loop control systems, necessary conditions for the optimality of a class of. B. Porter 324
Linear multivariable systems incorporating integral feedback, mode-controllability matrices of. B. Porter and H. M. Power 809
Linear system, multivariable, mode-controllability structure of a. T. R. Crossley and B. Porter 342
Linear systems. Potential stability theory—Pt. 1. N. G. Harris 372
Linear systems with multivariable 3-term controllers: use of the matrix pseudoinverse in their synthesis. A. Simpson 374
Linear time-invariant systems, calculation of piecewise-constant control strategies for. H. M. Power 832
Linear 2-port, determination of the noise parameters of a (Computer-program description). M. S. Gupta 543
Linearisation of nonlinear systems. C. J. Macleod 235
Liquid-crystal light valves. D. L. White and M. Feldman 837
Lishman, J. V., Guile, A. E., and Brown, A. F. C. (See Guile)
Liversidge, M. H. Low-cost reciprocal-law circuit 389
Errata 532
Lloyd, S. Decoupling a multivariable discrete-time system 831
Lo, Y. T., and Al-Hakkak, M. J. (See Al-Hakkak)
Location of an irregularity in a microwave array by optical signal processing of its microwave hologram. A. P. Anderson and D. N. Swingler 577
Loeb, H. W., and Rouhof, H. W. (See Rouhof)
Logic elements, universal sequential. I. Aleksander and E. M. Mamdani 801
Longitudinal field components and frequency-dependent phase velocity in the microstrip transmission line. G. K. Grünberger, V. Keine and H. H. Meinke 683
Longley, S. R. Multioctave tunable 3-port circulator using a y.i.g. sphere 406
Loriou, B., Bellec, M., and le Rouzic, M. Performances à basse température d'un transistor hyperfrequences faible bruit à effet de champ (Behaviour of a low-noise microwave f.e.t. at low temperature) 819
Loss distortion, dissipation-induced, simple technique for the prediction of. G. C. Temes and R. N. Gadenz 836
Lossless multiports with terminations in synthesis problems. N. K. Bose and A. M. Soliman 100
Love-type surface wave, spin-acoustic, in a layered geometry. J. P. Parekh 430
Low-cost high-performance reciprocal-law circuit. J. B. Grimbleby 755
Low-cost reciprocal-law circuit. M. H. Liversidge 389
Errata 532
Low-noise cryogenic amplifier based on the Josephson effect. A. van der Ziel and H. M. Choe 576
Errata 760
Lowpass digital filters with linear phase. A. R. Memon 253
Lu, C. S., and Hsieh, J. Yu-Yen (See Hsieh)
Lundström, I., and Nilsson, O. Stability and transient behaviour of active 2-poles 219
Lundström, I., and Svensson, C. (See Svensson)
Luntz, R. M. Approximate transfer functions for multivariable systems 444
Lupaş, L. Theorem of nonoptimal controls 806
Luque, A., Mulet, J., Rodrequez, T., and Segovia, R. Proposed dislocation theory of burst noise in planar transistors 176
Luque, A., Rodriguez, T., and Mulet, J. (See Mulet)
Luxat, J. C., and Lees, L. H. Requirements for stable a.c. electric-arc discharges 285
Lyapunov function, quadratic, directional optimisation of a. J. Yu-Yen Hsieh and C. S. Lu 843
Lyapunov functions, generalisation of Zubov's construction procedure for. D. R. Ferguson 73
Lyapunov matrix equation with complex matrices. H. M. Power and A. C. Tsoi 248
Lynn, P. A. Economic linear-phase recursive digital filters 143

M

M.I.S. structure, interface studies of the, by surface photovoltage measurements. Y. W. Lam 153

M.N.O.S. thin-oxide memory transistor, theory of the. C. Svensson and I. Lundström 645
M.O.S. capacitors, proton-irradiated, annealing behaviour of. H. C. Card and K. C. Kao 749
M.O.S. short-channel transistor, modelling of. G. A. Armstrong and J. A. Magowan 313
M.O.S. structure, apparent interface state density introduced by the spatial fluctuations of surface potential in an m.o.s. structure. R. Castagne and A. Vapaille 691
M.O.S. structures and transistors, degradation mechanism of, under ionising radiation. D. Esteve and J. Buxo 198
M.O.S. structures, investigation of deep-depletion régime of, using ramp-response method. C. D. Bulucea 479
M.O.S. transistors, titanium dioxide as gate insulator for. J. Wakefield and H. S. Gamble 507
M.O.S.T. channel-length measurement. I. M. Bateman and J. A. Magowan 669
M.O.S.T. structures, numerical method of investigation for. M. Heydemann 735
M.O.S.T.s, polarisable dielectrics for. J. H. Alexander, R. C. Chittick, C. F. Drake and I. F. Scanlan 813
Macario, R. C. V., and Patel, S. Method of reducing the f.m. threshold using a tracking N-path filter 142
MacFarlane, A. G. J., and Rosenbrock, H. H. New vector-space structure for dynamical systems 162
MacFarlane, A. G. J. Commutative controller: a critical survey 363
MacFarlane, A. G. J. Commutative controller: A new technique for the design of multivariable control systems 121
McInnes, P. A., and Baldwin, R. (See Baldwin)
McInnes, P. A., and Booker, D. D. (See Booker)
Mackechnie, L. K. Continuously adaptive echo cancellers 69
Mackintosh, I. W. Nonsinusoidal waveform constructions for avalanche-diode-oscillation modes 421
Macleod, C. J. Linearisation of nonlinear systems 235
McMorran, P. D., and Munro, N. (See Munro)
McMorran, P. D. Extension of the inverse Nyquist method 800
McWhorter's model of low-frequency noise in Si m.o.s.t.s, test of. F. Berz and C. G. Prior 595
Maestrini, P. Read-only memory reduction by segmentation 298
Maffioli, F., Premoli, A., and Brancher, C. (See Brancher)
Magnetic-field dependence of contact resistance. D. Schuöcker 275
Magnetic levitation, recent developments in. B. Z. Kaplan 230
Magnetic recording, measurement of transition displacement in. F. A. Bagwadia and B. W. Kington 439
Magnetic slab, influence of metal plate on surface magnetostatic modes of. H. van de Vaart 601
Magnetoelastic surface wave, influence of surface metallisation on. J. P. Parekh 47
Magnetoresistance effect and Hall effect, analogue computer with. B. I. Vichev and V. I. Miteva 287
Magnetostatic modes, experimental observation of, in a y. i. g. slab. J. D. Adam, G. A. Bennett and J. Wilkinson 434
Magowan, J. A., and Armstrong, G. A. (See Armstrong)
Magowan, J. A., and Bateman, I. M. (See Bateman)
Majithia, J. C. Nonrestoring binary division using a cellular array 303
Male, J. C., and Warren, A. C. (See Warren)
Male, J. C. Conductivity of electrically switching chalcogenide glass 91
Mamdani, E. M., and Aleksander, I. (See Aleksander)
Manning, C. D., and Smith, I. R. Optoelectronic transfer of information from a rotating shaft 864
Marine-radar environment, change of fading characteristics of reputed steady targets as a function of sea state in a. P. D. Williams 853
Marshall, F. G. Voltage- and conductivity-independent mode of operation in thin acoustoelectric oscillators 382
Martin, B., and Hobson, G. S. High-speed phase and amplitude modulation of Gunn oscillators 244
Martin, D. J. R. Radiocommunication in mines and tunnels 563
Martin, E., and Rodriguez-Vidal, M. (See Rodriguez-Vidal)
Martin, J. C., Esteve, D., Blasquez, G., and Ribeyrol, J. M. Theorie du bruit en 1/f des transistors bipolaires planar au silicium (Theory of 1/f noise in bipolar silicon planar transistors) 128
Martin, J. D. Class-BD amplifier circuit 839
Martinelli, G., and Salerno, M. Physical approach to the analysis of earthed bicommensurate URC networks 356
Martinson, J., and Nygren, T. (See Nygren)
Mashock, J. A., and Ishii, T. K. (See Ishii)
Mason's rule, the system matrix and signal-flow-graph reduction. N. Munro and P. D. McMorran 752
Masuda, M., Chang, N. S., and Matsuo, Y. Suppression of Gunn-effect domain formation by ferrimagnetic materials 605
Matching optimisation to interdigital surface-wave devices. W. S. Jones, C. S. Hartmann and J. L. Harris 333
Material selection for efficient transferred-electron devices at Q band. D. J. Colliver, S. E. Gibbs and B. C. Taylor 353
Matrices, complex, inversion of. T. R. Crossley and B. Porter 90
Matrices, controller, computation of: design of multivariable 3-term controllers. B. Porter 676
Matrices, inversion of a class of, occurring in control-system theory by an m-step procedure allied to Gaussian elimination. A. Simpson 500
Matrices, rational polynomial inversion of. N. Munro and V. Zakian 629
Matrix approach to steady-state analysis of invertor-fed induction motors. W. Charlton 451
Matrix equation, Lyapunov, with complex matrices. H. M. Power and A. C. Tsoi 248
Matrix exponential, rational approximants to the. V. Zakian 814
Matrix, nodal-admittance, in symbolic form, inversion of the. T. Downs 74
Matrix, nodal-admittance, inversion of, for active networks in symbolic form. T. Downs 690
Matrix-scattering sensitivities, direct method for evaluation. J. W. Bandler and R. E. Seviora 773
Matrix, the system, signal-flow-graph reduction and Mason's rule. N. Munro and P. D. McMorran 752
Matrix, transfer-function, partial-fraction expansion of, with one multiple eigenvalue. F. L. N-Nagy and M. N. Al-Tikriti 215
Matsuo, Y., and Hookabe, K. (See Hookabe)
Matsuo, Y., Masuda, M., and Chang, N. S. (See Masuda)
Matthaei, G. L., Krimholtz, R., and Leedom, D. A. (See Krimholtz)
Matthews, P. A. Aerial arrays with asymmetrical thinning 319
Mauro, V., and Meo, A. R. Tables and graphs for designing digital Chebyshev filters 155
Mayo, R. F., Rendle, D. F., Kell, R. C., Riches, E. E., Brigginshaw, P., Olds, G. C. E., and Thomas, A. J. (See Kell)
Mazzone, A., Calzolari, P. U., and Graffi, S. (See Calzolari)
Measurement of d.c. negative resistance in avalanche diodes and its relation to anomalous-mode operation. M. O'Callaghan, H. A. Deadman and K. G. Hambleton 41
Measurement of ion density in a plasma torch using a plane probe. I. L. Freeston and J. E. Kelk 812
Measurement of negative conductance of a Gunn device. R. B. Smith and
Measurement of the attenuation coefficient of inhomogeneous dielectric-filled cables using the standing-wave technique. B. Chambers 211
Measurement of time delays in multipath systems. M. Tulunay 3
Measurement of transition displacement in magnetic recording. F. A. Bagwadia and B. W. Kington 439
Measurement of transverse spreading velocity of a high-field domain in a 3-terminal Gunn device. M. Kawashima and S. Kataoka 781
Measurements, large-signal varactor. C. S. Aitchison and R. Davies 780
Measurements of statistical burst-noise characteristics. J. Mulet, A. Luque and T. Rodriguez 394
Measurements, pulse, with resolution time of 18 ps. F. Meyer 703
Mee, D. H. *A priori* stability guarantee for suboptimal-control designs 536
Mee, D. H. Factorisation result for optimal discrete-time systems 233
Meinke, H. H., Grünberger, G. K., and Keine, V. (See Grünberger)
Melin, C., Toulotte, J. M., and Laurent, F. Sur l'analyse graphique des systèmes discrets nonlinéaires en régimes dynamique (Graphical analysis of nonlinear sampled-data control-system dynamic behaviour) 28
Memon, A. R. Approximation to a linear-phase power function (l.p.p.f.) in an m-dimensional orthonormal space 504
Memon, A. R. Lowpass digital filters with linear phase 253
Memory arrays, parametric tunnel-diode, optimum subharmonic pumping frequency for. B. S. Thornton 56
Memory, read-only, reduction by segmentation. P. Maestrini 298
Meo, A. R., and Mauro, V. (See Mauro)
Mesa profiles and edge breakdown of silicon avalanche diodes. A. Calverley, K. G. Hambleton, A. M. Wallace and V. K. Webber 476
Methiwalla, A. E., and Robinson, A. E. (See Robinson)
Method for the generation of sensitivity functions for nonlinear sampled-data systems. K. L. Suryanarayanan and A. C. Soudack 610
Method of generating low-sensitivity RC active circuits. A. E. Robinson and A. E. Methiwalla 95
Errata 267
Method of measuring mobility of majority carriers in silicon devices. J. A. Pals 503
Method of obstacle admittance measurement in below-cutoff waveguide. C. K. Mok 50
Method of reducing the f.m. threshold using a tracking N-path filter. R. C. V. Macario and S. Patel 142
Method of solution of a special class of two-point boundary-value problems. D. Saiy and M. A. Laughton 299
Methode numérique d'étude des structures m.o.s.t. (Numerical method of investigation for m.o.s.t. structures) M. Heydemann 735
Meyer, F. Impulsmessplatz mit einer zeitauflösung von 18 ps (Pulse measurements with resolution time of 18 ps) 703
Microcircuit learning nets: Hamming-distance behaviour. I. Aleksander 134
Microstrip, dielectric Green's function for parameters of. J. A. Weiss and T. G. Bryant 462
Errata 560
Microstrip half-wavelength open-circuit resonators, radiation from. B. Easter and R. J. Roberts 573
Microstrip loss calculations. A. Gopinath, R. Horton and B. Easter 40
Microstrip, on Wu's theory of. P. Delogne 541
Microstrip parameters, analogue technique for. R. J. Collier and D. J. Price 338
Microstrip, phase-locked power amplifier, l.s.a. W. K. Kennedy and E. L. Rossiter 852
Microstrip, single and coupled, computer analysis of the fundamental and higher-order modes in. J. B. Davies and D. G. Corr 806
Microstrip substrates and microwave dielectric resonators, novel temperature-stable ceramics for. R. C. Kell, E. E. Riches, P. Brigginshaw, G. C. E. Olds, A. J. Thomas, R. F. Mayo and D. F. Rendle 614
Microstrip transmission line, longitudinal field components and frequency-dependent phase velocity in the. G. K. Grünberger, V. Keine and H. H. Meinke 683
Microstrip TRAPATT oscillator. W. J. Chudobiak 438
Errata 724
Microwave array, location of an irregularity in a, by optical signal processing of its microwave hologram. A. P. Anderson and D. N. Swingler 577
Microwave conductivity of thick-film conductors. R. N. Patel 455
Microwave emission from GaAs, new mode of. A. C. Baynham and D. J. Colliver 498
Microwave f.e.t., low-noise, behaviour of a, at low temperature. B. Loriou, M. Bellec and M. le Rouzic 819
Microwave far-field holograms, feasibility of high-resolution optical images from. D. N. Swingler 375
Microwave frequencies, resistive parametric mixing in GaAs oscillators at. P. N. Robson and N. Hashizume 120
Microwave generation by InP 3-level transferred-electron oscillators. D. Colliver, C. Hilsum, B. D. Joyce, J. R. Morgan, H. D. Rees and J. R. Knight 436
Microwave integrated monolithic circuits, approach for heat sinks in. A. D. Sutherland 432
Microwave link, 24 km, attenuation due to rainfall on a, working at 11, 18 and 36 GHz. D. J. W. Turner and D. Turner 297
Errata 424
Microwave-network-analyser reflection-coefficient errors, offline correction of (Computer-program description). J. D. Last and S. T. Smith 641
Microwave oscillators, bulk negative-resistance, simple graphical method for calculating the efficiency of. C. Hilsum 448
Microwave power-amplifier transistors, improved characterising technique for. T. Nygren and J. Martinson 282

Microwave radiometry, adaptive filter for. P. I. Somlo 331
Microwave silicon planar transistors, noise measurements of, in the frequency range 4-8 GHz. W. Kotyczka and M. J. O. Strutt 478
Midgley, D. Analysis of helicon-wave propagation 497
Miller, A. K. H. Feedback method for suppressing carrier leak 746
Miller, P. Hansen-Woodyard condition as applied to Yagi aerials 574
Milsom, R. F., and Redwood, M. Piezoelectric coupling coefficient of Bleustein-Gulyaev waves 665
Milsom, R. F., and Redwood, M. (See Redwood)
Mines and tunnels, radiocommunication and control in. R. de Keyser, P. Delogne, J. Janssens and R. Liegeois 767
Mines and tunnels, radiocommunication in. D. J. R. Martin 563
Minimal indices, further properties of. H. H. Rosenbrock 450
Minimax, objective, new, for automated system design. G. T. Bereznai and N. K. Sinha 847
Minimising cochannel interference in television reception. H. Page 454
Miteva, V. I., and Vichev, B. I. (See Vichev)
Mixers, Schottky-barrier, conversion-loss stability and gain compression in. J. G. Gardiner and A. R. Baneriee 829
Mixers, self-excited Gunn-diode, noise figure and conversion loss of. P. Albrecht and M. Bechteler 321
Mobility, method of measuring, of majority carriers in silicon devices. J. A. Pals 503
Modal control of multivariable time-variant linear systems by output feedback. T. R. Crossley and B. Porter 630
Mode charts for elliptical resonant cavities. J. G. Kretzschmar 432
Mode-controllability matrices of multivariable linear systems incorporating integral feedback. B. Porter and H. M. Power 809
Mode-controllability structure of a multivariable linear system. T. R. Crossley and B. Porter 342
Mode identification for an oscillator using solid-state active devices in a waveguide-below-cutoff resonator. F. Ivanek, V. G. K. Reddi and M. Shyam 151
Mode-observability structure of a multivariable linear system. B. Porter and T. R. Crossley 664
Mode propagation in optical waveguides. A. W. Snyder 561
Mode tuning and hysteresis behaviour of Gunn-effect cavity-controlled generator. Yu. A. Tsvirko and I. A. Ivanchenko 9
Modelling of short-channel m.o.s. transistors. G. A. Armstrong and J. A. Magowan 313
Modelling of transistors for fast integrated logic circuits. J. R. A. Beale, R. Bridgen and A. R. Cusdin 301
Modelling transfer functions, application of continued-fraction method of, to give more accurate initial transient response. S. C. Chuang 861
Modified application of describing functions in the determination of limit cycles for relay systems. I. M. Dow 165
Modified asymptotic solution for the 2-dimensional scattering by a conducting strip. A. Mohsen and M. A. K. Hamid 12
Modulation, diversity of, a new concept in communication technology. N. P. Murarka 97
Modulation, low-voltage light, novel type of cut for KDP crystals for. K. Hookabe and Y. Matsuo 550
Modulation, transverse light, optimum cut in XDP crystals for. G. E. François, F. M. Librecht and J. J. Engelen 778
Modulator, balanced diode, nonlinear analysis of a. T. B. M. Neill 125
Modulator, external, compensation of injection-laser excess noise by means of an. G. Guekos and M. J. O. Strutt 250
Modulators, electro-optic crystal, optimisation of. D. Kalymnios 804
Modulators, 45° y' cut, optimisation of. D. Kalymnios, J. M. Ley and K. Rashidi 771
Modulators, series and shunt, van der Graaf's equivalent circuits for. D. G. Tucker and D. P. Howson 238
Mohsen, A., and Hamid, M. A. K. Modified asymptotic solution for the 2-dimensional scattering by a conducting strip 12
Mohsen, A., Hamid, M. A. K., Boulanger, R. J., and Mostowy, N. J. (See Hamid)
Mok, C. K. Method of obstacle admittance measurement in below-cutoff waveguides 50
Moment equations for stochastic distributed-parameter processes. S. Tzafestas 80
Monds, F. C., and Boyd, R. T. (See Boyd)
Monds, F. C., and Stewart, N. A. (See Stewart)
Monolithic microwave integrated circuits, approach for heat sinks in, A. D. Sutherland 432
Moore, I. J. H. S., and Stewart, J. A. C. Analysis of a magnetically tuned coaxial cavity using state-space techniques 391
More rigorous proof of the thermal-noise formula for double-injection diodes for $\omega\tau \gg 1$. A. van der Ziel 231
Morgan, J. R., Rees, H. D., Knight, J. R., Colliver, D., Hilsum, C., and Joyce, B. D. (See Colliver)
Morisue, M., Kataoka, S., Tateno, H., and Kawashima, M. (See Kataoka)
Morris, F., and Flood, J. E. (See Flood)
Mostowy, N. J., Mohsen, A., Hamid, M. A. K., and Boulanger, R. J. (See Hamid)
Muggleton, L. M. Describing function of the diurnal variation of ionospheric nondeviative absorption 768
Mulet, J., Luque, A., and Rodriguez, T. Measurements of statistical burst-noise characteristics 394
Mulet, J., Rodriguez, T., Segovia, R., and Luque, A. (See Luque)
Mullin, J. B., Prew, B. A., Rees, H. D., Straughan, B. W., and Hilsum, C. (See Hilsum)
Multidimensional BIFORE transform. N. Ahmed, R. M. Bates and K. R. Rao 237
Multiform total symmetry and parity functions. S. R. Das 261
Multioctave tunable 3-port circulator using a y.i.g. sphere. S. R. Longley 406
Multipath systems, measurement of time delays in. E. Tulunay 3
Multiplicateur cellulaire parallele de nombres en virgule flottante (Parallel cellular floating-point multiplier). L. Frécon 226
Multiplier, 4-quadrant analogue, simple. T. R. Viswanathan and G. S. Deep 725
Multiplier, high-performance analogue, based on the characteristics of bipolar transistors. E. A. Faulkner and J. B. Grimbleby 379
Multivariable control systems, a new technique for the design of: Commutative controller. A. G. J. MacFarlane 121
Multivariable discrete-time system, decoupling a. S. Lloyd 831
Multivariable linear system, mode-controllability structure of a. T. R. Crossley and B. Porter 342
Multivariable linear system, mode-observability structure of a. B. Porter and T. R. Crossley 664
Multivariable linear systems incorporating integral feedback, mode-controllability matrices of. B. Porter and H. M. Power 809
Multivariable systems, approximate transfer functions for. R. M. Luntz 444
Multivariable systems, continuous linear, approximate method for the discretisation of. P. D. Roberts 76
Multivariable systems, decoupled time-varying, observability of. E. Freund 26
Multivariable systems, eigenvalue assignment in, incorporating integral feedback. H. M. Power and B. Porter 795
Multivariable systems incorporating integral feedback, controllability of. B. Porter and H. M. Power 689
Multivariable systems incorporating integral feedback, necessary and sufficient conditions for controllability of. H. M. Power and B. Porter 815
Multivariable 3-term controllers, design of: computation of controller matrices. B. Porter 676
Multivariable 3-term controllers, linear systems with: use of the matrix pseudoinverse in their synthesis. A. Simpson 374
Multivariable 3-term controllers, synthesis of asymptotically stable linear time-invariant closed-loop systems incorporating. A. Simpson 251
Multivariable time-variant linear systems, modal control of, by output feedback. T. R. Crossley and B. Porter 630
Multivariable time-varying systems, phase-variable canonical form for. E. Freund 78
Munro, N., and McMorran, P. D. Signal-flow-graph reduction, Mason's rule and the system matrix 752
Munro, N., and Zakian, V. Inversion of rational polynomial matrices 629
Murarka, N. P. Diversity of modulation—a new concept in communication technology 97
Murarka, N. P. Probability-density function of a specularly fading signal-plus-noise minus noise 365
Murti, V. G. K., and Rao, V. V. B. (See Rao)
Murti, V. G. K., Rao, K. Sankara, and Rao, V. V. Bapeswara (See Rao)

N

Napier, P. J., Chang, Y. P., and Bates, R. H. T. (See Bates)
Narasimhan, M. S., and Rao, B. V. Diffraction by wide-flare-angle corrugated conical horns 469
Narasimhan, M. S., and Rao, B. V. Hybrid modes in corrugated conical horns 32
Narayan, S. Y., Enstrom, R. E., and Gobat, A. R. High-power c.w. transferred-electron oscillators 17
Narrowband systems and their representation in terms of characteristic function, autocorrelation functions arising in the analysis of. J. H. Roberts 863
Necessary and sufficient conditions for controllability of multivariable systems incorporating integral feedback. H. M. Power and B. Porter 815
Necessary conditions for the optimality of a class of multi-input closed-loop linear control systems. B. Porter 324
Negative dynamic resistance, two-terminal. I. W. Stanley and D. J. Ager 1
Errata 592
Negative dynamic resistance, two-terminal, theoretical characteristics of a. I. W. Stanley and D. J. Ager 359
Negative-resistance amplifier, transferred-electron. N. Hashizume and S. Kataoka 34
Errata 387
Negative-resistance circuit, current-controlled. I. W. Stanley and D. J. Ager 380
Errata 592
Negative resistance, field-emission-controlled transit-time. M. Claassen and W. Harth 512
Neill, T. B. M. Nonlinear analysis of a balanced diode modulator 125
Network analyser, new method of calibrating a. H. V. Shurmer 733
Network analysis, improving the efficiency of Laplace-transform inversion for. M. Silverberg 105
Network, electronic, analysis by digital computer. W. R. Jackson and R. G. Sale 558
Network-function sensitivity, some possibilities of indirect determination of, to the ideal voltage-amplifier amplification. I. Valsa and J. Cajka 774
Network, general nonreciprocal 2-port, topological and sensitivity formulas for a. K. Brown 487
Network, generalised, formulation for a, in terms of the Hamiltonian energy function. N. Sen and F. J. Evans 92
Network polynomials, simultaneous generation of the coefficients of, and their partial derivatives from the nodal-admittance matrix. O. P. D. Cutteridge and P. H. di Mambro 308
Network sensitivity to variations in the voltage-controlled voltage-source amplification factor. J. Cajka 310
Networks, active, in symbolic form, inversion of nodal admittance matrix for. T. Downs 690
Networks, active 2-port, reappraisal of the unconditional stability criteria for, in terms of S parameters. P. J. Owens and D. Woods 315
Networks, calculating step and impulse responses of (Computer-program description). D. I. Bickley 225
Networks, electrical, remarks on star-mesh transformation of. L. Versfeld 597
Networks for annulling gain and delay inequalities. J. D. Brownlie 124
Networks, lowpass LC ladder, synthesis of. D. T. Bickley 111
Networks, nonconservative, variational principle for. D. L. Jones and F. J. Evans 153
Networks, shunt noncommensurable and cascaded, realisability conditions of. A. Premoli. 200
Networks synchronously switched by thyristors, electrical behaviour of. J. H. Wouterse 820
Networks, URC, earthed bicommensurate, physical approach to the analysis of. G. Martinelli and M. Salerno 356
Neumann, E.-G. Radiation mechanism of dielectric-rod and Yagi aerials 528
New application of fundamental switching theorem. T. L. Hedström 521
New approach to triangle-sine-wave generation. C. Paull and W. A. Evans 620
New equivalent circuits for elementary piezoelectric transducers. R. Krimholtz, D. A. Leedom and G. L. Matthaei 398
Errata 560
New explanation of the polarity effect in current collection. A. E. Guile, A. F. C. Brown and J. V. Lishman 456
New formula for the signal-flow-graph reduction. J. Čajka 437
New high-frequency high-coupling low-beam-steering cut for acoustic surface waves on $LiNbO_3$. A. J. Slobodnik and E. D. Conway 171

New method of calibrating a network analyser. H. V. Shurmer 733
New method of gain measurement using two identical antennas. D. M. Kerns 348
New minimax objective for automated system design. G. T. Berznai and N. K. Sinha 847
New mode of microwave emission from GaAs. A. C. Baynham and D. J. Colliver 498
New type of Rayleigh-wave transducer on piezoelectric ceramics. H. Thomann 710
New types of modulation processes using limiters. J. D. Daley and J. R. James 638
New vector-space structure for dynamical systems. A. G. J. MacFarlane and H. H. Rosenbrock 162
Newcomb, R. W. Hakim-theory transfer-function sensitivity 98
Newell, A. C., Wacker, P. F., Kerns, D. M., and Baird, R. C. (See Baird)
Newmann, M. M. Suboptimal linear control of the linear regulator using incomplete state feedback 360
Newns, G. R., Savva, M. A., Chan, K. B., Clarricoats, P. J. B., and Dyott, R. B. (See Chan)
Newton, C. M. B. Delta modulation with slope-overload prediction 272
Nilsson, O., and Lundström, I. (See Lundström)
N-Nagy, F. L., and Al-Tikriti, M. N. Partial-fraction expansion of transfer-function matrix with one multiple eigenvalue 215
Nodal-admittance matrix in symbolic form, inversion of the. T. Downs 74
Noise, a.m., of IMPATT-diode oscillators. G. Ulrich 247
Noise, excess leakage-current, in junction field-effect transistors. R. J. Hawkins and G. G. Bloodworth 401
Noise figure and conversion loss of self-excited Gunn-diode mixers. P. Albrecht and M. Bechteler 321
Noise formula, thermal, more rigorous proof of the, for double-injection diodes for $\omega\tau \gg 1$. A. van der Ziel 231
Noise, Gaussian, expansion of likelihood ratio for signals in. R. Esposito 761
Noise immunity of digital monolithic integrated circuits caused by supply-line and earth-line current spikes in conjunction with coaxial cable connections, impairment of. M. Adbel-Latif and M. J. O. Strutt 643
Noise in Gunn oscillators depending on surface of Gunn diode. H. Kuhn 845
Noise in InSb double-injection space-charge-limited diodes. J. H. Liao 175
Errata 387
Noise, injection-laser excess, compensation of, by means of an external modulator. G. Guekos and M. J. O. Strutt 250
Noise, 1/f, leakage currents, and surface current in planar bipolar transistors. K. F. Knott 825
Noise, 1/f, theory of, in bipolar silicon planar transistors. J. C. Martin, D. Esteve, G. Blasquez and J. M. Ribeyrol 128
Noise, low-frequency, test of McWhorter's model of, in Si m.o.s.t.s. F. Berz and C. G. Prior 595
Noise measurements of silicon planar microwave transistors in the frequency range 4-8 GHz. W. Kotyczka and M. J. O. Strutt 478
Noise parameters of a linear 2-port, determination of the (Computer-program description). M. S. Gupta 543
Noise radiated from InSb-NiSb eutectic alloy. A. G. R. Evans and D. Walsh 679
Noise-shaping filter, efficient method of solving the discrete Riccati equation when the plant matrix contains a. C. S. Berger 151
Noise, specularly fading signal-plus-noise minus, probability-density function of a. N. P. Murarka 365
Noise, statistical burst, characteristics, measurements of. J. Mulet, A. Luque and T. Rodriguez 394
Noise-temperature, aerial, variations due to atmospheric changes at frequencies of 3.95, 11.75 and 17 GHz. E. G. Jarvis 254
Errata 296
Nonlinear analysis of a balanced diode modulator. T. B. M. Neill 125
Nonlinear and linear equivalent discrete-time systems. B. V. Dasarathy 343
Nonlinear control systems, continuous, optimisation of a class of. F. L. Kadri 766
Nonlinear inductors with hysteresis, computer simulation of. J. S. Everatt 833
Nonlinear sampled-data systems, method for the generation of sensitivity functions for. K. L. Suryanarayanan and A. C. Soudack 610
Nonlinear systems, linearisation of. C. J. Macleod 235
Nonlinear systems, synthesis approach to the study of a class of. B. V. Dasarathy 602
Nonoptimal controls, theorem of. L. Lupaş 806
Nonrestoring binary division using a cellular array. J. C. Majithia 303
Nonsinusoidal waveform constructions for avalanche-diode-oscillation modes. I. W. Mackintosh 421
Norton, G. T., Zepler, M. M., Hayes, R. E., and Bennett, T. J. (See Hayes)
Notch filters using Wien's bridge. P. Williams 185
Note on the Hermite–Fujiwara theorem. H. M. Power 39
Note on the radiation associated with the excitation of an open resonator. A. L. Cullen 243
Novel ratemeter with very wide range. J. M. Griffiths 242
Novel static Ward Leonard system. R. J. Castell, A. R. Daniels and J. la T. Exon 232
Novel technique for improving the frequency stability of Gunn oscillators. P. S. Kooi and D. Walsh 85
Novel temperature-stable ceramics for microwave dielectric resonators and microstrip substrates. R. C. Kell, E. E. Riches, P. Brigginshaw, G. C. E. Olds, A. J. Thomas, R. F. Mayo and D. F. Rendle 614
Novel transistorised lock-in f.m. discriminator. E. Bonek and P. Proksch 527
Novel type of cut for KDP crystals for low-voltage light modulation. K. Hookabe and Y. Matsuo 550
Number of zeros of a complex polynomial inside the unit circle. S. Barnett 164
Numerical inversion of Laplace transforms, optimisation of. V. Zakian 677
Numerical inversion of Laplace transforms, solution of distributed-parameter problems using. V. Zakian and G. K. Smith 647
Numerical method for calculation of complex dielectric permittivity (Computer-program description). L. Calamia and M. Paoli 283
Numerical method of investigation for m.o.s.t. structures. (Methode numérique d'étude des structures m.o.s.t.). M. Heydemann 735
Nygren, T., and Martinson, J. Improved characterising technique for microwave power-amplifier transistors 262
Nyquist method, inverse, extension of the. P. D. McMorran 800

O

Observability of decoupled time-varying multivariable systems (Die Beobachtbarkeit von entkoppelten zeitvariablen Mehrgößensystemen). E. Freund 26
Observation of low-frequency oscillations in gallium-arsenide avalanche diodes. L. J. Auchterlonie, D. V. Eddolls and P. M. White 140
Obtaining the time response of digital systems (Computer-program description). J. L. Pokoski and C. Walker 415
Obtaining transfer functions with zero steady-state error from impulse responses. J. C. Allwright and S. C. Chuang 706
O'Callaghan, M., Deadman, H. A., and Hambleton, K. G. Measurement of d.c. negative resistance in avalanche diodes and its relation to anomalous-mode operation 41
Offline correction of microwave-network-analyser reflection-coefficient errors (Computer-program description). J. D. Last and S. T. Smith 641
Ogasawara, N., and Ohta, T. (See Ohta)
Ogasawara, N., and Sawado, E. Possible relation between the low-level attenuation constant or ΔH_{pp} and ΔH_k 761
Ohta, T., and Ogasawara, N. Efficiency enhancement in the conversion into the magnetostatic mode utilising a specially designed coiled transducer 358
Errata 660
Ojongbede, H. A. Limit-cycle constraints for recursive-digital-filter design 698
Okpere, K. O., and Cheng, R. M. H. (See Cheng)
Olds, G. C. E., Thomas, A. J., Mayo, R. F., Rendle, D. F., Kell, R. C., Riches, E. E., and Brigginshaw, P. (See Kell)
On Wu's theory of microstrip. P. Delogne 541
One-step integration method for digital differential analysers. R. E. H. Bywater 613
Online system identification using matrix pseudoinverse. N. K. Sinha and W. Pille 453
Onn, P., and Flood, J. E. (See Flood)
Ono, S., Shibata, Y., and Hariu, T. (See Hariu)
Operation of avalanche diodes as c.w. amplifiers at fractions of the transit frequency. B. Culshaw 704
Operational amplifier, ideal, equivalent scheme of an. J. Čajka and J. Pospíšil 332
Operator and computer, process identification with visual interaction between. D. C. Williams 472
Optical and electronic mixing in an avalanche photodiode. Q. V. Davis and W. K. Kulczyk 25
Optical-fibre waveguide, launching into. J. R. Stern, M. Peace and R. B. Dyott 160
Optical imaging and far-field pattern simulation of a microwave-illuminated aperture by a microwave hologram. D. N. Swingler and A. P. Anderson 180
Optical waveguide with a diffused core boundary, propagation characteristics of an. K. B. Chan, P. J. B. Clarricoats, R. B. Dyott, G. R. Newns and M. A. Savva 748
Optical waveguides and corrugated feeds, similarities in the electromagnetic behaviour of. P. J. B. Clarricoats 178
Optical waveguides, mode propagation in. A. W. Snyder 561
Optimal control, linear, formulas for, over a finite or infinite interval. O. H. D. Walter 632
Optimal discrete feedback control of blending processes. C. E. Hubaut 93
Optimal discrete-time systems, factorisation result for. D. H. Mee 233
Optimal policy, specific, descrete-time control using the quadratic performance index, implicit model following and the. A. Zinober 841
Optimal synthesis of an RC active filter. W. J. Butler and S. S. Haykin 209
Optimality and closed-loop pole positions for single-input systems. F. Fallside and H. Seraji 721
Optimality, necessary conditions for the, of a class of multi-input closed-loop linear control systems. B. Porter 324
Optimisation, computer, of cascaded non-commensurable-line lowpass filters. C. Brancher, F. Maffioli and A. Premoli 513
Optimisation, control-function, using quadrature integrations for positive semi-definite state cost matrix Q. J. C. Allwright 510
Optimisation, directional, of a quadratic Lyapunov function. J. Yu-Yen Hsieh and C. S. Lu 843
Optimisation, iterative control-function, stopping conditions for. J. C. Allwright 545
Optimisation, matching, to interdigital surface-wave devices. W. S. Jones, C. S. Hartmann and J. L. Harris 333
Optimisation, mean-square, change of error criterion in. R. D. Shelton and T. J. Jones 201
Optimisation of a class of continuous non-linear control systems. F. L. Kadri 766
Optimisation of electro-optic crystal modulators. D. Kalymnios 804
Optimisation of 45° y' cut modulators. D. Kalymnios, J. M. Ley and K. Rashidi 771
Optimisation of numerical inversion of Laplace transforms. V. Zakian 677
Optimum cut in XDP crystals for transverse light modulation. G. E. François, F. M. Librecht and J. J. Engelen 778
Optimum feed for large radiotelescopes: experimental results. T. B. Vu and Q. H. Vu 159
Optimum subharmonic pumping frequency for parametric tunnel-diode memory arrays. B. S. Thornton 56
Optoelectronic transfer of information from a rotating shaft. C. D. Manning and I. R. Smith 864
Oranç, H. S., and Fer, A. F. Focused aperture antenna using a spherical main reflector with (Cassegrain) convex feed 523
Oscillation, avalanche-diode modes, nonsinusoidal waveform constructions for. I. W. Mackintosh 421
Oscillation, l.s.a., in coaxial-line circuit. K. W. H. Foulds 189
Oscillations, high-efficiency, external current-waveform measurements of, in silicon avalanche diodes. C. P. Snapp 145
Oscillations, low-frequency, observation of, in gallium-arsenide avalanche diodes. L. J. Auchterlonie, D. V. Eddolls and P. M. White 140
Oscillations, theory for high-efficiency, in silicon avalanche diodes. M. G. Cottam 203
Oscillator, microstrip TRAPATT. W. J. Chudobiak 438
Errata 724
Oscillator, mode identification for an, using solid-state active devices in a waveguide-below-cutoff resonator. F. Ivanek, V. G. K. Reddi and M. Shyam 151
Oscillator performance, degradation of the, of Read diodes due to space-charge and series resistances. R. Kuvås 216
Oscillator, three-level: a new form of transferred-electron device. C. Hilsum and H. D. Rees 277
Oscillators, GaAs, resistive parametric mixing in, at microwave frequencies. P. N. Robson and N. Hashizume 120
Oscillators, hybrid-tee coupled. G. V. Welch and T. K. Ishii 717
Oscillators, injection-locked negative-resistance, equivalent circuit for. P. Jochen 53

Oscillators, InP and GaAs bulk-negative-resistance, power-impedance calculations for. S. Geraghty and G. Gibbons 583
Oscillators, InP 3-level transferred-electron, instabilities of. C. Hilsum, J. B. Mullin, B. A. Prew, H. D. Rees and B. W. Straughan 307
Oscillators, InP 3-level transferred-electron, microwave generation by. D. Colliver, C. Hilsum, B. D. Joyce, J. R. Morgan, H. D. Rees and J. R. Knight 436
Oscillators, l.s.a., in R band, c.w. operation of. M. Shyam 315
Oscillators, silicon TRAPATT, theory for power output and efficiency of. M. G. Cottam 384
Oscillators, 3-level, frequency limitations of. O. F. Zimmerl 728
Oscillators, waveguide-mounted transferred-electron, frequency-tuning characteristics of. S. J. Fray and B. C. Taylor 708
Owens, P. J., and Woods, D. Reappraisal of the unconditional stability criteria for active 2-port networks in terms of S parameters 315
Ozaki–Ishii sections, cascaded noncommensurable, analysis and synthesis of. A. Premoli 37

P

P.C.M. and f.d.m. transmission systems, feasibility of using digital filters to interconnect. J. E. Flood and P. Onn 134
p-i-n diodes, electronically tuned filter using. C. H. Hamilton 697
p-n junction capacitor, transient response of a, to a ramp signal. A. B. Bhattacharyya and M. L. Gupta 508
P.R.B.N. identification, correction of errors in. P. S. Ritch, G. C. Goodwin and R. D. Bell 411
Page, H. Minimising cochannel interference in television reception 454
Palmer, A. W., and House, H. Complete determination of capacitances characterising shielded-resistance potential divider 517
Pals, J. A. Method of measuring mobility of majority carriers in silicon devices 503
Paoli, M., and Calamia, L. (See Calamia)
Parallel cellular floating-point multiplier (Multiplicateur cellulaire parallele de nombres en virgule flottante). L. Frécon 226
Parallel counting of binary patterns. S. Levialdi 798
Parametric mixing, resistive, in GaAs oscillators at microwave frequencies. P. N. Robson and N. Hashizume 120
Parekh, J. P. Influence of surface metallisation on magnetoelastic surface wave 47
Parekh, J. P. Spin-acoustic Love-type surface wave in a layered geometry 430
Park, S. B., and Pongparit, V. (See Pongparit)
Parks, P. C., and James, D. J. C. Stability of model-reference systems with random impulsive inputs 131
Partial-fraction expansion of transfer-function matrix with one multiple eigenvalue. F. L. N-Nagy and M. N. Al-Tikriti 215
Passivity and reciprocity. E. A. Faulkner 304
Patel, R. N. Microwave conductivity of thick-film conductors 455
Patel, S., and Macario, R. C. V. (See Macario)
Patranabis, D. Inductor realisation with a negative-impedance convertor 415
Pattern classifiers, family of. B. G. Batchelor, N. L. Ford and B. R. Wilkins 368
Pattern learning in humans and electronic learning nets. I. Aleksander and M. C. Fairhurst 518
Patterns, binary, parallel counting of. S. Levialdi 798
Paull, C., and Evans, W. A. New approach to triangle-sine-wave generation 620
Peace, M., Dyott, R. B., and Stern, J. K. (See Stern)
Pedinoff, M. E., and Waldner, M. Refraction and reflection of ultrasonic surface waves by thin-gold-film layers on lithium-niobate substrates 533
Pedinoff, M. E., Winston, H., and Weglein, R. D. (See Weglein)
Performance of a d.p.s.k. detector when presented with a distorted signal plus filtered Gaussian noise. T. J. Hewson 109
Performance of practical digital system for the learning of signal waveforms. N. A. Stewart and F. C. Monds 340
Performances à basse température d'un transistor hyperfrequences faible bruit à effet de champ (Behaviour of a low-noise microwave f.e.t. at low temperature). B. Loriou, M. Bellec and M. le Rouzic 819
Periodically regular service and random arrivals, buffer-size and waiting-time calculations for. G. Philokyprou and S. Tzafestas 588
Permalloy thin-film inductors. N. Saleh and A. H. Qureshi 850
Permittivities, complex dielectric, contribution to numerical methods for calculation of. M. Rodriguez-Vidal and E. Martin 510
Permittivity, complex dielectric, numerical method for calculation of (Computer-program description). L. Calamia and M. Paoli 283
Phase and amplitude modulation, high-speed, of Gunn oscillators. B. Martin and G. S. Hobson 244
Phase, effects of changes in operating conditions on the, of a frequency-locked Gunn oscillator in X band. I. B. Bott and H. R. Holliday 206
Phase-locked multiple-input oscillator, design of, in mutually synchronised system. H. Inose, T. Saito and T. Shibuya 468
Phase-plane trajectories, approximate construction of, using isocentric curves. R. Chaplin and H. M. Power 370
Phase-variable canonical form for time-varying multivariable systems (Die phasenvariable kanonische Form fur zeitvariable Mehrgroßensysteme). E. Freund 78
Philokyprou, G., and Tzafestas, S. Buffer-size and waiting-time calculations for random arrivals and periodically regular service 588
Physical approach to the analysis of earthed bicommensurate URC networks. G. Martinelli and M. Salerno 356
Piezoelectric ceramics, new type of Rayleigh-wave transducer on. H. Thomann 710
Piezoelectric coupling coefficient of Bleustein-Gulyaev waves. R. F. Milsom and M. Redwood 665
Piezoelectric coupling coefficient of interdigital Rayleigh-wave transducers. M. Redwood and R. F. Milsom 437
Piezoelectric transducers, elementary, new equivalent circuits for. R. Krimholtz, D. A. Leedom and G. L. Matthaei 398
Errata 560
Pille, W., and Sinha, N. K. (See Sinha)
Plasma capacitor, variation of the admittance of a, with the amplitude of the measuring potential. I. L. Freeston 672
Plasma conductor, dependence of admittance of, on electron collection. I. L. Freeston 793
Plasma, effect of sheaths on the capacitance of a plane grid capacitor in a. I. L. Freeston 565
Plasma, flowing high-density, Langmuir-probe measurement of electron temperature in a. R. M. Clements and P. R. Smy 538
Plasma, flowing, ion current to a plane probe in a. I. L. Freeston and J. E. Kelk 810
Plasma, low-density helium, correlation of electrical power and optical oscillations in. S. Gavril and D. Schieber 286
Plasma torch, measurement of ion density in a, using a plane probe. I. L. Freeston and J. E. Kelk 812
Plasma, warm, radiation resistance of a square loop in a. R. K. Gupta and I. L. Freeston 553
Plasma-wave echoes, signal-averaging and time-delay techniques for experiments with. N. T. Dzoanh and R. S. Rohde 311
Plasmas, bounded, space-charge wave of. A. D. Poularikas 673
p-n junction capacitor, bias-dependent transient response of a. M. L. Gupta and A. B. Bhattacharyya 784
Pointon, A. J., and Woodman, K. F. Use of high-relative-permittivity materials in high-delay coaxial lines 260
Pokoski, J. L., and Walker, C. Obtaining the time response of digital systems (Computer-program description) 415
Polarisable dielectrics for m.o.s.t.s. J. H. Alexander, R. C. Chittick, C. F. Drake and I. F. Scanlan 813
Polasek, J. C. Signal flowgraphs solved by graph-expansion algorithm 264
Pole positions, optimality and closed-loop, for single-input systems. F. Fallside and H. Seraji 721
Polynomial, complex, inside the unit circle, number of zeros of a. S. Barnett 164
Polynomial, evaluation of largest or smallest zero of a. V. Zakian 217
Polynomials, high-order, computing the coefficients of. M. H. Ackroyd 715
Pongparit, V., and Park, S. B. Rational delay functions based on continued-fraction expansion of e^x 656
Porter, B., and Crossley, T. R. Mode-observability structure of a multivariable system 664
Porter, B., and Crossley, T. R. (See Crossley)
Porter, B., and Crossley, T. R. Simple method of closed-loop system-matrix assignment 79
Errata 192
Porter, B., and Power, H. M. Controllability of multivariable systems incorporating integral feedback 689
Porter, B., and Power, H. M. Mode-controllability matrices of multivariable linear systems incorporating integral feedback 809
Porter, B., and Power, H. M. (See Power)
Porter, B. Design of multivariable 3-term controllers: computation of controller matrices 676
Porter, B. Necessary conditions for the optimality of a class of multi-input closed-loop linear control systems 324
Porter, B. Synthesis of asymptotically stable linear time-invariant closed-loop systems incorporating multivariable 3-term controllers 252
Pospíšil, J., and Čajka, J. (See Čajka)
Possibility of application of the Zener diode as a hydrostatic pressure gauge. W. Włodarski 64
Possible relation between the low-level attenuation constant or ΔH_{pp} and ΔH_p. N. Ogasawara and E. Sawado 761
Possible use of pilot signals to indicate delay distortion in operating f. m. - f. d. m. radio systems. G. Rosman 562
Potential shielded-resistance, divider, complete determination of capacitances characterising. A. W. Palmer and H. House 517
Potential stability theory. Pt. 1—Linear systems. N. G. Harris 372
Poularikas, A. D. Space-charge wave of bounded plasmas 673
Power amplifier, l.s.a. microstrip phase-locked. W. K. Kennedy and E. L. Rossiter 852
Power-amplifier microwave transistors, improved characterising technique for. T. Nygren and J. Martinson 282
Power factor, improved, and increased torque from an asynchronous machine, electronic mode of control to obtain. J. D. Van Wyk 399
Power function, linear-phase (l.p.p.f.) approximation to a, in an m-dimensional orthonormal space. A. R. Memon 504
Power, H. M., and Chaplin, R. (See Chaplin)
Power, H. M., and Porter, B. Eigenvalue assignment in multivariable systems incorporating integral feedback 795
Power, H. M., and Porter, B. Necessary and sufficient conditions for controllability of multivariable systems incorporating integral feedback 815
Power, H. M., and Porter, B. (See Porter)
Power, H. M., and Simpson, R. J. Application of almost periodic functions to system identification 269
Power, H. M., and Simpson, R. J. (See Simpson)
Power, H. M., and Tsoi, A. C. Lyapunov matrix equation with complex matrices 248
Power, H. M. Calculation of piecewise-constant control strategies for linear time-invariant systems 832
Power, H. M. Effect of state-variable feedback on numerators of transfer functions 490
Power, H. M. Note on the Hermite–Fujiwara theorem 39
Power-impedance calculations for InP and GaAs bulk-negative-resistance oscillators. S. Geraghty and G. Gibbons 583
Power transfer between Goubau lines with unequal phase velocities. L. L. Haidle 599
Power-transistor circuits, display of current/voltage relationships in, operating at v.h.f. H. W. Rouhof and H. W. Loeb 464
Precise p.t.m. control of a ruby laser. T. M. Christmas and C. G. Wildey 696
Prediction of dissipation-induced loss distortion, simple technique for the. G. C. Temes and R. N. Gadenz 836
Premoli, A. Analysis and synthesis of cascaded noncommensurable Ozaki–Ishii sections 37
Premoli, A. Analysis and synthesis of cascaded noncommensurable transmission lines, shunted by lumped capacitances 36
Premoli, A., Brancher, C., and Maffioli, F. (See Brancher)
Premoli, A. Realisability conditions of cascaded and shunt noncommensurable networks 200
Pressure gauge, hydrostatic, possibility of application of the Zener diode as a. W. Włodarski 64
Preswitching behaviour of amorphous chalcogenide semiconductor films. D. L. Thomas and A. C. Warren 62

Prew, B. A., Rees, H. D., Straughan, B. W., Hilsum, C., and Mullin, J. B. (See Hilsum)
Prior, C. G., and Berz, F. (See Berz)
Probability-density functions of summed m sequences. A. C. Davies. 89
Probe, Langmuir, measurement of electron temperature in a flowing high-density plasma. R. M. Clements and P. R. Smy 538
Probe, plane, ion current to a, in a flowing plasma. I. L. Freeston and J. E. Kelk 810
Program for obtaining exact sensitivity functions. V. A. K. Temple and W. J. Butler 58
Propagation characteristics of an optical waveguide with a diffused core boundary. K. B. Chan, P. J. B. Clarricoats, R. B. Dyott, G. R. Newns and M. A. Savva 748
Propagation, electromagnetic-wave, along radially inhomogeneous dielectric cylinders. P. J. B. Clarricoats and K. B. Chan 694
Propagation, ground-wave, at medium and low frequencies. S. Rotheram 794
Propagation, mode, in optical waveguides. A. W. Snyder 561
Properties of digital bandpasses obtained by convolution approximation for zero frequency. R. Vich 440
Proposed dislocation theory of burst noise in planar transistors. A. Luque, J. Mulet, T. Rodriguez and R. Segovia 176
Price, D. J., and Collier, R. J. (See Collier)
Primary-radiation patterns, experimental computer-predicted performance of corrugated conical feeds using. D. D. Booker and P. A. McInnes 18
Prime-focus one- and two-hybrid-mode feeds. B. MacA. Thomas 460
Probability-density function of a specularly fading signal-plus-noise minus noise. N. P. Murarka 365
Process identification with visual interaction between operator and computer. D. C. Williams 472
Proksch, P., and Bonek, E. (See Bonek)
Propagation, helicon-wave, analysis of. D. Midgley 497
Pucknell, D. A. 'Transition equations' for the analysis and synthesis of sequential circuits 731
Pulse measurement of r'_{ss} in KD*P. T. M. Christmas and C. G. Wildey 152
Pulse measurements with resolution time of 18 ps (Impulsmessplatz mit einer zeitauflösung von 18 ps). F. Meyer 703
Pulse propagation along glass fibres. W. A. Gambling, P. J. R. Laybourn and M. D. Lee 364
Pulse shaping, baseband. S. C. Kak 640

Q

Q band, material selection for efficient transferred-electron devices at. D. J. Colliver, S. E. Gibbs and B. C. Taylor 353
Quantisation noise associated with the digital coding of colour-television signals, aspect of the. R. M. Dorward 5
Quantitative model for epitaxial-transistor collector characteristics. L. A. Hahn and K. L. Ashley 485
Quasi-equispaced slot arrays with extremely low crosspolarisation. J. Arnbak 585
Quast, W., and Günther, U. (See Günther)
Qureshi, A. H., and Saleh, N. (See Saleh)

R

Radar, marine, environment, change of fading characteristics of reputed steady targets as a function of sea state in a. P. D. Williams 853
Radar returns, ionospheric, spectrum analysis of. J. B. G. Roberts 196
Radiation characteristics of dielectric-loaded horn antennas. M. A. K. Hamid, R. J. Boulanger, N. J. Mostowy and A. Mohsen 20
Radiation from half-wavelength open-circuit microstrip resonators. B. Easter and R. J. Roberts 573
Radiation, ionising, degradation mechanism of m.o.s. structures and transistors under. D. Esteve and J. Buxo 198
Radiation mechanism of dielectric-rod and Yagi aerials. E.-G. Neumann 528
Radiation, note on the, associated with the excitation of an open resonator. A. L. Cullen 243
Radiation pattern of imperfect paraboloidal reflectors (Computer-program description). R. H. Slater 796
Radiation resistance of a square loop in a warm plasma. R. K. Gupta and I. L. Freeston 553
Radiation, surface-wave, from a corrugated horn. R. Baldwin and P. A. McInnes 259
Radio link, efficient high-level 'upconvertor' for. W. Kwiatkowski, T. Arthanayake and V. H. Knight 625
Radiocommunication and control in mines and tunnels. R. de Keyser, P. Delogne, J. Janssens and R. Liegeois 767
Radiocommunication in mines and tunnels. D. J. R. Martin 563
Radiometry, microwave, adaptive filter for P. I. Solmo 331
Radiotelescopes, large, optimum feed for: experimental results. T. B. Vu and Q. H. Vu 159
Radio waves, focusing of, reflected from the ionosphere at low angles of elevation. P. A. Bradley 457
Ramarajan, S., and Rao, S. N. Class of linear time-varying discrete systems 701
Random-signal sonar. B. V. Smith and W. R. Wignall 627
Rao, B. V., and Narasimhan, M. S. (See Narasimhan)
Rao, K. R., Ahmed, N., and Bates, R. M. (See Ahmed)
Rao, K. R., and Ahmed, N. (See Ahmed)
Rao, K. R., and Venkateswaran, S. Synthesis of inductors and gyrators with voltage-controlled voltage sources 29
Rao, K. Sankara, Rao, V. V. Bapeswara, and Murti, V. G. K. Enumeration of 2-trees of a graph 835
Rao, K. Sankara, Rao, V. V. Bapeswara, and Murti, V. G. K. Two-tree admittance products 834
Rao, S. N., and Ramarajan, S. (See Ramarajan)
Rao, V. V. Bapeswara, Murti, V. G. K., and Rao, K. Sankara (See Rao)
Rao, V. V. B., and Murti, V. G. K. Enumeration of all circuits or cutsets of a graph 104
Rao, V. V. B., and Murti, V. G. K. Enumeration of trees of a graph 103
Rapid generation of Bessel functions required for solutions to engineering problems (Computer-program description). A. J. Hissink and B. R. Gladman 265
Rashidi, K., Kalymnios, D., and Ley, J. M. (See Kalymnios)
Ratemeter, novel, with very wide range. J. M. Griffiths 242
Rate multiplier, b.c.d., digital lead compensator using a. A. D. Cox 757
Rational approximants to the matrix exponential. V. Zakian 814
Rational approximation to transfer-function matrix of distributed system. V. Zakian 474
Rational delay functions based on continued-fraction expansion of e^x. V. Pongparit and S. B. Park 656
Rayleigh-wave propagation on a periodically roughened surface. P. V. H. Sabine 149
Rayleigh-wave transducers, interdigital, piezoelectric coupling coefficient of. M. Redwood and R. F. Milsom 437
Ray-optical solution for the dyadic Green's function in a rectangular cavity. M. A. K. Hamid and W. A. Johnson 317
Recent experimental results in near-field antenna measurements. R. C. Baird, A. C. Newell, P. F. Wacker and D. M. Kerns 349
Reciprocal-law circuit, low-cost. M. H. Liversidge 389
Errata 532
Read diodes, degradation of the oscillator performance of, due to space-charge and series resistances. R. Kuvás 216
Read-only memory reduction by segmentation. P. Maestrini 298
Realisability conditions of cascaded and shunt noncommensurable networks. A. Premoli 200
Realisation of a class of A matrix. M. Lai and H. Singh 658
Realisation of cellular arithmetic cells by threshold-logic assemblies. S. L. Hurst 501
Realisation of midseries and midshunt lowpass LC filters. Chin Cheng Lin 593
Reappraisal of the unconditional stability ceiteria for active 2-port networks in terms of S parameters. P. J. Owens and D. Woods 315
Recent developments in magnetic levitation. B. Z. Kaplan 230
Reciprocity and passivity, E. A. Faulkner 304
Redd, J. C., and Kotzebue, K. L. Broadband high-efficiency frequency tripler 702
Reddi, V. G. K., Shyam, M., and Ivanek, F. (See Ivanek)
Reddy, D. C. General sensitivity-reduction criterion for single-input multiple-output systems 86
Reduction of scattering cross-section of a dielectric-coated square prism. L. Shafai 335
Redwood, M., and Milsom, R. F. Piezoelectric coupling coefficient of interdigital Rayleigh-wave transducers 437
Redwood, M., and Milsom, R. F. (See Milsom)
Reeder, T. M. Westbrook, E. M., and Winslow, D. K. Visualisation of surface acoustic waves 30
Reeds, dry, influence of eddy currents on switching process of. W. Gruszczyński, J. Hryńczuk and H. J. Wierzba 564
Rees, H. D., and Hilsum, C. (See Hilsum)
Rees, H. D. Free-electron parametric effects in GaAs Gunn oscillators 11
Rees, H. D., Knight, J. R., Colliver, D., Hilsum, C., Joyce, B. D., and Morgan, J. R. (See Colliver)
Rees, H. D., Straughan, B. W., Hilsum, C., Mullin, J. B., and Prew, B. A. (See Hilsum)
Reflector-aerial diffraction problems, field-correlation theorem with application to. P. Wood 326
Reflectors, imperfect paraboloidal, radiation pattern of (Computer-program description). R. H. Slater 796
Refraction and reflection of ultrasonic surface waves by thin-gold-film layers on lithium-niobate substrates. M. E. Pedinoff and M. Waldner 533
Reiser, M. Two-dimensional analysis of substrate effects in junction f.e.t.s 493
Relationship between controllability and closed-loop system-matrix assignment. T. R. Crossley and B. Porter 117
Relationship of the Poisson transform to the moment functional transformation. F. W. Fairman 816
Relationships between design parameters of very selective filters. V. Belevitch 585
Relative stability of sampled-date control systems by hodograph method. S. C. Tsai and P. R. Ukrainetz 714
Relay systems, modified application of describing functions in the determination of limit cycles for. I. M. Dow 165
Reluctance motors, multispeed, improvements of. P. J. Lawrenson and S. R. Murthy Vamaraju 642
Remarks on star-mesh transformation of electrical networks. L. Vernfeld 597
Remarks on the concept of equivalent parabolas for Cassegrain antennas (Bemerkungen zum Konzept des äquivalenten Parabols bei Cassegrain-
Remotely tuned circulator. A. S. Webster 377
Rendle, D. F., Kell, R. C., Riches, E. E., Brigginshaw, P., Olds, G. C. E., Thomas, J., and Mayo, R. F. (See Kell)
Requirements for stable a.c. electric-arc discharges. J. C. Luxat and L. H. Lees 285
Resistance, contact, magnetic-field dependence of. D. Schuöcker 275
Resistive parametric mixing in GaAs oscillators at microwave frequencies. P. N. Robson and N. Hasizume 120
Resistivity calculation for inhomogeneously doped germanium. M. L. Gupta and A. B. Bhattacharyya 817
Resistors, compensated, for high-frequency electrometer applications. B. R. F. Kendall and M. F. Zabielski 776
Resonator, open, note on the radiation associated with the excitation of an. A. L. Cullen 243
Resonator, waveguide-below-cutoff, mode identification for an oscillator using solid-state active devices in a. F. Ivanek, V. G. K. Reddi and M. Shyam 151
Resonators, half-wavelength open-circuit microstrip, radiation from. B. Easter and R. J. Roberts 573
Resonators, microwave dielectric and microstrip substrates, novel temperature-stable ceramics for. R. C. Kell, E. E. Riches, P. Brigginshaw, G. C. E. Olds, A. J. Thomas, R. F. Mayo and D. F. Rendle 614
Ribeyrol, J. M., Martin, J. C., Esteve, D., and Blasquez, G. (See Martin)
Riccati equation, discrete, efficient method of solving the, when the plant matrix contains a noise-shaping filter. C. S. Berger 151
Richardson, J. K. Semiempirical formula for the end-coupled bandpass symmetric stripline filter 616
Riches, E. E., Brigginshaw, P., Olds, G. C. E., Thomas, A. J., Mayo, R. F., Rendle, D. F., and Kell, R. C. (See Kell)
Richmond, I. M., and Chan Kei Biu. Error rate for envelope-detected on-off keying in the presence of interference 575
Ritch, P. S., Goodwin, G. C., and Bell, R. D. Correction of errors in p.r.b.n. identification 411
Roaldset, S. A., Savage, B., and Charters, J. S. T. (See Charters)
Roberts, J. B. G. Spectrum analysis of ionospheric radar returns 196
Roberts, J. H. Autocorrelation functions arising in the analysis of narrowband systems and their representation in terms of characteristic function 863
Roberts, P. D. Approximate method for the discretisation of continuous linear multivariable systems 76
Roberts, R. J., and Easter, B. (See Easter)

Robinson, A. E., and Methiwalla, A. E. Method of generating low-sensitivity RC active circuits 95
Errata 267
Robson, P. N., and Hashizume, N. Resistive parametric mixing in GaAs oscillators at microwave frequencies 120
Rodriguez, T., Mulet, J., and Luque, A. (See Mulet)
Rodriguez, T., Segovia, R., Luque, A., and Mulet, J. (See Luque)
Rodriguez-Vidal, M., and Martin, E. Contribution to numerical methods for calculation of complex dielectric permittivities 510
Roeder, R., and Braeckelmann, W. (See Braeckelmann)
Rohde, R. A., and Dzoanh, N. T. (See Dzoanh)
Rosenbrock, H. H., and MacFarlane, A. G. J. (See MacFarlane)
Rosenbrock, H. H. Further properties of minimal indices 450
Rosman, G. Possible use of pilot signals to indicate delay distortion in operating f. m. -f. d. m. radio systems 562
Rossiter, E. L., and Kennedy, W. K. (See Kennedy)
Rotheram, S. Ground-wave propagation at medium and low frequencies 794
Rouhof, H. W., and Loeb, H. W. Display of current/voltage relationships in power-transistor circuits operating at v.h.f. 464
Roulston, D. J., and Venkateswaran, K. (See Venkateswaran)
Routh-Hurwitz criterion and its applications, generalisation of the. H. H. Hwang and P. C. Tripathi 410
Rouzeyre, M., and Cambon, G. (See Cambon)
Rubidium atomic frequency source having small size and fast warm up. R. E. Hayes, T. J. Bennett, G. T. Norton and M. M. Zepler 734
Ruby laser, precise p.t.m. control of a. T. M. Christmas and C. G. Wildey 696

S

S type current/voltage characteristics and recombination emission in Gunn diodes. B. L. Gelmont and M. S. Shur 531
S.T.T. design of asynchronous sequential counters using 'unit' machines. R. M. H. Cheng and K. O. Okpere 726
Sabine, P. V. H. Rayleigh-wave propagation on a periodically roughened surface 149
Sablatash, M., Bandler, J. W., and Seviora, R. (See Seviora)
Saha, P. K., and Clarricoats, P. J. B. (See Clarricoats)
Saito, T., Shibuya, T., and Inose, H. (See Inose)
Saiy, D., and Laughton, M. A. Method of solution of a special class of two-point boundary-value problems 299
Sale, R. G., and Jackson, W. R. (See Jackson)
Saleh, N., and Qureshi, A. H. Permalloy thin-film inductors 850
Salerno, M., and Martinelli, G. (See Martinelli)
Salvage, B., Charters, J. S. T., and Roaldset, S. A. (See Charters)
Sampled-data control systems, relative stability of, by hodograph method. S. C. Tsai and P. R. Ukrainetz 714
Sampled-data nonlinear systems, method for the generation of sensitivity functions for. K. L. Suryanarayanan and A. C. Soudack 610
Sampled-data precorrection for zero-order hold distortion. J. W. R. Griffiths and M. Tomlinson 52
Sampling theorem in Walsh-Fourier analysis. S. C. Kak 447
Sanderson, M. L., and Gray, J. O. (See Gray)
Sarnot, S. L., and Bhattacharyya, A. B. Transient response of a tunnel-diode trigger for linearly varying current pulses 445
Sato, R. Two universal transformations for commensurate distributed circuits 173
Saturation in bipolar transistors. M. J. Buckingham and E. A. Faulkner 167
Saunders, A. F., and Wright, G. T. Interface states in the silicon/silicon-oxide system observed by thermally stimulated charge release 207
Savva, M. A., Chan, K. B., Clarricoats, P. J. B., Dyott, R. B., and Newns, G. R. (See Chan)
Sawado, E., and Ogasawara, N. (See Ogasawara)
Scanlan, I. F., Alexander, J. H., Chittick, R. C., and Drake, C. F. (See Alexander)
Scanning-electron microscope, improved technique for voltage measurement using the. J. P. Flemming and E. W. Ward 7
Scarbrough, R. J. D., Silvester, R., and Henderson, J. C. (See Henderson)
Scattering cross-section, reduction of, of a dielectric-coated square prism. L. Shafai 335
Schieber, D., and Gavril, S. (See Gavril)
Schottky-barrier mixers, conversion-loss stability and gain compression in. J. G. Gardiner and A. R. Banerjee 829
Schroeder, W. E., and Haddad, G. I. Comments on simplified model for avalanche-resonance-pumped semiconductor diodes 114
Schuessler, W., and Herrmann, O. (See Herrmann)
Schuöcker, D. Magnetic-field dependence of contact resistance 275
Segovia, R., Luque, A., Mulet, J., and Rodriguez, T. (See Luque)
Self and externally pumped second-harmonic generation with silicon avalanche diodes. L. A. Stark 408
Semiconductor diodes, avalanche-resonance-pumped, comments on simplified model for. W. E. Schroeder and G. I. Haddad 114
Semiconductor films, amorphous chalcogenide, preswitching behaviour of. D. L. Thomas and A. C. Warren 62
Semiconductors, diffusion in (Computer-program description). M. M. Hasan and S. Venkateswaran 366
Errata 688
Semiempirical formula for the end-coupled bandpass symmetric stripline filter. J. K. Richardson 616
Sen, N., and Evans, F. J. Formulation for a generalised network in terms of the Hamiltonian energy function 92
Sensitivities, network-function, indirect calculation of, with variations of some network parameters. J. Čajka and J. Valsa 458
Sensitivities, scattering-matrix, direct method for evaluating. J. W. Bandler and R. E. Seviora 773
Sensitivity and topological formulas for a general nonreciprocal 2-port network. K. Brown 487
Sensitivity-function determination for linear feedback systems. J. C. Allwright 390
Sensitivity functions, exact, program for obtaining. V. A. K. Temple and W. J. Butler 58
Sensitivity functions, method for the generation of, for nonlinear sampled-data systems. K. L. Suryanarayanan and A. C. Soudack 610
Sensitivity, Hakim-theory transfer-function. R. W. Newcomb 98
Sensitivity, network-function, some possibilities of indirect determination of, to the ideal voltage-amplifier amplification. I. Valsa and J. Čajka 774
Sensitivity-reduction criterion, general, for single-input multiple-output systems. D. C. Reddy 86
Sequences, summed m, probability-density functions of. A. C. Davies 89
Sequential circuits, 'transition equations' for the analysis and synthesis of. D. A. Pucknell 731
Sequential logic elements, universal. I. Aleksander and E. M. Mamdani 801
Seraji, H., and Fallside, F. (See Fallside)
Seraphim, G. R. S., and Solymar, L. Switching of a superconductive thin-film bridge between the pure superconductive and resistive-superconductive states 289
Addendum 320
Seviora, R., Sablatash, M., and Bandler, J. W. Least pth and minimax objectives for automated network design 14
Errata 148
Seviora, R. E., and Bandler, J. W. (See Bandler)
Shachar, N., and Zeheb, E. (See Zeheb)
Shafai, L. Reduction of scattering cross-section of a dielectric-coated square prism 335
Shafai, L., Towaij, S. J., and Hamid, M. A. K. Fast generation of spherical Bessel functions with complex arguments 612
Sheard, G. Elimination of time delay from shaft-position or speed transducer outputs 136
Shelton, R. D., and Jones, T. J. Change of error criterion in mean-square optimisation 201
Shibata, Y., Hariu, T., and Ono, S. (See Hariu)
Shibuya, T., Inose, H., and Saito, T. (See Inose)
Shur, M. S., and Gelmont, B. L. (See Gelmont)
Shurmer, H. V. New method of calibrating a network analyser 733
Shyam, M. C.W. operation of l.s.a. oscillators in R band 315
Shyam, M., Ivanek, F., and Reddi, V. G. K. (See Ivanek)
Si m.o.s.t.s, test of McWhorter's model of low-frequency noise in. F. Berz and C. G. Prior 595
Side-lobe ambiguity reduction, simple coincidence system for, in discrete-coded waveforms. A. Cionini and C. Atzeni 525
Signal analysis, Laguerre-transform. R. Genin and L. C. Calvez 587
Signal-flow graphs, formulation of the state equations by. C. Acar. 82
Signal flowgraphs solved by graph-expansion algorithm. J. C. Polasek 264
Signal-injection triggering of X band Gunn oscillators for f.s.k. operation. R. Huntington, H. L. Hartnagel and P. Bestwick 234
Signal processing, optical, of its hologram, location of an irregularity in a microwave array by. A. P. Anderson and D. N. Swingler 577
Silverberg, M. Improving the efficiency of Laplace-transform inversion for network analysis 105
Silvester, R., Henderson, J. C., and Scarbrough, R. J. D. (See Henderson)
Similarities in the electromagnetic behaviour of optical waveguides and corrugated feeds. P. J. B. Clarricoats 178
Simple capacitance transducer for instantaneous angular-velocity measurement. B. E. Jones 651
Simple coincidence system for side-lobe ambiguity reduction in discrete-coded waveforms. A. Cionini and C. Atzeni 525
Simple 4-quadrant analogue multiplier. T. R. Viswanathan and G. S. Deep 725
Simple graphical method for calculating the efficiency of bulk negative-resistance microwave oscillators. C. Hilsum 448
Simple method for the variational analysis of a generalised N-dielectric-layer transmission line. Y. Chang and I. C. Chang 49
Simple method of closed-loop system-matrix assignment. B. Porter and T. R. Crossley 79
Errata 192
Simple RC active filters using controlled sources. A. G. J. Holt 756
Simple technique for the prediction of dissipation-induced loss distortion. G. C. Temes and R. N. Gadenz 836
Simpson, A. Design of multivariable 3-term controllers: computation of controller matrices 676
Simpson, A. Inversion of a class of matrices occurring in control-system theory by an m-step procedure allied to Gaussian elimination 500
Simpson, A. Linear systems with multivariable 3-term controllers: use of the matrix pseudoinverse in their synthesis 374
Simpson, A. Synthesis of asymptotically stable linear time-invariant closed-loop systems incorporating multivariable 3-term controllers 251
Simpson, R. J., and Power, H. M. Generalisation of a method for system identification using almost periodic functions 803
Simpson, R. J., and Power, H. M. (See Power)
Simulation, computer, of nonlinear inductors with hysteresis. J. S. Everatt 863
Simulation, deadzone, on an electronic analogue computer. A. D. Cox 633
Simultaneous generation of the coefficients of network polynomials and their partial derivatives from the nodal-admittance matrix. O. P. D. Cutteridge and P. H. di Mambro 308
Simultaneous solution of system dynamic equations and control-function optimisation using the conjugate-gradient algorithm. J. C. Allwright 322
Singh, H., and Lai, M. (See Lai)
Singular perturbation and bounded-input bounded-state stability. C. A. Desoer 496
Sinha, N. K., and Bereznai, G. T. (See Bereznai)
Sinha, N. K., and Pille, W. Online system identification using matrix pseudo-inverse 453
Skattebol, L. V., and Colgrove, S. B. (See Colegrove)
Slater, R. H. Radiation pattern of imperfect paraboloidal reflectors (Computer-program description) 796
Slaymaker, N. A., Carroll, J. E., and DeBoise, R. H. Efficient power extraction at TRAPATT harmonics 744
Slobodnik, A. J., and Conway, E. D. New high-frequency high-coupling low-beam-steering cut for acoustic surface waves on $LiNbO_3$ 171
Slowly varying discrete system $x_{i+1} = A_i x_i$. C. A. Desoer 339
Errata 424
Small-signal 2-terminal impedance of a thin Gunn diode. P. Guéret 213
Smith, B. V., and Wignall, W. R. Random-signal sonar 627
Smith, G. K., and Zakian, V. (See Zakian)
Smith, I. R., and Manning, C. D. (See Manning)
Smith, R. B., and Crane, P. W. Varactor-tuned Gunn-effect oscillator 139

Smith, R. B., and Downing, B. J. Measurement of negative conductance of a Gunn device 649
Smith, S. T., and Last, J. D. (See Last)
Smy, P. R., and Clements, R. M. (See Clements)
Snapp, C. P. External current-waveform measurements of high-efficiency oscillations in silicon avalanche diodes 145
Snyder, A. W. Mode propagation in optical waveguides 561
Solar noise, statistics of tropospheric attenuation at 19 GHz from observations of. P. G. Davies and J. A. Lane 522
Errata 592
Solid-state diodes, double-injection space-charge-limited, thermal noise in. A. van der Ziel 45
Soliman, A. M., and Bose, N. K. (See Bose)
Solymar, L., and Seraphim, G. R. S. (See Seraphim)
Some new properties of forward-biased emitter-base junction of gigahertz silicon transistors. S. G. Chamberlain 843
Some observations on the writing-speed performance of cathodochromic cathode-ray tubes. H. C. A. Hankins and I. S. Torsun 137
Some possibilities of indirect determination of network-function sensitivity to the ideal voltage-amplifier amplification. I. Valsa and J. Cajka 774
Somlo, P. I. Adaptive filter for microwave radiometry 331
Sommerhalder, R., Walter, W., and Drangeid, K. E. (See Drangeid)
Sonar, random-signal. B. V. Smith and W. R. Wignall 627
Soudack, A. C., and Suryanarayanan, K. L. (See Suryanarayanan)
Space-charge and series resistances, degradation of the oscillator performance of Read diodes due to. R. Kuvás 216
Space-charge-wave and Gunn-effect theories, limits of validity of the 1-dimensional approach in. P. Guéret 197
Space-charge wave of bounded plasmas. A. D. Poularikas 673
Spark gap, laser-triggered, effect of various gases on formative times of. S. H. Khan and D. Walsh 551
Spectral analysis of linear digital systems using BIFORE. N. Ahmed and K. R. Rao 43
Spectrum analysis of ionospheric radar returns. J. B. G. Roberts 196
Spectrum estimation with regularly missed observations. S. C. Kak 671
Speed or shaft-position transducer outputs, elimination of time delay from. G. Sheard 136
Spherical-harmonic expansions in near-field serial problems. P. J. Wood 535
Spin-acoustic Love-type surface wave in a layered geometry. J. P. Parekh 430
Square-root extraction, nonrestoring, cellular logical array for. H. H. Guild 66
Square-wave Fourier transform. R. H. T. Bates, P. J. Napier and Y. P. Chang 741
Srivastava, G. P., Fallmann, W., and Hartnagel, H. L. (See Fallmann)
Stabilisation of Gunn oscillations in layered semiconductor structures. P. Gueret 637
Stability and transient behaviour of active 2-poles. I. Lundström and O. Nilsson 219
Stability, bounded-input bounded-state and singular perturbation. C. A. Desoer 496
Stability, conversion-loss, and gain compression in Schottky-barrier mixers. J. G. Gardiner and A. R. Banerjee 829
Stability guarantee, *a priori*, for sub-optimal-control designs. D. H. Mee 536
Stability of model-reference systems with random impulsive inputs. P. C. Parks and D. J. C. James 131
Stability, relative, of sampled-data control systems by hodograph method. S. C. Tsai and P. R. Ukrainetz 714
Stability theory, potential. Pt. 1—Linear systems. N. G. Harris 372
Stanley, I. W., and Ager, D. J. Current-controlled negative resistance circuit 380
Errata 592
Stanley, I. W., and Ager, D. J. Theoretical characteristics of a two-terminal negative dynamic resistance 359
Errata 592
Stanley, I. W., and Ager, D. J. Two-terminal negative dynamic resistance 1
Stark, L. A. Self and externally pumped second-harmonic generation with silicon avalanche diodes 408
State and parameter estimation, efficient calculation of curvature in. R. F. Brown and G. C. Goodwin 579
State equations by signal-flow graphs, formulation of the. C. Acar 82
State-space formulation for the chain parameters of nonuniform transmission lines. C. Toker and N. Yildirim 422
State-space techniques, analysis of a magnetically tuned coaxial cavity using. I. J. H. S. Moore and J. A. C. Stewart 391
State-transition analysis of certain thyristor systems. F. Fallside 606
Statistics of tropospheric attenuation at 19 GHz from observations of solar noise. P. G. Davies and J. A. Lane 522
Errata 592
Steiglitz-Zemanian lemma, extended interpretation of a, on a positive real functions. S. Tirtoprodjo 581
Step and impulse responses of networks, calculating (Computer-program description). D. T. Bickley 225
Step-function response of a linear circuit, existence of an overshoot in the. R. Genin and L. C. Calvez 55
Stern, J. R., Peace, M., and Dyott, R. B. Launching into optical-fibre waveguide 160
Stewart, J. A. C., and Moore, I. J. H. S. (See Moore)
Stewart, N. A., and Monds, F. C. Performance of practical digital system for the learning of signal waveforms 340
Straughan, B. W., Hilsum, C., Mullin, J. B., Prew, B. A., and Rees, H. D. (See Hilsum)
Stripline bends, electrical lengths of. B. Wardrop 494
Stripline filter, end-coupled bandpass symmetric, semiempirical formula for the. J. K. Richardson 616
Stripline, GaAs, domains and guided electromagnetic waves in. R. Becker, B. G. Bosch and R. W. H. Engelmann 604
Strutt, M. J. O., and Abdel-Latif, M. (See Abdel-Latif)
Strutt, M. J. O., and Kotyczka, W. (See Kotyczka)
Strutt, M. J. O., and Guekos, G. (See Guekos)
Subharmonically injected phase-locked IMPATT-oscillator experiments. C. H. Chien and G. C. Dalman 240
Suboptimal-control designs, *a priori* stability guarantee for. D. H. Mee 536
Suboptimal linear control of the linear regulator using incomplete state feedback. M. M. Newmann 360
Sunak, H., Anson, M., Gambling, W. A., Laybourn, P. J. R., and Lee, M. D. (See Gambling)
Superconductive, pure, and resistive-superconductive states, switching of a superconductive thin-film bridge between the. G. R. S. Seraphim and L. Solymar 289
Addendum 320
Suppression of Gunn-effect domain formation by ferrimagnetic materials. M. Masuda, N. S. Chang and Y. Matsuo 605
Surana, D. C., and Gardiner, J. G. Computation of mixing coefficients for field-effect transistors with non-square-law transfer characteristics 403
Errata 491
Sur l'analyse graphique des systèmes discrets nonlinéaires en régime dynamique (Graphical analysis of nonlinear samples-data control-system dynamic behaviour). C. Melin, J. M. Toulotte and F. Laurent 28
Sur l'existence d'un dépassement dans la réponse indicielle d'un circuit linéaire (Existence of an overshoot in the step-function response of a linear circuit). R. Genin and L. C. Calvez 55
Surface acoustic waves, visualisation of. T. M. Reeder, E. M. Westbrook and D. K. Winslow 30
Surface metallisation on magnetoelastic surface wave, influence of. J. P. Parekh 47
Surface of Gunn diode, noise in Gunn oscillators depending on. H. Kuhn 845
Surface, periodically roughened, Rayleigh-wave propagation on a. P. V. H. Sabine 149
Surface potential in an m.o.s. structure, apparent interface state density introduced by the spatial fluctuations of. R. Castagne and A. Vapaille 691
Surface-wave devices, interdigital, matching optimisation to. W. S. Jones, C. S. Hartmann and J. L. Harris 333
Surface wave, magnetoelastic, influence of surface metallisation on. J. P. Parekh 47
Surface-wave radiation from a corrugated horn. R. Baldwin and P. A. McInnes 259
Surface-wave resonances, identification of, on a metal-backed y.i.g. slab. G. A. Bennett and J. D. Adam 789
Surface wave, spin-acoustic, Love-type, in a layered geometry. J. P. Parekh 430
Surface waves, acoustoelectric amplification of, in structure of cadmium-selenide film on lithium niobate. H. Hanebrekke and K. A. Ingebrigsten 520
Surface waves at ferrite-metal boundaries. R. A. Hurd 262
Surface waves, diffraction spreading of, on $LiNbO_3$. R. D. Weglein, M. E. Pedinoff and H. Winston 654
Surface waves, magnetostatic, delay of, in y.i.g. J. D. Adam 718
Surface waves, ultrasonic, refraction and reflection of, by thin-gold-film layers on lithium-niobate substrates. M. E. Pedinoff and M. Waldner 533
Suryanarayanan, K. L., and Soudack, A. C. Method for the generation of sensitivity functions for nonlinear sampled-data systems 610
Sutherland, A. D. Approach for heat sinks in monolithic microwave integrated circuits 432
Svensson, C., and Lundström, I. Theory of the thin-oxide m.n.o.s. memory transistor 645
Swamy, M. N. S., and Bhattacharyya, B. B. (See Bhattacharyya)
Swamy, M. N. S., and Walsh, J. (See Walsh)
Swingler, D. N., and Anderson, A. P. Optical imaging and far-field pattern simulation of a microwave-illuminated aperture by a microwave hologram 180
Swingler, D. N., and Anderson, A. P. (See Swingler)
Swingler, D. N. Feasibility of high-resolution optical images from microwave far-field holograms 375
Switch driver, analogue, high-speed complementary, and interface circuit. W. A. Evans and N. A. Jolly 762
Switches, thin chalcogenide-glass, field-enhanced conductivity effects in. A. C. Warren and J. C. Male 567
Switching of a superconductive thin-film bridge between the pure superconductive and resistive-superconductive states. G. R. S. Seraphim and L. Solymar 289
Addendum 320
Switching theorem, fundamental, new application of. T. L. Hedström 521
Synthesis and analysis of sequential circuits, 'transition equations' for the. D. A. Pucknell 731
Synthesis approach to the study of a class of nonlinear systems. B. V. Dasarathy 602
Synthesis of asymptotically stable linear time-invariant closed-loop systems incorporating multivariable 3-term controllers. A. Simpson 251
Synthesis of inductors and gyrators with voltage-controlled voltage sources. K. R. Rao and S. Venkateswaran 29
Synthesis of lowpass LC ladder networks. D. T. Bickley 111
Synthesis, optimal of an RC active filter. W. J. Butler and S. S. Haykin 209
Synthesis problems, lossless multiports with terminations in. N. K. Bose and A. M. Soliman 100
Systems, dynamical, new vector-space structure for. A. G. J. MacFarlane and H. H. Rosenbrock 162

T

TEM waves, emission of, generated within an n type Ge cavity. A. C. Baynham 306
TRAPATT harmonics, efficient power extraction at. N. A. Slaymaker, J. E. Carroll and R. H. DeBoise 744
Tables and graphs for designing digital Chebyshev filters. V. Mauro and A. R. Meo 155
Tamir, T. Experimental verification of a lateral wave above a lossy interface 357
Tateno, H., Kawashima, M., Morisue, M., and Kataoka, S. (See Kataoka)
Taylor, B. C., and Fray, S. J. (See Fray)
Taylor, B. C., Colliver, D. J., and Gibbs, S. E. (See Colliver)
Telephony, adaptifon system for—an alternative implementation of the Lincompex concept. J. A. Betts 542
Telephony, adaptive delta modulator for. J. A. Betts and N. Ghani 336
Temes, G. C., and Gadenz, R. N. Simple technique for the prediction of dissipation-induced loss distortion 836
Temes, G. C. Exact computation of group delay and its sensitivities using adjoint-network concept 483
Temperature, low, behaviour of a low-noise microwave f.e.t. at. B. Loriou, M. Bellec and M. le Rouzic 819
Temple, V. A. K., and Butler, W. J. Program for obtaining exact sensitivity functions 58
Ternary variable, current-mode circuits for the unary functions of a. H. Dunderdale 15
Test of McWhorter's model of low-frequency noise in Si m.o.s.t.s. F. Berz and C. G. Prior 595
Testing the controllability of linear time-invariant systems. M. V. Bhandarkar and M. M. Fahmy 580
Theorem of nonoptimal controls. L. Lupaş 806
Theoretical characteristics of a two-terminal negative dynamic resistance. I. W. Stanley and D. J. Ager 359
Errata 592
Theorie du bruit en 1/f transistors bipolars planar au silicium (Theory of 1/f noise in bipolar silicon planar transistors). J. C. Martin, D. Esteve, G. Blasquez and J. M. Ribeyrol 128

Theory for high-efficiency oscillations in silicon avalanche diodes. M. G. Cottam 203
Theory for power output and efficiency of silicon TRAPATT oscillators. M. G. Cottam 384
Theory of 1/f noise in bipolar silicon planar transistors (Theorie du bruit en 1/f des transistors bipolaires planar au silicium) J. C. Martin, D. Esteve, G. Blasquez and J. M. Ribeyrol 128
Theory of the thin-oxide m.n.o.s. memory transistor. C. Svensson and I. Lundström 645
Thermal noise in double-injection space-charge-limited solid-state diodes. A. van der Ziel 45
Thermally stimulated charge release, interface states in the silicon/silicon-oxide system observed by. A. F. Saunders and G. T. Wright 207
Thick-film conductors, microwave conductivity of. R. N. Patel 455
Thin epitaxial GaAs layer, travelling-wave amplifier using. R. H. Dean, A. B. Dreeben, J. F. Kaminski and A. Trianjo 775
Thin-film permalloy inductors. N. Saleh and A. H. Qureshi 850
Thomann, H. New type of Rayleigh-wave transducer on piezoelectric ceramics 710
Thomas, A. J., Mayo, R. F., Rendle, D. F., Kell, R. C., Riches, E. E., Brigginshaw, P., and Olds, G. C. E. (See Kell)
Thomas, B. MacA. Prime-focus one- and two-hybrid-mode feeds 460
Thomas, D. L., and Warren, A. C. Pre-switching behaviour of amorphous chalcogenide semiconductor films 62
Thomas, D. W., and Wilkins, B. R. Determination of engine firing rate from the acoustic waveform 193
Thomson, D. J., and Weaver, J. T. Image approximation for quasistatic fields over a 2-layer conductor 855
Thomson, I., and Vincent, D. A. Evidence for a correlation between discontinuities and filamentary conduction in the forward characteristic of diode thyristors 555
Thornton, B. S. Optimum subharmonic pumping frequency for parametric tunnel-diode memory arrays 56
Three-level oscillator: a new form of transferred-electron device. C. Hilsum and H. D. Rees 277
3-term multivariable controllers, design of: computation of controller matrices. B. Porter 676
Threshold gates, universal, for 3-, 4- and 5-variable linearly separable (threshold) functions. S. L. Hurst 324
Threshold-logic assemblies, realisation of cellular arithmetic cells by. S. L. Hurst 501
Thyristor systems, state-transition analysis of certain. F. Fallside 606
Thyristors, diode, evidence for a correlation between discontinuities and filamentary conduction in the forward characteristic of. I. Thomson and D. A. Vincent 555
Thyristors, electrical behaviour of networks synchronously switched by. J. H. Wouterse 820
Time-varying discrete linear systems, class of. S. Ramarajan and S. N. Rao 701
Time-varying multivariable systems, phase-variable canonical form for. E. Freund 78
Tirtoprodjo, S. Extended interpretation of a Steiglitz-Zemanian lemma on positive real functions 581
Titanium dioxide as gate insulator for m.o.s. transistors. J. Wakefield and H. S. Gamble 507
Toker, C., and Yildirim, N. State-space formulation for the chain parameters of nonuniform transmission lines 422
Tomlinson, M., and Griffiths, J. W. R. (See Griffiths)
Topological and sensitivity formulas for a general nonreciprocal 2-port network. K. Brown 487
Torque, increased, and improved power factor from an asynchronous machine, electronic mode of control to obtain. J. D. Van Wyk 399
Torsun, I. S., and Hankins, H. C. A. (See Hankins)
Toulotte, J. M., Laurent, F., and Melin, C. (See Melin)
Towaij, S. J., Hamid, M. A. K., and Shafai, L. (See Shafai)
Tracking N-path filter, method of reducing the f.m. threshold using a. R. C. V. Macario and S. Patel 142
Transducer outputs, speed, or shaft-position, elimination of time delay from. G. Sheard 136
Transducer, Rayleigh-wave, new type of, on piezoelectric ceramics. H. Thomann 710
Transducer, simple capacitance, for instantaneous angular-velocity measurement. B. E. Jones 651
Transducer, specially designed coiled, efficiency enhancement in the conversion into the magnetostatic mode. T. Ohta and N. Ogasawara 358
Errata 660
Transducers, elementary piezoelectric, new equivalent circuits for. R. Krimholtz, D. A. Leedom and G. L. Matthaei 398
Errata 560
Transducers, interdigital Rayleigh-wave, piezoelectric coupling coefficient of. M. Redwood and R. F. Milsom 437
Transfer-function matrix, rational approximation to, of distributed system. V. Zakian 474
Transfer functions, approximate, for multivariable systems. R. M. Luntz 444
Transfer functions, effect of state-variable feedback on numerators of. H. M. Power 490
Transfer functions, modelling, application of continued-fraction method for, to give more accurate initial transient response. S. C. Chuang 861
Transfer functions, obtaining, with zero steady-state error from impulse responses. J. C. Allwight and S. C. Chuang 706
Transfer ratios, dimensionless, cascade n.i.c. realisation of. E. Zeheb and N. Shachar 764
Transferred-electron devices, efficient, at Q band, material selection for. D. J. Colliver, S. E. Gibbs and B. C. Taylor 353
Transferred-electron high-power c.w. oscillators. S. Y. Narayan, R. E. Enstrom and A. R. Gobat 17
Transferred-electron negative-resistance amplifier. N. Hashizume and S. Kataoka 34
Errata 387
Transferred-electron materials, criteria for the assessment of. J. E. Carroll 394
Transferred-electron waveguide-mounted oscillators, frequency-tuning characteristics of. S. J. Fray and B. C. Taylor 708
Transform, Poisson, relationship of the, to the moment functional transformation. F. W. Fairman 816
Transforms, general renormalisation, for 3-port S parameters. D. Woods 823
Transient response, bias-dependent, of a p-n junction capacitor. M. L. Gupta and A. B. Bhattacharyya 784
Transient response, initial, application of continued-fraction method for modelling transfer functions to give more accurate. S. C. Chuang 861
Transient response of a p-n junction capacitor to a ramp signal. A. B. Bhattacharyya and M. L. Gupta 508
Transient response of a tunnel-diode trigger for linearly varying current pulses. S. L. Sarnot and A. B. Bhattacharyya 445
Transistors and m.o.s. structures, degradation mechanism of, under ionising radiation. D. Esteve and J. Buxo 198
Transistors, gigahertz silicon, some new properties of forward-biased emitter-base junction of. S. G. Chamberlain 843
Transistors, ion-implanted, effect of emitter oxide-window-edge shape in computer-simulation studies of. J. C. Henderson, R. J. D. Scarbrough and R. Silvester 623
Transistors, microwave power-amplifier, improved characterising technique for. T. Nygren and J. Martinson 282
Transistors, modelling of, for fast integrated logic circuits. J. R. A. Beale, R. Bridgen and A. R. Cusdin 301
Transistors, planar, proposed dislocation theory of burst noise in. A. Luque, J. Mulet, T. Rodriguez and R. Segovia 176
Transistors, short-channel m.o.s., modelling of. G. A. Armstrong and J. A. Magowan 313
Transistors, silicon planar microwave, noise measurements of, in the frequency range 4-8 GHz. W. Kotyczka and M. J. O. Strutt 478
Transit-time negative resistance, field-emission-controlled. M. Claassen and W. Harth 512
'Transition equations' for the analysis and synthesis of sequential circuits. D. A. Pucknell 731
Transition ratio of lowpass digital filters. A. G. Constantinides 87
Transmission-line analogue of carrier waves in solids. Bong Ho and L. Fanson 405
Transmission-line analogue of carrier waves in solids, comments on. K. Fujisawa 754
Transmission-line filters, parallel-coupled, end effect in. M. A. Halim and M. A. K. Hamid 130
Transmission line, generalised N-dielectric-layer, simple method for the variational analysis of a. Y. Chang and I. C. Chang 49
Transmission line, microstrip, longitudinal field components and frequency-dependent phase velocity in the. G. K. Grünberger, V. Keine and H. H. Meinke 683
Transmission line, nonuniform, travelling-wave components in a. N.B.Chakrabarti 674
Transmission-line system, frequency response of input impedance implies the distribution of discontinuities of a. J. Detlefsen 67
Transmission line, ultra-broadband, 90° directional couplers. F. Arndt 418
Transmission lines, cascaded noncommensurable, shunted by lumped capacitances, analysis and synthesis of. A. Premoli 36
Transmission lines, coupled strip, characteristic impedances of. W. Braeckelmann and R. Roeder 123
Transmission lines, nonuniform, admittance measurements through. T. K. Ishii and J. A. Mashock 258
Transmission lines, nonuniform, state-space formulation for the chain parameters of. C. Toker and N. Yildirim 422
Travelling-wave amplifier using thin epitaxial GaAs layer. R. H. Dean, A. B. Dreeben, J. F. Kaminski and A. Trianjo 775
Travelling-wave components in a nonuniform transmission line. N. B. Chakrabarti 674
Tree generation without duplication. R. W. Fry and V. K. Aatre 652
Tree-listing algorithm, efficient (Computer-program description). S.-G. Chan and W.-T. Chang 271
Tree, two-, admittance products. K. Sankara Rao, V. V. Bapeswara Rao and V. G. K. Murti 834
Trees of a graph, enumeration of. V. V. B. Rao and V. G. K. Murti 103
Trees, two-, of a graph, enumeration of. K. Sankara Rao, V. V. Bapeswara Rao and V. G. K. Murti 835
Trianjo, A., Dean, R. H., Dreeben, A. B., and Kaminski, J. F. (See Dean)
Triggered, X band Gunn oscillators, by baseband Gunn diodes. W. Fallmann, H. L. Hartnagel and G. P. Srivastava 100
Triggering, signal-injection, of X band Gunn oscillators for f.s.k. operation. R. Huntington, H. L. Hartnagel and P. Bestwick 234
Tripathi, P. C., and Hwang, H. H. (See Hwang)
Tropospheric attenuation, statistics of, at 19 GHz from observations of solar noise. P. G. Davies and J. A. Lane 522
Errata 592
Tsai, S. C., and Ukrainetz, P. R. Relative stability of sampled-data control systems by hodograph method 714
Tsoi, A. C., and Power, H. M. (See Power)
Tsvirko, Yu. A., and Ivanchenko, I. A. Mode tuning and hysteresis behaviour of Gunn-effect cavity-controlled generator 9
Tucker, D. G., and Howson, D. P. van der Graaf's equivalent circuits for series and shunt modulators 238
Tulunay, E. Measurement of time delays in multipath systems 3
Tunable multioctave 3-port circulator using a y.i.g. sphere. S. R. Longley 406
Tuned circulator, remotely. A. S. Webster 377
Tuned filter, electronically, using p-i-n diodes. C. H. Hamilton 697
Tuned, magnetically, coaxial cavity, analysis of a, using state-space techniques. I. J. H. S. Moore and J. A. C. Stewart 391
Tuning, accurate, of a laser mode-locking device. W. A. Gambling, P. J. R. Laybourn, M. D. Lee, H. Sunak and M. Anson 570
Tunnel-diode parametric memory arrays, optimum subharmonic pumping frequency for. B. S. Thornton 56
Tunnel-diode trigger, transient response of a, for linearly varying current pulses. S. L. Sarnot and A. B. Bhattacharyya 445
Tunnels and mines, radiocommunication and control in. R. de Keyser, P. Delogne, J. Janssens and R. Liegeois 767
Turner, D., and Turner, D. J. W. (See Turner, D. J. W.)
Turner, D. J. W., and Turner, D. Attenuation due to rainfall on a 24 km microwave link working at 11, 18 and 36 GHz 297
Errata 424
Two-dimensional analysis of substrate effects in junction f.e.t.s. M. Reiser 493
Two-dimensional computer analysis of dielectric surface-loaded GaAs bulk element. S. Kataoka, H. Tateno, M. Kawashima and M. Morisue 169
Two-terminal negative dynamic resistance. I. W. Stanley and D. J. Ager 1

Two-tree admittance products. K. Sankara Rao, V. V. Bapeswara Rao and V. G. K. Murti 834
Two universal transformations for commensurate distributed circuits. R. Sato 173
Tzafestas, S., and Philokyprou, G. (See Philokyprou)
Tzafestas, S. Moment equations for stochastic distributed-parameter processes 80

U

Ukrainetz, P. R., and Tsai, S. C. (See Tsai)
Ulrich, G. A.M. noise of IMPATT-diode oscillators 247
Ultra-broadband transmission-line 90° directional couplers. F. Arndt 418
Ultrasonic surface waves, refraction and reflection of, by thin-gold-film layers on lithium-niobate substrates. M. E. Pedinoff and M. Waldner 533
Unary functions of a ternary variable, current-mode circuits for the. H. Dunderdale 15
Unconstrained minimisation by the method of conjugate gradients. E. Kraemer 174
Universal active unit for active RC-circuit synthesis. A. W. Keen 667
Universal sequential logic elements. I. Aleksander and E. M. Mamdani 801
Universal threshold gates for 3-, 4-and 5-variable linearly separable (threshold) functions. S. L. Hurst 324
Use of high-relative-permittivity materials in high-delay coaxial lines. A. J. Pointon and K. F. Woodman 260

V

Valsa, J., and Čajka, J. (See Čajka)
Valsa, I., and Čajka, J. Some possibilities of indirect determination of network sensitivity to the ideal voltage-amplifier amplification 774
Vamaraju, S. R. Murthy, and Lawrenson, P. J. (See Lawrenson)
van de Vaart, H. Influence of metal plate on surface magnetostatic modes of magnetic slab 601
van den Boorn, J. H., and van Etten, W. C. (See van Etten)
van der Graaf's equivalent circuits for series and shunt modulators. D. G. Tucker and D. P. Howson 238
van der Ziel, A., and Choe, H. M. Low-noise cryogenic amplifier based on the Josephson effect 576
Errata 760
van der Ziel, A. More rigorous proof of the thermal-noise formula for double-injection diodes for $\omega\tau \gg 1$ 231
van der Ziel, A. Thermal noise in double-injection space-charge-limited solid-state diodes 45
van Etten, W. C., and van den Boorn, J. H. Drift reduction in wideband d.c. amplifiers by 'adding the lacking part' 45
Van Wyk, J. D. Electronic mode of control to obtain increased torque and improved power factor from an asynchronous machine 399
Vapaille, A., and Castagne, R. (See Castagne)
Varactor measurements, large-signal. C. S. Aitchison and R. Davies 780
Varactor-tuned Gunn-effect oscillator. R. B. Smith and P. W. Crane 139
Varactor-tuned Gunn-effect oscillators. D. Cawsey 246
Variation of the admittance of a plasma capacitor with the amplitude of the measuring potential. I. L. Freeston 672
Variational analysis of a generalised N-dielectric-layer transmission line, simple method for the. Y. Chang and I. C. Chang 49
Variational principle for nonconservative networks. D. L. Jones and F. J. Evans 163
Venkateswaran, K., and Roulston, D. J. Effect of depletion-layer capacitance on lifetime measurements of p^+-n-n^+ diodes 681
Venkateswaran, S., and Hasan, M. M. (See Hasan)
Venkateswaran, S., and Rao, K. R. (See Rao)
Versfeld, L. Remarks on star-mesh transformation of electrical networks 597
Vich, R. Approximation in digital-filter synthesis based on time-response invariance 442
Vich, R. Properties of digital bandpasses obtained by convolution approximation for zero frequency 440
Vichev, B. I., and Miteva, V. I. Analogue computer with Hall effect and magneto-resistance effect 287
Vincent, D. A., and Thomson, I. (See Thomson)
Visualisation of surface acoustic waves. T. M. Reeder, E. M. Westbrook and D. K. Winslow 30
Viswanathan, T. R., and Deep, G. S. Simple 4-quadrant analogue multiplier 725
Vlach's method, generalisation of, for the numerical inversion of the Laplace transform. C. J. Wellekens 742
Voltage- and conductivity-independent mode of operation in thin acoustoelectric oscillators. F. G. Marshall 382
Voltage/current relationships, display of, in power-transistor circuits operating at v.h.f. H. W. Rouhof and H. W. Loeb 464
Voltage measurement using the scanning-electron microscope, improved technique for. J. P. Flemming and E. W. Ward 7
Vu, T. B., and Vu, Q. H. Optimum feed for large radiotelescopes: experimental results 159
Vu, Q. H., and Vu, T. B. (See Vu, T. B.)

W

Wacker, P. F., Kerns, D. M., Baird, R. C., and Newell, A. C. (See Baird)
Wait, J. R. Ground-wave attenuation function for a Gaussian modulated carrier signal 106
Waiting-time and buffer-size calculations for random arrivals and periodically regular service. G. Philokyprou and S. Tzafestas 588
Wakefield, J., and Gamble, H. S. Titanium dioxide as gate insulator for m.o.s. transistors 507
Waldner, M., and Pedinoff, M. E. (See Pedinoff)
Walker, C., and Pokoski, J. L. (See Pokoski)
Walker, P. A. W. Asynchronous binary dividing array 515
Wallace, A. M., Webber, V. K., Calverley, A., and Hambleton, K. G. (See Calverley)
Walsh, D., and Evans, A. G. R. (See Evans)
Walsh, D., and Khan, S. H. (See Khan)
Walsh, D., and Kooi, P. S. (See Kooi)
Walsh, J., and Swamy, M. N. S. Design of an active distributed RC lowpass filter using exponential lines 293
Errata 387
Walsh-Fourier analysis, sampling theorem in. S. C. Kak 447
Walter, O. H. D. Formulas for linear optimal control over a finite or infinite interval 632
Walter, W., Drangeid, K. E., and Sommerhalder, R. (See Drangeid)
Wang, S. H. Design of precompensator for decoupling problem 739
Ward, E. W., and Flemming, J. P. (See Flemming)
Ward Leonard system, novel static. R. J. Castell, A. R. Daniels and J. la T. Exon 232
Wardrop, B. Analysis of quasioptical waveguide corners 154
Wardrop, B. Electrical lengths of stripline bends 494
Warren, A. C., and Male, J. C. Field-enhanced conductivity effects in thin chalcogenide-glass switches 567
Warren, A. C., and Thomas, D. L. (See Thomas)
Waveform, acoustic, determination of engine firing rate from the. D. W. Thomas and B. R. Wilkins 193
Waveform constructions, nonsinusoidal, for avalanche-diode-oscillation modes. I. W. Mackintosh 421
Waveforms, discrete-coded, simple coincidence system for side-lobe ambiguity reduction in. A. Cionini and C. Atzeni 525
Waveguide corners, quasioptical, analysis of. B. Wardrop 154
Waveguide, corrugated circular, attenuation in. P. J. B. Clarricoats and P. K. Saha 370
Waveguide-mounted transferred-electron oscillators, frequency-tuning characteristics of. S. J. Fray and B. C. Taylor 708
Waveguides, below-cutoff, method of obstacle admittance measurement in. C. K. Mok 50
Weaver, J. T., and Thomson, D. J. (See Thomson)
Webber, V. K., Calverley, A., Hambleton, K. G., and Wallace, A. M. (See Calverley)
Webster, A. S. Remotely tuned circulator 377
Weglein, R. D., Pedinoff, M. E., and Winston, H. Diffraction spreading of surface waves on $LiNbO_3$ 654
Weiss, J. A., and Bryant, T. G. Dielectric Green's function for parameters of microstrip 462
Errata 560
Welch, G. V., and Ishii, T. K. Hybrid-tee coupled oscillators 717
Wellekens, C. J. Generalisation of Vlach's method for the numerical inversion of the Laplace transform 742
Westbrook, E. M., Winslow, D. K., and Reeder, T. M. (See Reeder)
White, D. L., and Feldman, M. Liquid-crystal light valves 837
White, G. Generalised cell for use in iterative and near-iterative arithmetic arrays 270
White, P. M., Auchterlonie, L. J., and Eddolls, D. V. (See Auchterlonie)
Wideband circulator adjustment using the n = +1 and n = 0 electromagnetic-field patterns. J. Helszajn 729
Wideband performance of the injection-limited Gunn diode. T. Harlu, S. Ono and Y. Shibata 666
Wien's bridge, allpass networks using. P. Williams 183
Wien's bridge, alternative allpass networks using. P. Williams 188
Wien's bridge, bandpass filters using. P. Williams 186
Wien's bridge, notch filters using. P. Williams 185
Wierich, R. L. Accurate calculation of small signal growth rates in avalanche diodes 466
Wierzba, H. J., Gruszczyński, W., and Hryńczuk, J. (See Gruszczyński)
Wignall, W. R., and Smith, B. V. (See Smith)
Wildey, C. G., and Christmas, T. M. (See Christmas)
Wilkins, B. R., and Thomas, D. W. (See Thomas)
Wilkins, B. R., Batchelor, B. G., and Ford, N. L. (See Batchelor)
Wilkinson, C. D. W., and Wilkinson, J.
Wilkinson, J., Adam, J. D., and Bennett, G. A. (See Adam)
Wilkinson, J., and Wilkinson, C. D. W. Elastic waves in a liquid layer with different upper and lower elastic layers 426
Williams, D. C. Process identification with visual interaction between operator and computer 472
Williams, P. Allpass networks using Wien's bridge 183
Williams, P. Alternative allpass networks using Wien's bridge 188
Williams, P. Bandpass filters using Wien's bridge 186
Williams, P. Notch filters using Wien's bridge 185
Williams, P. D. Change of fading characteristics of reputed steady targets as a function of sea state in a marine-radar environment 853
Winslow, D. K., Reeder, T. M., and Westbrook, E. M. (See Reeder)
Winston, H., Weglein, R. D., and Pedinoff, M. E. (See Weglein)
Włodarski, W. Possibility of application of the Zener diode as a hydrostatic pressure gauge 64
Wood, P. Field-correlation theorem with application to reflector-aerial diffraction problems 326
Wood, P. J. Spherical-harmonic expansions in near-field aerial problems 535
Woodman, K. F., and Pointon, A. J. (See Pointon)
Woods, D., and Owens, P. J. (See Owens)
Woods, D. General renormalisation transforms for 3-port S parameters 823
Wouterse, J. H. Electrical behaviour of networks synchronously switched by thyristors 820
Wright, G. T., and Saunders, A. F. (See Saunders)
Wright, G. T. Current/voltage characteristics, channel pinchoff and field dependence of carrier velocity in silicon insulated-gate field-effect transistors 107

X

X band Gunn oscillators triggered by base-band Gunn diodes. W. Fallmann, H. L. Hartnagel and G. P. Srivastava 100

Y

Y. I. G., delay of magnetostatic surface waves in. J. D. Adam 718
Y.I.G. metal-backed slab, identification of surface-wave resonances on a. G. A. Bennett and J. D. Adam 789
Y.I.G. rods, analysis of simplified model relevant to propagation of microwave phonons in. P. de Santis 621
Y. I. G. slab, experimental observation of magnetostatic modes in a. J. D. Adam, G. A. Bennett and J. Wilkinson 434
Yagi aerials, Hansen-Woodyard conditions as applied to. P. Miller 574
Yagi and dielectric-rod aerials, radiation mechanism of. E.-G. Neumann 528
Yildirim, N., and Toker, C. (See Toker)
Yip, G. L. Launching of the HE_{11} surface-wave mode on a dielectric rod 2

Z

Zabielski, M. F., and Kendall, B. R. F. (See Kendall)
Zakian, V., and Munro, N. (See Munro)
Zakian, V., and Smith, G. K. Solution of distributed-parameter problems using numerical inversion of Laplace transforms 647
Zakian, V. Evaluation of largest or smallest zero of a polynomial 217
Zakian, V. Optimisation of numerical inversion of Laplace transforms 677
Zakian, V. Rational approximants to the matrix exponential 814
Zakian, V. Rational approximation to transfer-function matrix of distributed system 474
Zeheb, E., and Shachar, N. Cascade n.i.c. realisation of dimensionless transfer ratios 764
Zener diode, possibility of application of the, as a hydrostatic pressure gauge. W. Włodarski 64
Zepler, M. M., Hayes, R. E., Bennett, T. J., and Norton, G. T. (See Hayes)
Zero of a polynomial, evaluation of largest or smallest. V. Zakian 217
Zeros, number of, of a complex polynomial inside the unit circle. S. Barnett 164
Zimmerl, O. F. Frequency limitation of 3-level oscillators 728
Zinober, A. Discrete-time control using the quadratic performace index, implicit model following and the specific optimal policy 841

Printed by Unwin Brothers Limited, Woking and London